


TREK
TREKBIKES.COM



2003
THIRD EDITION

USPS Team Time Trial™ PERFORMANCE

Lance asked for an extremely fast time trial bike. He got it. So can you.

BEST BUYER: GOOD

TIME TRIAL UPGRADES

- Complete time trial bike
- Race-proven performance
- Pro-level wheelset
- Pro-level Shimano components
- Adjustable seatpost

FRAME OCLV® HC Carbon. The ultra-zero design proven by the USPS Team in the Tour de France. Developed with aerodynamics mastermind John Cobb and legendary time trialist Lance Armstrong. **FORK** Time Chrono 1". **WHEELS** Bontrager Race X Lite Aero is extremely light and aerodynamic. **COMPONENTS** Shimano Ultegra crank and 9-speed shifting. Double chainring for racing or fast training rides. **SIZES** 53-55cm (S), 55-57cm (M), 57-59cm (L) **COLOR** Gloss Black/Argent Silver (USPS Team)



FRAMESET AVAILABLE



FRAME TECH

OCLV HC CARBON

So light and fast, Lance has just one word for it: "mean."



Sandwiching a honeycomb of Nomex® between layers of OCLV Carbon produces a structure so rigid, designers can create almost any shape they want. Like the aerodynamic design of Lance Armstrong's USPS Team Time Trial bike – which immediately helped save

up to 15 seconds compared with his previous bike. The remarkable strength of this honeycomb construction also requires less carbon, lightening the frame even further.

5900® USPS Team Superlight™ PERFORMANCE

The lightest production frame in the world with heavy responsibility: defending the Tour.

BEST BUYER: GOOD

UPGRADES OVER 6500™

- Superlight carbon frame
- Lighter racing wheelset
- Lighter seatpost, handlebar, and stem
- Ultralight racing saddle

FRAME Ultralight OCLV® 110 Carbon creates the lightest, fastest stock frame ever made. Quick handling and amazing comfort on long rides. Lance Armstrong's Tour de France frame. **FORK** Bontrager Race X Lite. Streamlined and superlight, with OCLV 110 Carbon. **WHEELS** Bontrager Race X Lite is extremely light and aerodynamic. **COMPONENTS** Shimano Dura-Ace crank and 9-speed shifting. Double chainring for racing or fast training rides. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm **COLOR** Titanite Black/Bright Silver (USPS Team)



FRAMESET AVAILABLE



FRAME TECH

OCLV 110 CARBON

Engineered to defend the yellow jersey.



Weighing in at just 1030 grams/2.27 pounds, we specifically designed this frame to help Lance Armstrong capture his second Tour de France title. Compared to his 1999 Tour winner, an OCLV 110 Carbon frame weighs 13% less – yet it's just as strong. The difference?

We optimized the amount of OCLV Carbon (110 grams/m²) and reinforced it with high modulus carbon. The result is an ultrastrong, ultrasoft, and ultralight racing machine. You can learn more about OCLV Carbon technology at www.trekbikes.com/oclv.

5500® PERFORMANCE

Lance still can't believe he rides a stock bike. Neither will you.



AVAILABLE WITH
TRIPLE CRANK.

UPGRADES OVER 5200™

Top-of-the-line Shimano components

PRESTY BETTER GOOD

FRAME OCLV® 120 Carbon is unusually light, strong, and fast. Pro Race Geometry improves handling. The same stock frame ridden by the USPS Team in the Tour de France. **FORK** Bontrager Race Lite. OCLV 110 Carbon is light, responsive, and silences road vibration. **WHEELS** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS** Shimano Dura-Ace crank and 9-speed shifting. Double or triple chainring. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm. **COLOR** Pearl Red. Frameset available in Blue Dusk/Bright Silver (USPS Team).



FRAMESET AVAILABLE

Project One

OCLV 120 CARBON

Built for the French Alps.
And roads everywhere.

OCLV
CARBON 120

The USPS Team rides OCLV 120 frames throughout the month-long endurance test known as the Tour de France. The results speak for themselves. Using just 120 grams of carbon fiber per square meter translates into incredibly light frames. They tip the scales at a slight

1090 grams/2.4 pounds - without compromising strength or stiffness. We're so sure about their performance, we back every OCLV Carbon frame with a limited lifetime warranty. You can learn more about OCLV Carbon technology at www.trekbikes.com/oclv.



COL DU GALIBIER, TOUR DE FRANCE, UNITED STATES POSTAL SERVICE TEAM

In the grueling mountain stages of the Tour de France, it's not the scenery that inspires us - it's the riders.

5200™ PERFORMANCE

USPS Team tested.
USPS Team approved.

UPGRADES OVER 2300™
Lighter, stronger carbon frame
Tour-proven performance

FRAME OCLV™ 120 Carbon is unusually light, strong, and fast. Pro Race Geometry improves handling. The same stock frame ridden by the USPS Team in the Tour de France. **FORK** Bontrager Race Lite. OCLV 110 Carbon is light, responsive, and silences road vibration. **WHEELS** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS** Shimano Ultegra crank and 9-speed shifting. Double or triple chainring. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 62cm. **COLORS** Blue Dusk/Bright Silver (USPS Team) or Black Pearl Carbon (shown below on 5200 WSD)



Pro Race



AVAILABLE WITH
TRIPLE CRANK.

WHEEL TECH



BONTRAGER™
The world's best
frames deserve
the world's best
components.



Offset Spoke Bed design (aka OSB) creates a spoke angle that strengthens the wheel and prolongs wheel life. Compared to a standard spoke configuration, OSB reduces tension difference by 30%.

Paired spoke technology allows wheels that are as light as possible, while maintaining strength and durability. **Welded and machined sidewalls** provide additional strength and a consistent surface for smooth braking.

Bladed spokes provide better aerodynamics than their round counterparts. **Attention to detail** comes through in Bontrager handlebars and stems. They're precision machined to be tough, but light enough to keep you at full speed.

5200 WSD™ PERFORMANCE

Tour-winning OCLV Carbon
technology now made
just for women.

**UPGRADES OVER
2300 WSD™**
Lighter, stronger carbon frame
Tour-proven performance

FRAME OCLV™ 120 Carbon in a custom Women's Specific Design geometry for added comfort and power. The same strong, light frame material ridden by the USPS Team. **FORK** Bontrager Race. OCLV Carbon design is light and fast. **WHEELS** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS** Shimano Ultegra crank and 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 47cm, 51cm, 54cm, 56cm. **COLOR** Black Pearl Carbon

Pro Race



women's specific design

FRAME TECH

WOMEN'S SPECIFIC DESIGN

You won't believe the
difference it makes.

Modified frame geometries are tuned to the unique needs of women riders. Adjusting the seat tube, top tube, and head tube dimensions creates a more comfortable and powerful riding position. These corrections also improve the bike's balance, handling, and stability.

Specially selected components offer the ideal fit for smaller hands – including narrower bars and easy-to-reach brake levers.

Pedal more efficiently. Shorter cranks help smaller legs get to top speed, faster. Steep hills feel easier, long rides less tiring.

Smaller, 650c wheels (700c on the 54cm and 56cm bikes) give the bike an overall better fit for women. Anatomically designed saddles offer the proper pelvic support for women, improving comfort and endurance.

2300™ PERFORMANCE

Race on a frame lighter than titanium and stronger than steel.

UPGRADES OVER 2200™

- Superlight racing frame
- Higher-performance wheelset
- Pro-level Shimano components
- Lighter, low-profile saddle

FRAME: ZR 9000 Alloy™ is lighter than titanium and stronger than steel. Pro Race geometry transfers more power on climbs and descents. **FORK:** Bontrager Race Lite, OCLV 110 Carbon is light, responsive, and silences road vibration. **WHEELS:** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS:** Shimano Ultegra crank and 9-speed shifting, double or triple chainring. **SIZES:** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm. **COLOR:** Blue Dusk/Bright Silver (USPS Team)



FRAMESET AVAILABLE



AVAILABLE WITH TRIPLE CRANK.

FRAME TECH



The guys in lab coats classify it as an experimental alloy. We just call it light and fast.

With zirconium added as a hardening material, ZR 9000 produces frames that are 15% stronger and 15% lighter than industry standard aluminum. Our endurance tests show that ZR 9000 increases the fatigue strength of a frame by up to five times. Enough said.

Handbuilt frames start with tubes that are custom-formed, laser-cut and precision-welded in Waterloo, Wisconsin.

Exceptional frame rigidity is the key to top performance on the road. Sharp cornering. Efficient power transfer. Quick handling.

Internal headset design combines with a T-back seatstay and custom large-diameter, thin-wall tubes to shed 117 grams of weight.

Pro Race geometry creates a racing frame that generates power on sprints and climbs, with enough comfort for long-distance rides.

2300 WSD™ PERFORMANCE

The racing bike that keeps pace with what women want.

UPGRADES OVER 2200 WSD™

- Superlight racing frame
- Higher-performance wheelset
- Pro-level Shimano components

FRAME: ZR 9000 Alloy™ in a custom Women's Specific Design geometry that increases comfort and power. Lighter than titanium, stronger than steel. **FORK:** Bontrager Race, OCLV Carbon design is light and fast. **WHEELS:** Bontrager Race Lite combines sleek aerodynamics and lateral rigidity for fast, durable performance. **COMPONENTS:** Shimano Ultegra 9-speed shifting, triple chainring for wider gear options on longer rides. **SIZES:** 43cm, 47cm, 51cm, 54cm, 56cm. **COLOR:** Cumulus Blue



women's specific design

2200™ PERFORMANCE

Race on it. Tour on it. Just be on it whenever you can.

UPGRADES OVER 2000™

All-around performance wheelset
Higher-performance Shimano components
Stronger, lighter headset

FRAME Alpha™ SL Aluminum, Superlight, large diameter tubing for exceptional durability and efficient power transfer. **FORK** Bontrager Race, OCLV Carbon design is light and fast. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **COMPONENTS** Shimano Ultegra/105 9-speed shifting. Double or triple chainring. **SIZES** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm **COLOR** Titanite Black



AVAILABLE WITH
TRIPLE CRANK.

FRAME TECH

SL

Exactly what a road bike should be.

Alpha SL frames start with the highest-grade aluminum – first heat-treated for greater strength, then seamlessly drawn into double-butt tubes. This proprietary process results in the lightest, strongest aluminum frames we've ever made.

Precise tube shaping creates a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else.

Large-diameter tubing enhances the structural strength and rigidity of the frame, for better power transfer and handling.

Pro geometry adds a whole new dimension to road riding. Pedaling is smooth, efficient, in control. Cornering is crisp, precise. So you can climb and sprint with more power. You'll notice more energy on longer rides as well.

2200 WSD™ PERFORMANCE

The words that road-riding women love to hear: perfect fit.

UPGRADES OVER 2000 WSD™

All-around performance wheelset
Reach-adjustable Shimano levers
Higher-performance Shimano components
Stronger, lighter headset

FRAME Alpha™ SL Aluminum with a custom Women's Specific Design geometry that increases comfort and power. **FORK** Bontrager Race, OCLV Carbon design is light and fast. **WHEELS** Bontrager Select features Paired Spoke Technology™ for aerodynamics and strength in an ideal size for smaller riders. **COMPONENTS** Shimano Ultegra/105 9-speed shifting, Triple chainring for wider gear options on longer rides. **SIZES** 43cm, 47cm, 51cm, 54cm, 56cm **COLOR** Pearl White



women's specific design



2000™ PERFORMANCE

The superlight all-around road bike.

UPGRADES OVER 1200™

- Stronger, lighter rims
- Higher-quality Shimano components
- Clipless Shimano pedals

FRAME Alpha™ SL Aluminum. Superlight, large diameter tubing for exceptional durability and efficient power transfer. **FORK** Bontrager Race. OCLV Carbon design is light and fast. **WHEELS** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS** Shimano 105/Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 52cm, 54cm, 56cm, 58cm, 60cm, 63cm. **COLOR** Bright Silver



2000 WSD™ PERFORMANCE

For women who've been waiting to get out on the open road.

WSD UPGRADES

- Stronger, lighter rims
- Higher-quality Shimano components
- Clipless Shimano pedals

FRAME Alpha™ SL Aluminum with a custom Women's Specific Design geometry that increases comfort and power. **FORK** Bontrager Race. OCLV Carbon design is light and fast. **WHEELS** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS** Shimano 105/Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 45cm, 47cm, 51cm, 54cm, 56cm. **COLOR** Coastal Blue



women's specific design

1200™ PERFORMANCE

Enjoy every mile on this fast, lightweight bike.

UPGRADES OVER 1000™

- Lighter frame
- Stronger, lighter rims
- Quality Shimano components

FRAME Alpha™ SL Aluminum, Superlight, large diameter tubing for exceptional durability and efficient power transfer. **FORK** Bontrager Race, OCLV Carbon design is light and fast. **WHEELS** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS** Shimano Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES*** 50cm, 52cm, 54cm, 56cm, 58cm, 60cm. **COLOR** Baja Blue

*Flat bar option not available in all sizes.

Now you can combine top road performance with a more comfortable, upright riding position - thanks to our new, optional flat bar.



1000™
Candy Red/Pearl White

**1000™ PERFORMANCE**

Road riding begins with this bike.

ROAD UPGRADES

- Strong, light aluminum frame
- Light alloy fork and headset
- Reliable components
- Road-specific saddle

FRAME Oversized Alpha™ Aluminum creates a stiff, lightweight frame made for speed and quick handling. **FORK** Alloy w/alloy steerer. **WHEELS** Alex AT450 rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS** Suntour Superbe crank and Shimano Sora 8-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES*** 43cm, 50cm, 52cm, 54cm, 56cm, 58cm, 60cm, 63cm. **COLORS** Starry Night Black or Candy Red/Pearl White

*Flat bar option not available in all sizes.

FLAT BAR OR
ROAD BAR AVAILABLE.
FLAT BAR SHOWN.



2200C™ ROAD COMFORT

A lightweight bike with built-in comfort.



UPGRADES OVER 1200C™

AB-around performance wheelset
Higher-performance Shimano components
Stronger, lighter headset

FRAME Oversized Alpha™ Aluminum in a Road Comfort geometry that delivers a smoother, more stable ride. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **SUSPENSION** Shock-absorbing seatpost and comfort saddle smooth out rough riding surfaces. **COMPONENTS** Shimano Ultegra/105 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 50cm, 54cm, 58cm, 63cm **COLOR** Coastal Blue

INTRODUCING ALL-NEW ROAD COMFORT

High performance meets high comfort.

Road Comfort geometry shifts your weight over the rear wheel and puts you in an upright riding position to improve handling, stability, and pedaling efficiency.

An upright ride is a more relaxed, natural position. This minimizes stress on the lower back to help reduce low back pain.

Wide CR2+ saddle, anatomically designed for soft tissue support, combines with a suspension seatpost to help cushion your ride.

Extra comfort components. A fully-adjustable stem, gel handlebar tape, and bar top brake levers make these bikes perfect for recreational riders, commuters, even performance riders who place a premium on comfort.

1200C™ ROAD COMFORT

Performance to cover a lot of miles. Comfort to enjoy every single one.

UPGRADES OVER 1000C™

Stronger, lighter rims
Quality Shimano components

FRAME Oversized Alpha™ Aluminum in a Road Comfort geometry that delivers a smoother, more stable ride. **WHEELS** Matrix Aurora rims with Bontrager Select tires are lightweight and reliable. **SUSPENSION** Shock-absorbing seatpost and comfort saddle smooth out rough riding surfaces. **COMPONENTS** Shimano Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 50cm, 54cm, 58cm, 63cm **COLOR** Bright Silver



1000C™ ROAD COMFORT

A road bike with a more comfortable, upright riding position.

ROAD COMFORT UPGRADES

- More upright riding position
- Suspension seatpost
- Adjustable stem
- Secondary brake levers
- More comfortable saddle

FRAME: Oversized Alpha™ Aluminum in a Road Comfort geometry that delivers a smoother, more stable ride. **WHEELS:** Alex A1490 rims with Bontrager Select tires are lightweight and reliable. **SUSPENSION:** Shock absorbing seatpost and comfort saddle smooth out rough riding surfaces.

COMPONENTS: Suntour Superbe cranks and Shokwave Sora 8-speed shifting. Triple clamping for wider gear options on longer rides. **SIZES:** 50cm, 54cm, 58cm, 61cm. **COLOR:** 6-44 Blue.

XO1™ CYCLOCROSS

Lets you ride where and when other road bikes can't.

CYCLOCROSS UPGRADES

- Lightweight, reinforced frame
- Durable welded rims
- Quality Shimano components
- Clipless Shimano pedals

FRAME: Alpha™ Aluminum in a Cyclocross geometry for speed and maximum handling. **FORK:** Oversized (reinforced) aluminum. **WHEELS:** Alex A1490 rims with Bontrager Select tires are lightweight and reliable. **COMPONENTS:** Suntour Superbe cranks and Shokwave Sora 8-speed shifting. Triple clamping for wider gear options on longer rides. **SIZES:** 50cm, 54cm, 58cm, 61cm. **COLOR:** 6-44 Blue.



FRAME TECH



Its cyclocross heritage comes in just as handy on the morning commute.

Alpha SL frames are strong, durable, and superlight, essential for speed and quick handling – not to mention carrying the bike. XO1 Cyclocross bikes transfer pedaling energy into forward motion with incredible efficiency. So you can crank up hills and go the distance.

Oversized down tube creates a rigid structure between the bottom bracket and head tube, providing the necessary frame stiffness and strength for off-road riding. Forged aluminum fittings reinforce the overall structural integrity of the frame where it's needed.

Higher bottom bracket clears most obstacles with ease. Longer chainstays add comfort over rough terrain, as well as enough clearance for larger tires. The XO1 makes a great all-around road bike perfect for winter training, commuting, or touring.

520™ LOADED TOURING

Explore a new area code. Or a new country.

TOURING UPGRADES

- Reinforced, loaded touring frame
- Superstrong rims
- Reliable Bontrager components
- Clipless Shimano pedals

FRAME: Welded Cro-Moly built to endure the demands of fully loaded touring, with added braze-ons for secure transport.

FORK: Cro-Moly cuts down the road buzz.

WHEELS: Bontrager Fairlane rims with Select tires are designed for long excursions.

COMPONENTS: Shimano 105 crank and 105/Deore LX 27-speed shifting. Triple

clamping for wider gear options on longer tours. **SIZES:** 17", 19", 21", 23", 25".

COLORS: Rainforest Green.



T 2000™ TANDEM

Our top-of-the-line bicycle built for two.



BEST BETTER GOOD

UPGRADES OVER T 1000™

Lighter, more durable wheelset
Pro-level Shimano components
Stronger, lighter headset

FRAME ZR 9000 Alloy™ in a tandem configuration. Lighter than titanium, stronger than steel. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Bontrager Race X Like Tandem offers a superior combination of aerodynamics, light weight, and strength. **COMPONENTS** Shimano Ultegra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 54/43-56cm, 56/43-56cm, 58/43-56cm. **COLOR** Coastal Blue

THIS IS NOT YOUR FATHER'S TANDEM.

Train for your next century on one of these bikes. Day trip through the wine country. Or use it as your private escape from the kids.

There's no need to give up comfort, high performance, or fit. It's all here. There's a Trek tandem to suit your riding style and satisfy a wide range of captain/stoker size demands. So you can choose togetherness and sacrifice nothing.

TANDEM

Two size-specific cockpits,
one phenomenal ride.

Adjustable tandem cockpits allow you to fit the captain without compromising for the sake of the stoker. Our tandems feature a wide differential between captain and stoker seat tubes, size-specific tube angles, and a stoker's top tube and stem designed to handle almost any sized rider.

Sport Touring geometry featuring race-worthy componentry, or a more relaxed, upright-riding frame with full comfort features. Your local Trek dealer will help you choose a frame that fits your riding style.

ZR 9000 custom alloy frames are lighter than titanium, stronger than steel, and stiffer than frames twice the price. Our endurance tests show the ZR 9000 increases fatigue strength of a frame by up to five times.

T 1000™ TANDEM

With a lightweight frame and solid components, this thing is fast enough for two.

BEST BETTER > GOOD <

TANDEM UPGRADES

Strong, light alloy frame
Durable welded rims
Quality Shimano components

FRAME ZR 9000 Alloy™ in a tandem configuration. Lighter than titanium, stronger than steel. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Bontrager Clyde rims with IRC Duro Tour tires roll fast and stay true. **COMPONENTS** Shimano Tiagra 9-speed shifting. Triple chainring for wider gear options on longer rides. **SIZES** 54/43-56cm, 56/43-56cm, 58/43-56cm **COLOR** Starry Night Black



T 900™ TANDEM

An all-new frame with enough comfort features for two.

BEST BETTER > GOOD <

TANDEM UPGRADES

Adjustable, high-rise handlebars
Comfort spring saddles
Built-in taillight on rear saddle
Suspension rear seatpost

FRAME Alpha™ Aluminum in a tandem configuration with a comfortable, upright riding position. **FORK** Triple butted Cro-Moly soaks up road vibration on long tandem rides. **WHEELS** Alex TM19 rims with Bontrager Comfort K tires for smooth rolling and easy braking. **COMPONENTS** TruVativ crank and Shimano Deore 24-speed shifting. **SIZE** 18.5"/14.5" **COLOR** Midnight Blue



Liquid 30™

ALL-MOUNTAIN FULL SUSPENSION
Top-of-the-line all-mountain bike with new Liquid Suspension Design.

BEST • BETTER • GOOD

UPGRADES OVER LIQUID 20™

- Higher-performance fork
- Lighter, tubeless wheelset
- Top-of-the-line Shimano components

FRAME ZR 9000 Alloy™ in a long-travel, full-suspension design that quickly adjusts to match the terrain. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Race Lite Disc Tubeless offers high-performance versatility in one of the lightest disc-specific wheelsets available. The choice of the Trek/Volkswagen Pro Mountain Bike team. **SUSPENSION** Fox Talas RL C fork (125mm travel) and Fox Talas RL rear air shock (up to 5" of rear wheel travel) adjust on the fly to changing conditions. **COMPONENTS** Bontrager Race Lite crank and Shimano Deore LX/XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night Black



FRAMESET AVAILABLE



Liquid 20™

ALL-MOUNTAIN FULL SUSPENSION
The all-mountain bike takes you anywhere. The Liquid Suspension Design gets you back.

BEST • BETTER • GOOD

UPGRADES OVER LIQUID 10™

- Faster, disc-specific wheelset
- Mag hydraulic disc brakes
- Higher-performance Shimano components

FRAME ZR 9000 Alloy™ in a long-travel, full-suspension design that quickly adjusts to match the terrain. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Race Disc Tubeless are light but durable, with disc brakes for superior stopping power in slop or steep descents. **SUSPENSION** RockShox Psycho XC fork (125mm travel) and Fox Talas R rear air shock (up to 5" of rear wheel travel) adjust on the fly to changing conditions. **COMPONENTS** Bontrager Race crank and Deore LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Baja Blue



Liquid 10™

ALL-MOUNTAIN FULL SUSPENSION
The one bike that can adjust to whatever terrain you run into – no tools necessary.

JUST • BETTER • GOOD

LIQUID UPGRADES

- On-the-fly travel adjust
- Proprietary Fox rear shock
- Lighter, stronger frame

FRAME ZR 9000 Alloy™ in a long-travel, full-suspension design that quickly adjusts to match the terrain. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Select Disc delivers great off-road performance, with rims machined and welded for strength. **SUSPENSION** RockShox Psycho C fork (125mm travel) and Fox Talas R rear air shock (up to 5" of rear wheel travel) adjust on the fly to changing conditions. **COMPONENTS** Bontrager Race crank and Shimano Deore 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Bright Silver



Fuel 100™ XC FULL SUSPENSION

World Cup proven full-suspension gets a new OCLV Carbon mainframe and full XTR.



UPGRADES OVER FUEL 98™

Pro-level suspension fork
Lighter, tubeless wheels
Top-of-the-line Shimano components
Lighter handlebar, stem, and seatpost
Race-worthy Avid Ultimate brakes

FRAME Fully independent cross-country suspension at a hardtail weight. OCLV® 120 Carbon is unusually light, strong, and fast. Absorbs shocks while providing incredible feel and response. **WHEELS** Bontrager Race X Lite Tubeless is extremely light, fast, and durable. **SUSPENSION** Rock Shox SID World Cup fork (80mm travel) and SID Lockout rear air shock (up to 3" of rear wheel travel) are perfect for XC racing. **COMPONENTS** Shimano XTR crank and 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Baja Blue/Starry Night Black

OCLV
CARBON 120

FRAMESET
AVAILABLE

Fuel 98™ XC FULL SUSPENSION

OCLV Carbon frame. Efficient full-suspension. Two great things that go together.

UPGRADES OVER FUEL 90™

Stronger, lighter carbon frame
Lighter racing fork
Lighter, tubeless wheels
Pro-level Shimano components
More adjustable rear shock

FRAME Fully independent cross-country suspension at a hardtail weight. OCLV® 120 Carbon is unusually light, strong, and fast. Absorbs shocks while providing incredible feel and response. **WHEELS** Bontrager Race X Lite Tubeless offers high-performance versatility in one of the lightest wheelsets available. **SUSPENSION** Rock Shox SID Race fork (80mm travel) and Fox Float RL rear air shock (up to 3" of rear wheel travel) are perfect for XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night Black



OCLV
CARBON 120



NOTHING BURNS CLEANER.

Fuel 90™ XC FULL SUSPENSION

Fast. Efficient. Suddenly, a 24-hour race seems perfectly reasonable.

UPGRADES OVER FUEL 80™

- Lighter fork
- Rebound adjust rear shock
- All-around racing wheelset
- Racing Shimano components

FRAME Fully independent cross-country suspension at a hardtail weight. ZR 9000 Alloy™ delivers exceptional speed and durability. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) and Fox Float R rear air shock are perfect for XC racing. **COMPONENTS** Bontrager Race crank and Deore LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night Black/Bright Silver



FRAMESET
AVAILABLE



DISC OPTION
AVAILABLE.
SPECIFICATIONS
MAY VARY.



One of the strongest, lightest composites on the circuit.

With zirconium added as a hardening material, ZR 9000 produces frames that are 15% stronger and 15% lighter than industry standard aluminum. Our endurance tests show that ZR 9000 increases the fatigue strength of a frame by up to five times. Enough said.

Exceptional frame rigidity means everything when it comes to off-road performance. Sharp cornering. Efficient power transfer. Quick handling. Precise tube shaping strengthens the bottom bracket and head tube, while shedding unwanted ounces - keeping the ride light and fast.

Stiff rear triangle provides rock-solid stability for climbing, sprinting, and braking. The Trek Disc-0™ mount offers full disc brake compatibility. Pro Race geometry gives you the same edge as the world's best racers - like World Cup Champion Roland Green.

Fuel 90 WSD™

XC FULL SUSPENSION

One way to improve
lightweight full-suspension?
Make it just for women.

BEST • BETTER • GOOD

UPGRADES OVER 8000 WSD™

Full-suspension technology
Rebound adjust rear shock
All-around racing wheelset
Racing Shimano components

FRAME ZR 9000 Alloy™ is a custom Women's Specific Design geometry that increases comfort and power. Fully independent cross-country suspension gives you a solid, smooth ride. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) and Fox Float R rear air shock are perfect for XC racing. **COMPONENTS** Bontrager Race crank and Deore LX/XT 9-speed shifting. **SIZES** 14", 16", 18" **COLOR** Midnight Blue/Gloss White



women's specific design

FRAME TECH

WOMEN'S SPECIFIC DESIGN

More comfortable fit. More time
spent out on the trail.

Modified frame geometries are tuned to the unique needs of women riders. Adjusting the seat tube, top tube, and head tube dimensions creates a more comfortable and powerful riding position. These corrections also improve the bike's balance, handling, and stability.

Specialty selected components offer an ideal fit for smaller hands – narrower bars, thinner grips, and easy-to-reach brake levers.

Pedal more efficiently. Shorter cranks help shorter legs get to top speed, faster. Steep hills feel easier, long rides less tiring.

WSD suspension forks give lighter riders plenty of shock absorption. Anatomically designed saddles offer the proper pelvic support for women, providing comfort and endurance. Once you feel the difference, you'll never ride a 24-hour race without it.

Fuel 80™ XC FULL SUSPENSION

Proven cross country
suspension gets you there
and back with energy to spare.

BEST • BETTER • GOOD

FUEL UPGRADES

Full-suspension technology
Responsive, lightweight frame
Lighter, tunable fork
Rugged off-road wheels
High-performance Shimano components

FRAME Fully independent cross-country suspension at a hardtail weight. ZR 9000 Alloy™ delivers exceptional speed and durability. **WHEELS** Bontrager Corral rides fast and tough on the trail, with machined sidewalls for smooth braking. **SUSPENSION** RockShox Pilot SL fork (80mm travel) and Fox Float rear air shock are perfect for XC racing. **COMPONENTS** Shimano crank and Deore 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Trek Red/Starry Night Black



WHEEL TECH



BONTRAGER™

Wheels & components
that won't fail you
on the trail.



Offset Spoke Bed design (aka OSB) creates a spoke angle that strengthens the wheel and prolongs wheel life. Compared to a standard spoke configuration, OSB reduces tension difference by 30%.

Alternating spokes allow wheels light enough for the bursts you need to get up, down, and around obstacles.

Welded and machined sidewall rims provide additional strength and a consistent surface for smooth braking.

Tubeless compatibility gives you the flexibility to choose whatever tires you want on your ride.

Bontrager handlebars and stems provide sure steering and handling, with extra strength to endure off-road pounding.

FIND THE MIDDLE OF NOWHERE.
YOUR HARDTAIL WILL GET YOU BACK.

Elite 9.8™ XC HARDTAIL

It's the lightest hardtail made of OCLV Carbon. It's the World Champion. It's no coincidence.



UPGRADES OVER 8500™

- Ultra rigid OCLV frame
- Lighter, fine-tunable fork
- Lighter, tubeless wheels
- Racing Shimano components
- Lighter bar, stem, and seatpost

FRAME OCLV™ HC Carbon sandwiches a honeycomb of Nomex® between layers of OCLV Carbon for incredible stiffness with less weight – just 3 lbs. Pro Race geometry improves handling at high speeds. **WHEELS** Bontrager Race Lite Tubeless offers high-performance versatility in one of the lightest wheelsets available. **SUSPENSION** RockShox SID Team fork (80mm travel) is dialed in for the rough terrain of XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/XTR 9-speed shifting. **SIZES** 17.5", 19.5", 21.5" **COLOR** Starry Night Black/Baja Blue



OCLV HC™ CARBON

The stuff World Cup Champion bikes are made of.



A honeycomb of Nomex® is sandwiched between layers of OCLV Carbon to make a head lug and bottom bracket so stiff and light, the frame weighs in at only 3.0 pounds. And carbon's vibration-soaking properties take the edge off the already-tough terrain.

If you're into fine-tuning this racer even further, it features a millable bottom bracket interface and a replaceable rear derailleur hanger. Climb, descend, and corner with the same Pro Race geometry that helped Roland Green to his first World Cup Championship.

8500™ XC HARDTAIL

The race-ready hardtail that's lighter than titanium and stronger than steel.

UPGRADES OVER 8000™

- Rebound adjust fork
- Lighter, tubeless wheels
- Racing Shimano components
- Lighter bar, stem, and seatpost

FRAME ZR 9000 Alloy™ is lighter than titanium and stronger than steel. Pro Race geometry transfers more power on climbs and descents. **WHEELS** Bontrager Race Tubeless are light but durable for years of off-road abuse. **SUSPENSION** Fox Float II fork (80mm travel) is tuned for XC racing. **COMPONENTS** Bontrager Race crank and Shimano XT/MG-70 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Trek Red/Platinum Silver.



FRAME TECH

ZR 9000
CUSTOM ALLOY

One of the strongest, lightest composites on the circuit.

With zirconium added as a hardening material, ZR 9000 produces frames that are 15% stronger and 15% lighter than industry standard aluminum. Our endurance tests show that ZR 9000 increases the fatigue strength of a frame by up to five times. Enough said.

Exceptional frame rigidity means everything when it comes to off-road performance. Sharp cornering. Efficient power transfer. Quick handling. **Precise tube shaping** strengthens the bottom bracket and head tube, while shedding unwanted ounces - keeping the ride light and fast.

Stiff rear triangle provides rock-solid stability for climbing, sprinting and braking. The Trek Disc-D™ mount offers full disc brake compatibility. **Pro Race Geometry** gives you the same edge as the world's best racers - like World Cup Champion Roland Green.

8000™ XC HARDTAIL

The only thing missing on this all-around racer is frameweight.

UPGRADES OVER 6700™

- Stronger, lighter frame
- All-around racing wheelset
- XC performance fork
- Racing Shimano components
- Lighter bar, stem, and seatpost

FRAME ZR 9000 Alloy™ is lighter than titanium and stronger than steel. Pro Race geometry transfers more power on climbs and descents. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) is tuned for XC racing. **COMPONENTS** Bontrager Race crank and Shimano Deore LX/XT 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5". **COLOR** Baja Blue/Bright Silver.



SNOWSHOE MOUNTAIN, WV

A 24-hour race doesn't require daylight or spectators. Just simple endurance.

8000 WSD™ XC HARDTAIL

The lightweight hardtail made with racing – and women – in mind.



women's specific design

UPGRADES OVER 6700 WSD™

Stronger, lighter frame
All-around racing wheelset
XC performance fork
Racing Shimano components
Lighter bar, stem, and seatpost

FRAME ZR 9000 Alloy™ in a custom Women's Specific Design geometry that increases comfort and power. Lighter than titanium, stronger than steel. **WHEELS** Bontrager Select offers rims welded for strength and machined for smooth braking. **SUSPENSION** RockShox Duke XC fork (80mm travel) is tuned for XC racing. **COMPONENTS** Bontrager Race crank and Shimano Deore LX/XT 9-speed shifting. **SIZES** 14", 16", 18" **COLOR** Bright Silver/Gloss White

6700™ XC HARDTAIL

The bike that works all week and races on the weekend.

UPGRADES OVER 4900™

- Superlight racing frame
- Lighter, fine-tunable fork
- Clipless pedals

FRAME Oversized Alpha™ SLR Aluminum double butted tubes provide exceptional durability and power transfer. **WHEELS** Bontrager Corvair rims provide superior braking, while Jones AC tires roll fast over off-road trails. **SUSPENSION** New RockShox Pilot SL fork (80mm travel) takes the edge off singletrack. **COMPONENTS** Shimano crank and Deore/LX 9-speed shifting. **SIZES** 15.5", 17.5", 19.5", 21.5" **COLOR** Starry Night Black/Platinum



DISC OPTION
AVAILABLE.
SPECIFICATIONS
MAY VARY.

FRAME TECH

SLR
CUSTOM ALUMINUM

Our lightest aluminum,
proven on the pro circuit.

Alpha SLR frames start with the highest-grade aluminum – first heat-treated for greater strength, then seamlessly drawn into double-butted tubes. This proprietary process results in the lightest, strongest aluminum frames we've ever made.

Precise tube shaping and bi-axial downtube create a frame that's stiff and strong in high-stress areas, superlight and thin everywhere else.

Stiff rear triangle eliminates brake flex and holds firm on climbs and sprints. It also features the Trek Disc-O™ mount for full disc brake compatibility.

Pro Race geometry, originally developed for the Trek/Volkswagen team, lets you climb with power, descend with confidence, and steer with ease.

6700 WSD™ XC HARDTAIL

Our best Super Light Race Aluminum hardtail made specifically for women.

UPGRADES OVER 4900 WSD™

- Superlight racing frame
- Lighter, fine-tunable fork
- Clipless pedals

FRAME Alpha™ SLR Aluminum in a custom Women's Specific Design geometry that increases comfort and power. **WHEELS** Bontrager Corvair rims provide superior braking, while Jones AC tires roll fast over off-road trails. **SUSPENSION** RockShox Pilot SL WSD fork (80mm travel). **COMPONENTS** Shimano crank and Deore/LX 9-speed shifting. **SIZES** 14", 16", 18" **COLOR** Starry Night Black/Frost Silver



women's specific design

4900™ XC HARDTAIL

Our best Alpha Aluminum hardtail is built ready for anything.

UPGRADES OVER 4500™

- Lighter front fork
- Stronger, lighter rims
- Quality Shimano components
- Clipless-adaptable pedals

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails. **WHEELS** Bontrager Corvair rims provide superior braking, while Jones AC tires roll fast over off-road trails. **SUSPENSION** RockShox Pilot C fork (80mm travel) takes the edge off singletrack. **COMPONENTS** Shimano crank and Alivio/Deore 24-speed shifting. **SIZES** 13", 15.5", 17.5", 19.5", 21.5" **COLORS** Metallic Silver/Navy or Metallic Red



DISC OPTION
AVAILABLE.
SPECIFICATIONS
MAY VARY.

4900™
Metallic Red

**4900 WSD™ XC HARDTAIL**

The mountain bike that works with a woman's body, not against.

UPGRADES OVER 4500™

- Women's Specific Design
- Lighter, custom-tuned front fork
- Stronger, lighter rims
- Quality Shimano components

FRAME Oversized Alpha™ Aluminum in a custom Women's Specific Design geometry that delivers increased power and improved handling on the trail. **WHEELS** Bontrager Corvair rims provide superior braking, while Jones AC tires roll fast over off-road terrain. **SUSPENSION** New RockShox Pilot C WSD (80mm travel) fork is custom-tuned for smaller, lighter riders. **COMPONENTS** Shimano crank and Alivio/Deore 24-speed shifting. **SIZES** 14", 16", 18" **COLOR** Gloss White/Pearl Navy



women's specific design



Rugged enough to handle rough terrain. Light enough to fly right over it.

Alpha frames take advantage of aluminum's low density to keep the bikes light. Precision welding and one-piece fittings make them durable enough for off-road. This translates into fast, quick-handling bikes that are ready for just about anything.

Oversized down tubes create a rigid structure between the bottom bracket and head tube, increasing the overall strength of the frame.

Powerful riding position helps you climb, descend, and control the bike more efficiently.

With enough room inside the frame for up to two water bottle mounts, you can stay out on the trail for hours. Alpha Aluminum mountain bikes also route cables along the top tube. This keeps them out of the mud, for friction-free shifting and braking.

4500™ RECREATIONAL
Front-suspension. 24 speeds.
More happy trails.

UPGRADES OVER 4300™

Longer-travel RockShox fork
Quality Shimano components
Lighter bar, stem, and seatpost
More durable off-road tires

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails. **WHEELS** Matrix 750 rims provide superior braking, while Bontrager Jones AC tires roll fast over off-road trails. **SUSPENSION** RockShox Judy TT fork (80mm travel) smooths out trails and paths. **COMPONENTS** Shimano crank with Shimano Alivio 24-speed shifting. **SIZES** 13", 15.5", 17.5", 19.5", 21.5", 24" **COLORS** Baja Blue/Starry Night Black or Lava Black



4500™
Lava Black



VANCOUVER, BRITISH COLUMBIA

Contemplate the meaning of life. Or see how many skips you can get out of that rock.

4300™ RECREATIONAL
On the trails. On the pavement. On your mind when you can't ride.

UPGRADES OVER 4100™

- Adjustable preload suspension fork
- Higher-performance Shimano components
- 24-speed shifting
- Alloy pedals and handlebars
- Stronger, double wall rims

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails. **WHEELS** Matrix 750 rims with Bontrager Connection tires give excellent braking and traction on dirt or pavement. **SUSPENSION** InSync Grind 323 fork (70mm travel) smooths out trails and paths. **COMPONENTS** Suntour crank and Shimano Acera 24-speed shifting. **SIZES** 13", 15.5", 17.5", 19.5", 21.5" **COLORS** Black Chrome/Ball Burnished or Metallic Orange

DISC OPTION
AVAILABLE
SPECIFICATIONS
MAY VARY.



4300™
Metallic Orange



4100™
Ball Burnished



4100™ RECREATIONAL
The go-anywhere, ready-anytime mountain bike.

UPGRADES OVER 820™

- Lighter frame
- Higher-performance fork
- Quality Shimano components

FRAME Oversized Alpha™ Aluminum offers the increased durability and strength to handle the most rugged trails. **WHEELS** Matrix 550 rims with Bontrager Connection tires perform well on dirt or pavement. **SUSPENSION** InSync Grind 320 fork (70mm travel) smooths out trails and paths. **COMPONENTS** Suntour crank and Shimano Altus 21-speed shifting. **SIZES** 13", 15.5", 17.5", 19.5", 21.5"; 17.5" Women's **COLORS** Trek Red/Titanite Black or Ball Burnished

AVAILABLE IN A
WOMEN'S FRAME.



820™ RECREATIONAL
The strength of steel. The
comfort of front suspension.

UPGRADES OVER 800™

Front suspension fork
Higher-performance Shimano
components
Better-handling threadless
stem/headset

FRAME: High tensile steel and Cro-Moly. Shock absorbing and built to last. **WHEELS:** Matrix 550 rims with Bontrager Connection tires perform well on dirt or pavement. **SUSPENSION:** RST 191CL fork (63mm travel) smooths out trails and paths. **COMPONENTS:** Suntour crank and Shimano Altus 21-speed shifting. **SIZES:** 13", 15.5", 17.5", 19.5", 21.5"; 13" Women's, 17.5" Women's. **COLORS:** Baja Blue/Shine Silver or Black Chrome or Metallic Purple/Metallic Silver

AVAILABLE IN A
WOMEN'S FRAME.



820™
Black Chrome



820™
Metallic Purple/Metallic Silver



MONTEREY, CA
25 miles down, 15 to go, muscles burning, throat parched,
wondering why they don't do this more often.

800[®] RECREATIONAL
Time to get out and explore
the world off-road.

MOUNTAIN UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

FRAME High tensile steel and Cro-Moly. Shock absorbing and built to last. **FORK** High tensile ATB eases road vibration. **WHEELS** Matrix 550 rims with Bontrager Connection tires perform well on dirt or pavement. **COMPONENTS** Suntour crank and Shimano 21-speed shifting. **SIZES** 13", 15.5", 17.5", 19.5", 21.5"; 13" Women's, 17.5" Women's. **COLORS** Starry Night Black/Baja Blue or Smooth Silver



AVAILABLE IN A
WOMEN'S FRAME.

800[®]
Smooth Silver



Y 26[™] XC FULL SUSPENSION
This full-suspension bike
takes the shocks your
body shouldn't.

FULL-SUSPENSION UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

FRAME Oversized Alpha[™] Aluminum in a proven Y Bike[™] full-suspension design to handle the most rugged trails. **WHEELS** Matrix 750 rims with Bontrager Connection tires give excellent braking and traction on dirt or pavement. **SUSPENSION** InSync Grind fork (70mm travel) and Mozo RS200 coil rear shock smooth out singletrack. **COMPONENTS** Suntour crank and Shimano Acera 21-speed shifting. **SIZES** 16", 17.5", 19" **COLOR** Ball Burnished/Trek Red



Diesel Downhill™


FREERIDE/DOWNHILL

Built for downhill punishment.

DOWNHILL UPGRADES

Durable construction
Exclusive Chain Torque Eliminator

FRAME Alpha™ Aluminum Monocoque construction provides a stiff connection between the fork and swingarm for responsive steering control. **SUSPENSION** Fox Vanilla RC rear coil shock is built for extreme punishment. **SIZES** 14", 16" **COLOR** Bright Silver



A Chain Torque Eliminator

DIESEL DOWNHILL

Promote energy conservation.
Get a Diesel Downhill frame.

Our patented Chain Torque Eliminator means you don't have to exert so much energy with every single turn of the pedals. Exclusive to the Diesel Downhill frame, the CTE (A) aligns with the rear pivot, rerouting the chain line and isolating the crank from the swingarm.

This prevents pedal forces from actuating the rear suspension (also known as "bobbing") and keeps you from feeling shocks, vibration, and unwanted suspension feedback through the cranks of the bike.

The difference the Chain Torque Eliminator makes in pedaling efficiency adds up with every run you make down the hill.

Diesel Freeride™

FREERIDE/DOWNHILL

Fully loaded long-travel full-suspension can handle anything your sick mind thinks up.

FREERIDE UPGRADES

Durable construction
High-quality components

FRAME Alpha™ Aluminum Monocoque construction provides a stiff connection between the fork and swingarm for responsive steering control. **WHEELS** Sun Singletrack rims with Michelin DH Comp tires take the jolts and keep on coming. **SUSPENSION** Boxer Race fork (6" or 7" travel) and Fox Vanilla RC rear coil shock are built for extreme punishment. **COMPONENTS** TruVativ Holzfeller crank with Shimano Deore XT/XTR 9-speed shifting. **SIZES** 14", 16" **COLOR** Starry Night Black. Frameset available in Bright Silver (shown above on Diesel Downhill).



DIESEL FREERIDE

Taking Diesel in a whole new direction. Up.

The new TruVativ Holzfeller Freeride crank (22/32 rings with an outer rock ring) isn't just rugged; the double chainring makes climbing a whole lot easier. So you can focus your efforts on the ride down the hill.

Sun Singletrack disc-specific rims are designed for obstacles you won't find on any map, as well as the most rugged downhill or dual slalom courses. The welded, triple-hollow construction gives the wheels extra reinforcement where it's needed.

Our exclusive "Brake Therapy" floating arm isolates the suspension from the frame. That means you always have a full 6" of travel, even during extreme braking. Standard on the Diesel Freeride, this floating arm is also available as a retrofit to current Diesel Downhill frames.

Navigator 600™ COMFORT

The all-new frame and added features make this the ultimate comfort ride.



BEST BETTER 6000

UPGRADES OVER NAVIGATOR 500™

Top-of-the-line Shimano components

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Bontrager Superstock wheels with Bontrager Comfort tires are made for smooth rides. Kevlar belting and Slime sealant virtually eliminate flats.

SUSPENSION RockShox GPS Serra fork (60mm travel), suspension seatpost, and comfort saddle soften rough riding surfaces. **COMPONENTS** Shimano crank and Shimano Deore XT 27-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"

COLOR Bright Silver/Midnight Blue

FRAME TECH

NAVIGATOR

Total comfort, everywhere you touch the bike.

New Comfort geometry puts you in a relaxed, upright position. That means greater stability and better handling at slower speeds, such as when you approach tight turns.

The suspension fork, seatpost, and spring saddle absorb shocks and smooth out the bumps.

Comfort grips and a higher hand position keep wrists and shoulders comfortable on long rides.

The new Accessories Port lets you switch from a rack to a pedal trailer in seconds - no tools required. So the same bike you ride to work instantly turns into a family ride.

Semi-smooth tires soak up the bumps, give you plenty of traction, and roll fast on pavement.

Wide gear range makes pedaling up hills almost effortless.

Navigator 500™ COMFORT

The totally redesigned comfort bike you'll enjoy now and down the road.

BEST BETTER 6000

UPGRADES OVER NAVIGATOR 400™

Quality RockShox suspension fork
Stronger welded, machined rims
Wider gear range

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Bontrager Corvair rims with Bontrager Comfort tires for smooth rolling and easy braking. Kevlar belting and Slime sealant virtually eliminate flats.

SUSPENSION RockShox GPS Serra fork (60mm travel), suspension seatpost, and comfort saddle soften rough riding surfaces. **COMPONENTS** SRAM Dual Drive 27-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's **COLOR** Bright Silver/Estate Green



AVAILABLE IN A WOMEN'S FRAME.

Navigator 400™ COMFORT

Seven-speed shifting plus even more comfort features than last year.

UPGRADES OVER NAVIGATOR 300™

Easy-shifting Shimano components
Flat-resistant tires

FRAME Alpha™ Aluminum with a comfortable, upright riding position.
WHEELS Matrix 750 rims with Bontrager Comfort tires for smooth rolling and easy braking. Kevlar bellows and Slime sealant virtually eliminate flats. **SUSPENSION** RST CT COM TL fork (50mm travel), suspension seatpost, and comfort saddle soften rough road surfaces.
COMPONENTS CPI crank and Shimano Nexus Revo 7-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLOR** Titanite Black/Coastal Blue

FROM COMMUTE TO FAMILY OUTING. IN SECONDS.

The new Accessories Port allows you to attach a rack or pedal trailer in seconds. No tools required - just a simple pin that plugs right into the frame. Other options like our new trailer hitch mount make Navigator bikes even more versatile.



AVAILABLE IN A WOMEN'S FRAME.



NAVIGATOR 300™
Wheat Silver

**Navigator 300™ COMFORT**

The improved fit makes every road feel smoother.

UPGRADES OVER NAVIGATOR 200™

Preload adjustable suspension fork
Stronger rims and Kevlar belted tires
24-speed shifting
Higher-performance Shimano components

FRAME Alpha™ Aluminum with a comfortable, upright riding position.
WHEELS Matrix 750 rims with Bontrager Comfort tires for smooth rolling and easy braking. Kevlar bellows resists flats.
SUSPENSION RST CT COM TL fork (50mm travel), suspension seatpost, and comfort saddle soften rough road surfaces.
COMPONENTS Shimano crank and Shimano Deore 24-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21"; 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLORS** Blue Dusk/Bright Silver or Wheat Silver

AVAILABLE IN A WOMEN'S FRAME. (SHOWN ABOVE)



Navigator 200™ COMFORT

Take to the streets in comfort with front suspension.

UPGRADES OVER NAVIGATOR 100™

- Suspension fork
- Shimano components

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Matrix 550 rims with Bontrager Comfort tires for smooth rolling and easy braking. **SUSPENSION** RST CT COM CL Fork (50mm travel), suspension seatpost, and comfort saddle soften rough road surfaces. **COMPONENTS** SunTour crank and Shimano Acera 21-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21", 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLORS** Titanium Black or Estate Green/Wheat Silver.



AVAILABLE IN A WOMEN'S FRAME. (SHOWN BELOW)

NAVIGATOR 200™ | Estate Green/Wheat Silver



NAVIGATOR 100™ | Metallic Red/Wheat Silver



Navigator 100™ COMFORT

The bike that makes an uncomfortable ride a thing of the past.

NAVIGATOR UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

FRAME Alpha™ Aluminum with a comfortable, upright riding position. **WHEELS** Matrix 550 rims with Bontrager Comfort tires for smooth rolling and easy braking. **SUSPENSION** Shock-absorbing seatpost and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** SunTour crank and 21-speed shifting. **SIZES** 14.5", 16.5", 18.5", 21", 14.5" Women's, 16.5" Women's, 18.5" Women's. **COLORS** Coastal Blue or Metallic Red/Wheat Silver.



AVAILABLE IN A WOMEN'S FRAME. (SHOWN ABOVE)

7700™ HYBRID

Our top-of-the-line hybrid takes performance to the trails and streets.

**UPGRADES OVER 7500™**

Lighter suspension fork
Wider gear range
Lighter Shimano components
Ergonomic bar ends
Reliable Avid brakes

FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **SUSPENSION** RockShox Metro Mag fork (50mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** Shimano crank and Shimano Deore XT/SRAM 7.0 27-speed shifting. **SIZES** 15", 17.5", 20", 22.5" **COLOR** Titanite Black/Wheel Silver

7500™ HYBRID

This hybrid gets an upgraded frame and suspension fork for a better ride.

UPGRADES OVER 7300™

Lighter frame
Proven suspension fork
All-around performance wheelset
Higher-performance Shimano components
Comfort saddle

FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **SUSPENSION** RockShox Metro fork (50mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** Shimano Nexave crank and Shimano Deore LX/SRAM 6.0 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5" **COLOR** Bright Silver/Pearl Navy



7300™ HYBRID

Our most popular hybrid, for a lot of comfortable reasons.

UPGRADES OVER 7200™

- Tunable suspension fork
- Stronger rims
- Quality Shimano components
- Reliable Nexave crank

FRAME Alpha™ Aluminum combines lightweight performance with a comfortable, upright riding position. **WHEELS** Alex TA19 machined rims provide superior braking and the strength you need. **Bontrager Invert** tires grip uneven terrain to roll faster over pavement and gravel paths. **SUSPENSION** InSync Odessa 168 fork (45mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** Nexave crank and Centara/Deore 24-speed shifting. **SIZES** 13", 15", 17.5", 20", 22.5"; 15" Women's, 17.5" Women's, 20" Women's. **COLORS** Silver/Lava Black or Coastal Blue

AVAILABLE IN A WOMEN'S FRAME.



7300™
Coastal Blue

SAN FRANCISCO, CA

Go for a ride in the afternoon. Come back in the evening to a whole new city.

7200™ HYBRID

The smoothest feature of this hybrid? The suspension fork.

UPGRADES OVER 7100™

- Suspension fork
- Durable, double wall rims
- Quality Shimano components

FRAME Alpha™ Aluminum combines lightweight performance with a comfortable, upright riding position. **WHEELS** Matrix 750 rims with Bontrager Select Invert tires add traction, reduce vibration. **SUSPENSION** InSync Odessa 160 fork (60mm travel), suspension seatpost, and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** Shimano crank and Acera 21-speed shifting. **SIZES** 15", 17.5", 20", 22.5", 25", 15" Women's, 17.5" Women's, 20" Women's. **COLORS** Deep Green/Wheat Silver or Dusk Blue



AVAILABLE IN A
MEN'S FRAME.
(SHOWN BELOW)

7200™
Dusk Blue



7100™
Titanite Black

**7100™ HYBRID**

Alpha Aluminum makes this a lighter hybrid ride.

HYBRID UPGRADES

- Professional assembly
- Expert adjustment
- High-quality components
- Full range of sizes

FRAME Alpha™ Aluminum combines lightweight performance with a comfortable, upright riding position. **WHEELS** Matrix 550 rims with Bontrager Select tires for smooth, fast rolling. **SUSPENSION** Shock-absorbing seatpost and comfort spring saddle smooth out rough riding surfaces. **COMPONENTS** SunTour crank and 21-speed shifting. **SIZES** 15", 17.5", 20", 22.5", 15" Women's, 17.5" Women's, 20" Women's. **COLORS** Pearl Blue/Wheat Silver or Titanite Black



AVAILABLE IN A
MEN'S FRAME.
(SHOWN ABOVE)

7700 FX™ FITNESS

Our fastest fitness bike with the finest components.

UPGRADES OVER 7500 FX™

BEST • BETTER • GOOD

- Lighter fork
- Wider gear range
- Higher-performance Shimano components
- Alloy headset
- Reliable Avid brakes

FRAME Alpha™ SL Aluminum combines superb performance with a comfortable, upright riding position. **FORK** Lightweight vibration-dampening alloy aluminum. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **COMPONENTS** Nexave crank and Alivio/Deore 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5". **COLOR** Titanium Black/Blue Silver.

**7500 FX™ FITNESS**

Reach your fitness goals while having fun.

UPGRADES OVER 7300™

BEST • BETTER • GOOD

- Lighter frame
- All-around performance wheelset
- Rapidfire Shimano shifters
- Anatomically designed saddle

FRAME Alpha™ SL Aluminum combines superlight performance with a comfortable, upright riding position. **FORK** Cro-Moly cuts down the road buzz. **WHEELS** Bontrager Select features Paired Spoke Technology™ for superior aerodynamics and lightweight strength. **COMPONENTS** Nexave crank and Alivio/Deore 24-speed shifting. **SIZES** 15", 17.5", 20", 22.5". **COLOR** Coastal Blue/Silver.



FRAME TECH



Bikes designed for fitness and exercise. Not to mention speed and comfort.

Alpha SL Aluminum frames are strong, rigid, and super light – ideal for generating speed and power.

FX geometry combines a hybrid frame with a lightweight, rigid fork. The result: a more spirited ride that's fun and maneuverable at high speeds.

Fast, road-style tires and low-profile wheels give you the light weight and streamlined aerodynamics of a road bike.

Responsive handling makes a difference on any ride. From fitness training and cross-town jaunts to centuries or extended tours.

The straight handlebar creates a comfortable, upright riding position. So you can put as many hours on your FX bike as you want.

Clyde™ CRUISER

The attitude is back in black.

BEST BETTER > GOOD+
UPGRADES OVER TOWN & COUNTRY™

7-speed drivetrain
Higher-performance Shimano components
Trek Cruiser Springer fork

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.
WHEELS Alloy rims with fat balloon tires look and ride smooth. **SUSPENSION** Trek Cruiser Springer fork smooths out the bumps. **COMPONENTS** Shimano Nexus Revo 7-speed rear hub that's easy to use and maintain. **SIZE** 20" Men's
COLOR Matte Black



Town & Country™

CRUISER

A fun, retro-active ride.

BEST BETTER > GOOD+
UPGRADES OVER CALYPSO™

Quality Shimano components
Durable alloy crank
Simple, 4-speed shifting

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.
FORK Trek Cruiser, steel. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **COMPONENTS** Shimano Nexus Revo 4-speed rear hub that's easy to use and maintain. **SIZES** 20" Men's; 17" Women's
COLORS Men's Gloss Black/Metallic Silver; Women's Metallic Red/Wheat Silver



AVAILABLE IN A WOMEN'S FRAME. (SHOWN BELOW)



TOWN & COUNTRY™ | Metallic Red/Wheat Silver

Calypso™ CRUISER

Take a classic for a ride.

BEST BETTER > GOOD+
UPGRADES OVER CRUISER CLASSIC SPRINGER™

7-speed shifting
Quality Shimano components
Reliable linear brakes

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride.
FORK Trek Cruiser, steel. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **COMPONENTS** Shimano TY40/SRAM MRX Plus 7-speed shifting. Easy to use and maintain. **SIZES** 20" Men's; 17" Women's
COLOR Baja Blue/Metallic Silver



AVAILABLE IN A WOMEN'S FRAME.

Woody™ CRUISER

Some bikes just never go out of style.

UPGRADES OVER CRUISER CLASSIC™
Trek Cruiser Springer fork
Cool retro fenders
Rear rack

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **SUSPENSION** Trek Cruiser Springer fork smooths out the bumps. **COMPONENTS** Single-speed drivetrain — more than a component, it's a way of life. **SIZE** 20" Men's **COLOR** Gloss Black/Rainforest Green



Cruiser Classic Springer™ CRUISER

The good-time machine.

UPGRADES OVER CRUISER CLASSIC™
Trek Cruiser Springer fork
Cool retro fenders

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **SUSPENSION** Trek Cruiser Springer fork smooths out the bumps. **COMPONENTS** Single-speed drivetrain — more than a component, it's a way of life. **SIZE** 17" Women's **COLOR** Breeze Blue



Cruiser Classic® CRUISER

It's more than a bike.
It's a state of mind.

CRUISER UPGRADES
Lightweight frame
Comfortable-riding balloon tires
Classic dual spring saddle

FRAME Alpha™ Aluminum in a classic Comfort Cruiser design that's fun to ride. **FORK** Trek Cruiser, steel. **WHEELS** Alloy rims with fat balloon tires look and ride smooth. **COMPONENTS** Single-speed drivetrain — more than a component, it's a way of life. **SIZES** 20" Men's; 17" Women's **COLORS** Candy Red/Metallic Silver; Men's Gloss Black/Streamline Blue; Women's Streamline Blue/Stone Pearl



AVAILABLE IN A WOMEN'S FRAME, (SHOWN BELOW)

CRUISER CLASSIC®
Gloss Black/Streamline Blue



CRUISER CLASSIC®
Streamline Blue/Stone Pearl



Kids come in all sizes.

And they aren't likely to stop growing anytime soon. So it only makes sense to keep those two facts in mind when building kids bikes. Each and every part that goes into our bikes is designed for the kids who actually ride them – from the frame to the grips. Our kids bikes are also overbuilt and adjustable. So growing kids will fit them better, for longer.



Short cranks and small pedals mean smoother pedaling.



Short-reach brake levers and smaller grips provide better control.



Small-size saddles fit better for comfortable riding.



Adjustable seats and handlebars give your child room to grow.

Mt. Track 240™

A full-on kids mountain bike with front suspension.



AGE RANGE: 9-12 YRS 24" WHEELS

Standover height of 26" [66cm]
Minimum pant inseam 27" [69cm]

FRAME Oversized Alpha™ Aluminum. Built to the same exact standards as our adult mountain bikes, except in a smaller size. **FORK** RST suspension fork (60mm travel) smooths out the off-road bumps. **WHEELS** Alloy rims with cross-tread tires for extra traction. **COMPONENTS** Halfpipe MRX shifter and Shimano Altus 21-speed rear derailleur make it easy to adjust to the terrain. **COLOR** Boy's Blue/White

Mt. Track 220™

The kid-sized mountain bike that's made tough.



AGE RANGE: 9-12 YRS
24" WHEELS
 Standover height of 25.5" [65cm]
 Minimum pant inseam 27" [69cm]

FRAME: Trek MTB all-steel frame design. A real mountain bike, only smaller. **FORK:** RST suspension fork (50mm travel) handles the bumps off-road. **WHEELS:** Alloy rims with cross-tread tires for extra traction. **COMPONENTS:** Hallipec MXR shifter and Shimano D-050 21-speed rear derailleur make changing gears smooth and easy. **COLORS:** Boy's Black/Red or Boy's Blue/Girl's Purple or Girl's Blue/Silver

Mt. Track 220™ | Boy's Blue



Mt. Track 220™ | Girl's Purple



Mt. Track 220™ | Girl's Blue/Silver



Mt. Track 60" | Boy's Silver/Black



Mt. Track 60™

It's time to shift gears, boys and girls.

AGE RANGE: 7-9 YRS

20" WHEELS

Standover height of 22.5" [57cm]

Minimum pant inseam 24" [61cm]

FRAME Trek MTB all-steel frame design. A real mountain bike, only smaller. **FORK** RST suspension fork (50mm travel) handles the bumps off-road. **WHEELS** Alloy rims with cross-tread tires for extra traction.

COMPONENTS Grip Shift MIX shifter and Shimano Tourney 6-speed rear derailleur for smooth and easy gear changes. **COLORS** Boy's Silver/Black; Girl's Silver.

Mt. Track 60" | Girl's Silver



Jet 20"/Mystic 20™

AGE RANGE: 6-7 YRS

20" WHEELS

Standover height of 21" [53cm]

Minimum pant inseam 22" [56cm]

FRAME Trek Y-BMX design. A true BMX bike made smaller. **FORK** Trek BMX style, built tough. **WHEELS** Alloy rims with cross-tread tires for extra traction. **COMPONENTS** A kid-sized hand brake and standard coaster brake with pads; chainguard to safely build confidence. Boy's model includes moto fenders; girl's includes basket and tassels. **COLORS** Boy's Black/Silver or Boy's Blue; Girl's Pearl White/Blue or Girl's Pink.

The true BMX bike for boys.

Jet 20" | Boy's Black/Silver



Jet 20" | Boy's Blue



Goodbye training wheels, hello fun.

Mystic 20" | Girl's Pearl White/Blue



Mystic 20" | Girl's Pink



Get out there and explore.

Jet 16" | Boy's Red



Jet 16"/Mystic 16"

AGE RANGE: 4-6 YRS
16" WHEELSStandover height of 18" [46cm]
Minimum pant inseam 19" [48cm]

FRAME All-steel Y design. Kid-proof and fun to ride. **FORK** Trek BMX style, built tough. **WHEELS** Steel rims with cross-tread tires for traction on all terrain. **COMPONENTS** Full cover chainguard and pads to safely build confidence. Boy's model includes moto fenders; girl's includes basket and tassels. **COLORS** Boy's Red or Boy's Blue; Girl's Pink or Girl's Purple

For little riders who want to go far.

Mystic 16" | Girl's Purple



Jet 16" | Boy's Blue



Mystic 16" | Girl's Pink



Jet 12"/Mystic 12"

AGE RANGE: 3-4 YRS
12" WHEELSStandover height of 15.5" [39cm]
Minimum pant inseam 17" [43cm]

FRAME All-steel Y design. Kid-proof and fun to ride. **FORK** Trek BMX style, built tough. **WHEELS** Steel rims with cross-tread tires for traction on all terrain. **COMPONENTS** Full cover chainguard and pads to safely build confidence. Boy's model includes moto fenders; girl's includes basket and tassels. **COLORS** Boy's Black; Girl's Pink

Get ready for your first
"real" bike.

Jet 12" | Boy's Black



A first bike just for girls.

Mystic 12" | Girl's Pink



Grommet 12"/Surfer Girl 12"

AGE RANGE: 3-4 YRS
12" WHEELSStandover height of 15.5" [39cm]
Minimum pant inseam 17" [43cm]

FRAME Trek all-steel Beach Cruiser design. **FORK** Trek Beach Cruiser style, all steel. **WHEELS** Steel rims with fat balloon tires look and ride smooth. **COMPONENTS** Single-speed drivetrain. **COLORS** Boy's Ice Blue/Silver; Girl's Light Metallic Blue/Silver

Grommet 12" | Boy's Ice Blue/Silver



Surfer Girl 12" | Light Metallic Blue/Silver



PEDAL TRAILERS

SHARE THE FUN OF BIKING — AND HELP YOUR KIDS GET THE FEEL FOR WHAT IT'LL BE LIKE TO RIDE ON THEIR OWN. SOME OF OUR PEDAL TRAILERS EVEN SPORT GRIP-SHIFTERS SO KIDS CAN PEDAL SMOOTHLY ON THE UPS AND DOWNS.

Mt. Train 247™ PEDAL TRAILER

Seven-speed shifting fun for the little one.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 24" rear wheel with alloy rim and hub. **COMPONENTS** GripShift MRX Plus shifter and Shimano TY-22 7-speed rear derailleur, adjustable stem, crossbar handlebar, and safety flag. **COLOR** Silver/Metallic Black

Mt. Train 241™ PEDAL TRAILER

Ready? Set? Go enjoy a ride together.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 24" rear wheel with alloy rim and hub. **COMPONENTS** Single speed, adjustable stem, crossbar handlebar, and safety flag. **COLOR** Silver/Metallic Blue

Mt. Train 206™ PEDAL TRAILER

Smaller wheel and six-speed shifting.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 20" rear wheel with alloy rim and hub. **COMPONENTS** GripShift shifter with Shimano TY-22 6-speed rear derailleur, adjustable stem, crossbar handlebar, and safety flag. **COLORS** Silver/Ice Red or Silver/Metallic Pewter

Mt. Train 201™ PEDAL TRAILER

Now younger kids can pedal along with you.



FRAME All-steel pedal trailer with a rugged folding frame design. **WHEEL** 20" rear wheel with alloy rim and hub. **COMPONENTS** Single speed, adjustable stem, crossbar handlebar, and safety flag. **COLOR** Silver/Ice Blue, Silver/Red, or Silver/Yellow

TRAILERS

NOW YOU CAN RIDE FOR FITNESS AND FUN WITH YOUR LITTLE ONES. TREK TRAILERS HAVE THE FEATURES TO KEEP YOUR CHILDREN SAFE AND COMFORTABLE WHEN THEY'RE ALONG FOR THE RIDE. SOME TRAILERS CAN EVEN BE CONVERTED WITH AN ADDITIONAL KIT INTO A JOGGER OR STROLLER.

Transit Deluxe™

Top-of-the-line child trailer.



- Converts into a jogger or stroller with additional kits.
- Quick-release alloy wheels for added convenience.
- Full wrap-around aluminum bash guard for added protection.
- Carries one or two children (100 lb. capacity).

Rocket™

A lightweight, single-passenger trailer.



- Converts into a high-performance jogging trailer with kit.
- Equipped with a parking brake and quick-release front wheel.
- 75 lb. carrying capacity.

BMX

WHETHER YOU'RE CRUISING, PERFECTING NEW TRICKS, OR GOING VERTICAL, TREK BMX BIKES ARE BUILT TO TAKE A BEATING.

FREESTYLE

Designed to spin, grind, and stall all over your favorite landmarks or ramp park.

DIRT

Where BMX began — riding for speed and taking jumps in backyards, vacant lots, or tracks.



VERT 2™ FREESTYLE/AIR

The hardcore ramp and street rider.



FRAME Cro-Moly mainframe design. Trek Air geometry blends the best of vert and street bikes. **FORK** All Cro-Moly with 1-3/8" blades. **WHEELS** Tall alloy rims with freestyle tires for traction on all terrain. **COMPONENTS** Trek tubular Cro-Moly crank. Threadless stem system. Front and rear U-brakes. Trek steel pegs. **COLOR** Black

VERT 1™ FREESTYLE/AIR

Ready to get tricky? This bike is.



FRAME All steel design. Trek Air geometry blends the best of vert and street bikes. **FORK** Freestyle with 1-3/8" blades. **WHEELS** Alloy rims with freestyle tires for traction on all terrain. **COMPONENTS** Trek forged 3-piece crank. Threadless stem system. Front and rear U-brakes. Trek steel pegs. **COLORS** White or Blue



VERT 1™ Blue

TR30™ DIRT

Quick-handling and fast, it's king of the dirt mountain.



FRAME Trek dirt design with a tough Cro-Moly mainframe. **FORK** Full Cro-Moly fork and superthick steer tube. **WHEELS** Tall alloy rims with square knobby dirt tires for traction on all terrain. **COMPONENTS** Trek tubular Cro-Moly crank takes the torque. Threadless stem system. Rear U-brake. Trek steel pegs. **COLOR** Flat Blue

TR20™ DIRT

It would eat dirt for breakfast, if it ate breakfast.



FRAME Trek dirt design with a tough Cro-Moly mainframe. **FORK** Oversized 1-3/8" Cro-Moly blades and superthick steer tube. **WHEELS** Alloy rims with square knobby dirt tires for traction on all terrain. **COMPONENTS** Trek forged 3-piece crank takes the torque. Threadless stem system. Rear U-brake. Trek steel pegs. **COLOR** White

TR10™ DIRT

Handles like a racer with the toughness of a dirt bike.



FRAME Trek dirt design with an all-steel frame. Double-thick headtube and dropouts. **FORK** Oversized 1-3/8" all-steel blades and superthick steer tube. **WHEELS** Alloy rims with square knobby dirt tires for traction on all terrain. **COMPONENTS** 175mm forged steel crank. Threadless stem system. Rear U-brake and front caliper brake. Trek steel pegs. **COLORS** Blue or Black




TR10™ Blue

USPS Team Time Trial



Top tube is measured from center of head tube top to center of seat tube at BB42 face parallel.


FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	72.0°	73.5°	73.5°	73.5°	73.5°
SEAT ANGLE	73.5°	73.5°	73.5°	73.5°	73.5°
OFF TOP TUBE	51.4	54.2	57.8	61.2	64.8
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	26.9	26.4	26.4	26.4	26.4
OFFSET	4.0	4.0	4.0	4.0	4.0
WHEEL BASE	94.9	97.7	99.7	101.4	103.4
TRAIL	2.7	2.4	2.4	2.4	2.4
STAND OVER	76.6	79.6	82.6	85.6	88.6

5900
5500
5200

FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	72.0°	72.5°	73.0°	73.5°	74.0°
SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°
OFF TOP TUBE	52.5	53.5	54.5	55.5	56.5
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	26.7	26.7	26.7	26.7	26.7
OFFSET	4.5	4.5	4.5	4.5	4.5
WHEEL BASE	97.9	99.5	101.1	102.7	104.3
TRAIL	2.2	2.2	2.2	2.2	2.2
STAND OVER	74.0	75.4	76.8	78.2	79.6

2300
2200
2000
1200

FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	72.0°	72.5°	73.0°	73.5°	74.0°
SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°
OFF TOP TUBE	52.5	53.5	54.5	55.5	56.5
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	26.7	26.7	26.7	26.7	26.7
OFFSET	4.5	4.5	4.5	4.5	4.5
WHEEL BASE	97.9	99.5	101.1	102.7	104.3
TRAIL	2.2	2.2	2.2	2.2	2.2
STAND OVER	74.0	75.4	76.8	78.2	79.6



SEAT POST NOT AVAILABLE IN ALL SIZES


2300 WSD
2200 WSD
2000 WSD

FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	72.5°	73.5°	74.5°	75.5°	76.5°
SEAT ANGLE	75.0°	75.0°	75.0°	75.0°	75.0°
OFF TOP TUBE	52.5	53.5	54.5	55.5	56.5
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	26.7	26.7	26.7	26.7	26.7
OFFSET	4.5	4.5	4.5	4.5	4.5
WHEEL BASE	97.9	99.5	101.1	102.7	104.3
TRAIL	2.2	2.2	2.2	2.2	2.2
STAND OVER	74.0	75.4	76.8	78.2	79.6

1000
1000 Flatbar


SEAT POST NOT AVAILABLE IN ALL SIZES

FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	71.0°	71.5°	72.0°	72.5°	73.0°
SEAT ANGLE	73.0°	73.0°	73.0°	73.0°	73.0°
OFF TOP TUBE	52.5	53.5	54.5	55.5	56.5
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	26.7	26.7	26.7	26.7	26.7
OFFSET	4.5	4.5	4.5	4.5	4.5
WHEEL BASE	97.9	99.5	101.1	102.7	104.3
TRAIL	2.2	2.2	2.2	2.2	2.2
STAND OVER	74.0	75.4	76.8	78.2	79.6

Liquid 30
Liquid 20
Liquid 10

Shown in long travel mode. The seat angle and bottom bracket geometries change when adjusted to shorter travel.

FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	65.5°	65.5°	65.5°	65.5°	65.5°
SEAT ANGLE	71.5°	71.5°	71.5°	71.5°	71.5°
OFF TOP TUBE	54.4	56.2	58.0	59.8	61.6
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	27.1	27.1	27.1	27.1	27.1
OFFSET	3.0	3.0	3.0	3.0	3.0
WHEEL BASE	100.6	100.6	100.6	100.6	100.6
TRAIL	2.6	2.6	2.6	2.6	2.6
STAND OVER	74.1	77.7	81.4	85.0	88.6

Fuel 100
Fuel 98
Fuel 90 Disc
Fuel 90
Fuel 80


FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	71.0°	71.0°	71.0°	71.0°	71.0°
SEAT ANGLE	73.5°	73.5°	73.5°	73.5°	73.5°
OFF TOP TUBE	55.0	56.8	58.6	60.4	62.2
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	27.1	27.1	27.1	27.1	27.1
OFFSET	3.0	3.0	3.0	3.0	3.0
WHEEL BASE	100.6	100.6	100.6	100.6	100.6
TRAIL	2.6	2.6	2.6	2.6	2.6
STAND OVER	74.1	77.7	81.4	85.0	88.6

8500
8000
6700 Disc
6700


FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	70.0°	71.0°	71.0°	71.0°	71.0°
SEAT ANGLE	73.5°	73.0°	73.0°	73.0°	73.0°
OFF TOP TUBE	55.0	56.8	58.6	60.4	62.2
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	27.1	27.1	27.1	27.1	27.1
OFFSET	3.0	3.0	3.0	3.0	3.0
WHEEL BASE	100.6	100.6	100.6	100.6	100.6
TRAIL	2.6	2.6	2.6	2.6	2.6
STAND OVER	74.1	77.7	81.4	85.0	88.6

8000 WSD
6700 WSD
4900 WSD


FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	70.0°	71.0°	71.0°	71.0°	71.0°
SEAT ANGLE	73.5°	73.0°	73.0°	73.0°	73.0°
OFF TOP TUBE	55.0	56.8	58.6	60.4	62.2
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	27.1	27.1	27.1	27.1	27.1
OFFSET	3.0	3.0	3.0	3.0	3.0
WHEEL BASE	100.6	100.6	100.6	100.6	100.6
TRAIL	2.6	2.6	2.6	2.6	2.6
STAND OVER	74.1	77.7	81.4	85.0	88.6

Clyde
Town & Country
Calypso
Woody
Cruiser Classic Springer
Cruiser Classic

SEAT POST NOT AVAILABLE IN ALL SIZES




FRAME SIZE	XS	S	M	L	XL
HEAD ANGLE	65.5°	65.5°	65.5°	65.5°	65.5°
SEAT ANGLE	72.5°	72.5°	72.5°	72.5°	72.5°
OFF TOP TUBE	52.5	53.5	54.5	55.5	56.5
CHAIN STAY	42.5	42.5	42.5	42.5	42.5
BOTTOM BRACKET	26.7	26.7	26.7	26.7	26.7
OFFSET	4.5	4.5	4.5	4.5	4.5
WHEEL BASE	97.9	99.5	101.1	102.7	104.3
TRAIL	2.2	2.2	2.2	2.2	2.2
STAND OVER	74.0	75.4	76.8	78.2	79.6




5200
WSD

	FRAGE QUESTION	W2 47-50	W3 51-54	W4 55-59	W5 60-64
1	WIE ALTER	73.7	73.5	72.3	73.4
2	WIE HOCH	74.5	74.5	74.0	73.5
3	OFF END	68.6	69.5	62.8	68.1
4	OFF END	19.4	19.5	20.6	20.1
5	CONV. STAY	47.8	42.8	41.1	40.3
6	CONV. STAY	74.1	72.2	74.1	74.1
7	EXTEN. BAGGAGE	58.7	58.5	57.5	56.9
8	EXTEN. BAGGAGE	12.5	12.7	12.5	12.6
9	OFFSET	3.2	3.5	4.3	4.1
10	OFFSET	1.9	1.9	1.8	1.9
11	WHEEL BASE	54.5	55.4	57.3	59.4
12	WHEEL BASE	37.2	38.4	39.3	39.6
13	TRAIL	3.3	3.9	4.9	5.2
14	TRAIL	2.8	2.9	3.3	3.2
15	STEERING WHEEL	70.9	71.9	70.8	70.9
16	STEERING WHEEL	17.9	18.2	16.3	16.9



XO 1


[illegible]

520

	PEAK SIZE	S 10°	M 15°	M 20°	L 23°	XL 25°
HEAD ANGLE		100°	100°	100°	120°	125°
NECK ANGLE		100°	100°	135°	130°	120°
OFF-SP. TUNE		±40	±45	±55	±45	±35
CHAIN STRETCH		17.5	17.5	17.5	17.5	17.5
DRUM HARNESS		16.6	16.6	16.6	16.6	16.6
SPRINT		9.2	9.2	9.2	9.2	9.2
WHOLE BASE		10.4	10.4	10.4	10.4	10.4
TRAIL		8.8	8.8	8.8	8.8	8.8
STAND WIDTH		6.7	7.3	7.4	7.4	7.3


2200C
1200C
1000C

	FRONT SIZE	CL 90CM	CL 94CM	CL 98CM	CL 103CM
HORN ANGLE	71°0'	72°0'	73°0'	74°0'	
HEAD ANGLE	76°0'	74°5'	73°5'	72°5'	
TOP TUBE	53.4	54.0	55.6	56.2	
DOWN TUBE	42.0	43.0	43.0	43.0	
DOWN BUSHING	28.6	28.6	28.6	28.6	
DOWN BUSHING	10.5	12.5	15.5	17.5	
UPPER BUSHING	47.0	47.0	47.0	47.0	
UPPER BUSHING	15.5	16.5	18.5	19.5	
DOWN BUSHING	105.6	107.6	109.6	112.6	
DOWN BUSHING	10.5	12.5	15.5	17.5	
UPPER BUSHING	2.6	2.6	2.6	2.6	
UPPER BUSHING	7.6	7.6	7.6	7.6	
DOWN BUSHING	17.1	17.1	17.1	17.1	
DOWN BUSHING	17.1	17.1	17.1	17.1	



T 1000
T 2000

FRAME SIZE	S 54/43-56cm	M 56/43-56cm	L 58/53-56cm
1 HEAD ANGLE	12.5°	13.0°	13.0°
2 SEAT ANGLE	13.5°/13.0°	13.0°/13.0°	12.5°/13.0°
3 OFF TOP	11.0	16.5	17.5
4 REAR	11.7	22.2	22.6
5 CHIN SLOPE	16.0	14.0	14.0
6	17.1	11.3	11.3
7 BOTTOM RIBBING	11.3	21.3	21.3
8 RIBBING	10.7	10.7	10.7
9 OFFSET	5.5	5.5	5.5
10	12	3.2	3.2
11 WIDTH BASE	174.4	175.4	185.2
12	168.7	181	170.7
13 TRAIL	5.1	4.8	4.5
14	2.0	1.9	1.9
15 STAND OVER	73.5/70.0	71.6/70.0	70.0/70.0
16	20.5/17.1	20.5/17.1	24.5/19.1




T 900

	FRONT SIZE	18 5/16" S
1	SEAT ANGLE	130°
2	SEAT ANGLE	12.5°
3	ROD THRU	272 287
4	CHURN SHAFT	43.5 37.1
5	BOTTOM BRACKET	267 11.3
6	DIFFUSER	5.5 2.2
7	NOZZLE ORBIT	1177 697
	HEAD	4.4 17
	STAND OVER	781 129

Fuel 90
W5D

	FRANK GRIFF	WES GRIFF	WY GRIFF	WIM GRIFF
1	WED DUNCAN	70.0*	70.0*	70.0*
2	WED DUNCAN	73.5*	73.5*	73.5*
3	EDY TOP TUCKER	52.8	53.2	56.3
4	CAROL STARR	41.0	42.1	42.3
5	BETHEA BARNETT	16.7	16.7	16.7
6	BETHEA BARNETT	21.2	21.2	21.2
7	BETHEA BARNETT	12.3	12.3	12.3
8	OTTEY	3.9	3.9	3.9
9	OTTEY	7.5	7.5	7.5
10	WHEEL BASE	121.8	122.3	122.8
11	WHEEL BASE	42.1	42.3	40.9
12	TARUL	3.1	3.7	3.1
13	TARUL	9.0	9.0	9.0
14	STARR	61.5	11.7	15.5
15	STARR	18.9	22.2	22.2




Diesel Freeride

	FRAME SIZE	SW 14"	W/L 50"
1	HEAD ANGLE	87°	87°
2	SEAT ANGLE	73.8°	72.4°
3	DEP TRUCK	33.7	42.3
		23.1	34.5
4	CHAM STER	43.3	43.2
		17.0	17.0
5	BOWEN BRACKET	43.9	39.0
		9.8	11.8
6	OUTLET	4.2	4.2
		1.7	1.7
7	WHEEL BASE	51.4	53.9
		43.9	46.6
	SPALL	9.6	9.6
		3.8	3.8
	STAND GARD	70.9	79.5
		53.2	61.1


Elite 9.8

	PRIME GIRL	M 13.5	L 13.5	XL 14.5
A	HEAD ANGLE	710°	710°	710°
B	SHIRT ANGLE	710°	710°	725°
C	LEFT TUBE	50.8	52.8	64.1
	RIGHT TUBE	23.1	22.6	25.6
D	CROWN STAY	42.4	42.4	42.4
		18.7	18.7	18.7
E	RIGHT SHOULDER	29.7	29.7	29.7
		11.7	11.7	11.7
F	RIGHT CROTCH	4.2	4.2	4.2
		1.7	1.7	1.7
G	WHEEL BASE	10.4	10.4	11.3
		47.9	43.8	43.8
	TRAIL	2.5	2.5	2.5
		2.8	2.8	2.8
	STAND OVER	11.4	10.7	10.7
		23.3	23.3	23.3



4900
4500
4300
Disc
4300
4100


	25	3	6	9	12	15	18
TRUCK	13	15	17	18	19	20	21
HEAD	100	105	105	105	105	105	105
NECK	100	105	110	115	120	125	130
SHOULDER	50	55	60	65	70	75	80
ELBOW	40	45	50	55	60	65	70
WHAIST	40	45	50	55	60	65	70
ARM	40	45	50	55	60	65	70
THIGH	40	45	50	55	60	65	70
LEG	40	45	50	55	60	65	70
FOOT	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
ANKLE	40	45	50	55	60	65	70
SHIN	40	45	50	55	60	65	70
CALF	40	45	50	55	60	65	70
HEEL	40	45	50	55	60	65	70
TOE	40	45	50	55	60	65	70

820
800[illegible]

Y 26

	FRANK 16	MIKE 16	JOE 16
1 HEAD ANGLE	71.0°	71.0°	71.0°
21 STAY ANGLE	71.0°	73.0°	72.0°
32 KIP TOP TUNE	10.8	21.2	24.0
	22.2	24.1	25.0
43 GAIN STAY	41.5	42.5	43.0
	16.7	16.7	16.7
54 BOTTOM STACKS	20.2	20.2	21.0
	11.9	11.9	11.9
65 OFFICE	4.2	4.2	4.2
	1.7	1.7	1.7
76 WHEEL BASE	124.2	103.7	47.0
	11.2	10.2	46.0
87 TRAIL	13	71	5
	2.6	2.6	2.6
98 STAND OVER	11.0	12.0	12.0
	22.0	24.0	24.0

Navigator 600
Navigator 500
Navigator 400
Navigator 300
Navigator 200
Navigator 100

[illegible]

7700

Feature	X1	X2	X3	X4	X5	X6	X7	X8	X9	X10
WEIGHT	100.0	100.0	100.0	100.0	110.0	110.0	120.0	100.0	100.0	100.0
SEAT ANGLE	315.0	140.0	140.0	130.0	130.0	120.0	140.0	140.0	130.0	130.0
TYPE	53.0	53.0	54.0	57.0	58.0	58.0	59.0	54.0	54.0	55.0
DIFF COEF	21.0	21.0	21.0	22.0	22.0	22.0	23.0	21.0	21.0	22.0
CRASH RISK	44.0	44.0	44.0	45.0	45.0	45.0	46.0	44.0	44.0	45.0
CRASH RISK	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0	17.0
ROCKET BODY	231.0	231.0	231.0	231.0	231.0	231.0	231.0	231.0	231.0	231.0
ROCKET BODY	111.0	111.0	111.0	111.0	111.0	111.0	111.0	111.0	111.0	111.0
UPPER	1.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
UPPER	1.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
WINGS	105.0	105.0	105.0	106.0	106.0	106.0	107.0	105.0	105.0	106.0
WINGS	41.0	41.0	41.0	41.0	41.0	41.0	42.0	41.0	41.0	41.0
TRAIL	7.0	5.0	5.0	7.0	7.0	7.0	7.0	7.0	7.0	7.0
TRAIL	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
UPPER	45.0	45.0	45.0	46.0	46.0	46.0	47.0	45.0	45.0	46.0
UPPER	15.0	15.0	15.0	15.0	15.0	15.0	16.0	15.0	15.0	15.0

Road

PERFORMANCE

	USPS Team TT	5900	5500	5200	5200 WSD	2300	2300 WSD	2200	2200 WSD	2000
SIZES	(S) 53-55cm, (M) 55-57cm, (L) 57-59cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 47cm, (M) 50cm, (L) 54cm, (XL) 56cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 43cm, (M) 45cm, (L) 50cm, (XL) 54cm, (XXL) 56cm	(XS) 50cm, (S) 52cm, (M) 54cm, (L) 56cm, (XL) 58cm	(XS) 43cm, (M) 45cm, (L) 50cm, (XL) 54cm, (XXL) 56cm	(S) 52cm, (L) 54cm, (M) 56cm, (XL) 58cm, (XXL) 60cm
COLORS	Gloss Black/Argent Silver (USPS Team)	Titanium Black/Bright Silver (USPS Team)	Pearl Red, Frameset available in Blue Dusk/Bright Silver (USPS Team)	Blue Black/Bright Silver (USPS Team) or Black Pearl Carbon	Black Pearl Carbon	Blue Dusk/Bright Silver (USPS Team)	Cumulus Blue	Titanite Black	Pearl White	Bright Silver
FRAME	OCV HC Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. OCV Carbon plus stiff Honeycomb Nomex between carbon layers. Race-proven, wind-tunnel-tested, 1" head tube. Aero down tube, steeper seat tube and flared chainstays for a powerful, aerodynamic position. Handmade in the USA.	OCV HC Carbon. The lightest, fastest production frame ever made. Proven by the USPS team in the Tour de France. Optimum Compaction Low Void carbon, 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon, 100 grams of carbon fiber per square meter of OCV material. 1.08" head tube. Trek Pro Race geometry. Handmade in the USA.	OCV HC Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon, 100 grams of carbon fiber per square meter of OCV material. 1.08" head tube. Trek Pro Race geometry. Handmade in the USA.	OCV HC Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon, 100 grams of carbon fiber per square meter of OCV material. 1.08" head tube. Trek Pro Race geometry. Handmade in the USA.	OCV HC Carbon. The lightest, strongest frame material in the world. Proven by the USPS team in the Tour de France. 100 grams lighter than the 1999 Tour winner. Optimum Compaction Low Void carbon, 100 grams of carbon fiber per square meter of OCV material. 1.08" head tube. WSD geometry. Handmade in the USA.	EE 9000 Alloy. Double butted, large diameter. 1 1/8" head tube. Seamless draw tubing. Custom butted 1 1/8" head tube. 1-Back seat stay. 511T, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	EE 9000 Alloy. Women's Specific Design. Double butted, large diameter, thin wall, seamless draw tubing. Custom butted 1 1/8" head tube. 511T, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA.	Alpha SL Aluminum. Super Light aluminum. Double butted, seamless draw round tubing. Custom butted 1 1/8" head tube. 511T, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha SL Aluminum. Women's Specific Design. Super Light aluminum. Double butted, seamless draw tubing. Custom butted head tube. 511T, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. WSD geometry. Handmade in the USA.	Alpha SL Aluminum. Super Light aluminum. Double butted, seamless draw round tubing. Custom butted 1 1/8" head tube. 511T, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.
FORK	Time Chrome 1"	Bontrager Race X Lite. OCV HC Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race Lite. OCV HC Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race Lite. OCV HC Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race. OCV Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race Lite. OCV HC Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race. OCV Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race. OCV Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race. OCV Carbon, 1.08" aluminum steerer tube, aluminum crown	Bontrager Race. OCV Carbon, 1.08" aluminum steerer tube, aluminum crown
REAR SHOCK										
WHEELS	Bontrager Race X Lite. Aero. Exceptionally aerodynamic wheelset. 30mm alloy rims, welded for strength and machined for smooth braking. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 770 g, 16h front/ 990 g, 16h rear	Bontrager Race X Lite. Aero. Exceptionally aerodynamic wheelset. 28mm semi-deep front rim provides excellent aero. 28mm rear rim w/058 improves lateral rigidity, prolongs wheel life. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 660 g, 20h front/ 870 g, 25h rear	Bontrager Race Lite. 28mm semi-deep front rim provides excellent aero. 28mm rear rim w/058 improves lateral rigidity, prolongs wheel life. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 660 g, 20h front/ 870 g, 25h rear	Bontrager Race Lite. 28mm semi-deep front rim provides excellent aero. 28mm rear rim w/058 improves lateral rigidity, prolongs wheel life. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 660 g, 20h front/ 870 g, 25h rear	Bontrager Race Lite. 28mm semi-deep front rim provides excellent aero. 28mm rear rim w/058 improves lateral rigidity, prolongs wheel life. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 660 g, 20h front/ 870 g, 25h rear	Bontrager Race Lite. 28mm semi-deep front rim provides excellent aero. 28mm rear rim w/058 improves lateral rigidity, prolongs wheel life. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 660 g, 20h front/ 870 g, 25h rear	Bontrager Race Lite. 28mm semi-deep front rim provides excellent aero. 28mm rear rim w/058 improves lateral rigidity, prolongs wheel life. Fully serviceable. Swiss- made rear hub. Bladed spokes. Race X Lite Titanium skewers. 660 g, 20h front/ 870 g, 25h rear	Bontrager Select. Paired Spoke Technology™. Torque sharing super-stiff rear hub. Semi-deep front rim is aero yet forgiving. Rear rim w/058 improves lateral rigidity, prolongs wheel life. Double butted 14/15 DT spokes. Cro-Moly skewers. 635 g, 20h front/ 1020 g, 24h rear	Bontrager Select. Paired Spoke Technology™. Torque sharing super-stiff rear hub. Semi-deep front rim is aero yet forgiving. Rear rim w/058 improves lateral rigidity, prolongs wheel life. Double butted 14/15 DT spokes. Cro-Moly skewers. 635 g, 20h front/ 1020 g, 24h rear	Matrix Europa, welded machined sidewall rims. Shimano Tigra, 32h hubs. 166 stainless spokes
TIRES	Bontrager Race X Lite. folding, 700x23c	Bontrager Race X Lite. folding, 700x23c	Bontrager Race X Lite. folding, 700x23c	Bontrager Race X Lite. folding, 700x23c	Bontrager Race X Lite. folding, 700x23c	Bontrager Race X Lite. folding, 700x23c	Bontrager Race X Lite. folding, 650/700x23c	Bontrager Race Lite. 700x25c	Bontrager Race Lite. 650/700x25c	Bontrager Select. 700x25c
SADDLE	Selle San Marco Era Lux, Cro-Moly rails	Selle San Marco Aspire Team, titanium rails	Selle San Marco Era Lux, Cro-Moly rails	Selle San Marco Era Lux, Cro-Moly rails	Bontrager FS 2000 WSD, Cro-Moly rails, leather/foam	Selle San Marco Era Lux, Cro-Moly rails	Bontrager FS 2000 WSD, Cro-Moly rails, leather/foam	Trek CRF+ Road, Cro-Moly rails	Bontrager FS 2000 WSD, Cro-Moly rails	Trek CRF+ Road
SEATPOST	Thomson Elite custom	Thomson Elite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Alloy micro-adjust
HANDLEBARS	Bontrager Race, bullhorn	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Alloy road/warga bar
STEM	Bontrager Race, 1"	Bontrager Race Lite, 1"	Bontrager Race, 1"	Bontrager Race, 1"	Bontrager Race, 1"	Bontrager Race, 1"	Bontrager Race, 1"	Bontrager Race, 1"	Bontrager Race, 1"	Alloy AHS, 1 1/8"
HEADSET	Cane Creek C1 1" AHS	AMS Superlight bearing system	Cane Creek S-2 1 1/8" AHS	Cane Creek S-2 1 1/8" AHS	Cane Creek S-2 1 1/8" AHS	Cane Creek S-2 1 1/8" AHS	Cane Creek S-2 1 1/8" AHS	Cane Creek C1 1 1/8" AHS	Cane Creek C1 1 1/8" AHS	AMS 1 1/8" semi cartidge, sealed
SHIFTERS	Shimano Dura-Ace, bar and control	Shimano Dura-Ace	Shimano Dura-Ace	Shimano Ultegra STI	Shimano "reach adjustable" Ultegra STI	Shimano Ultegra STI	Shimano "reach adjustable" Ultegra STI	Shimano Ultegra STI	Shimano "reach adjustable" Ultegra STI	Shimano 105
FRONT DERAILLEUR	Shimano Ultegra	Shimano Dura-Ace	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano 105	Shimano Tigra
REAR DERAILLEUR	Shimano Ultegra	Shimano Dura-Ace	Shimano Dura-Ace	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra	Shimano Ultegra GS	Shimano Ultegra	Shimano Ultegra	Shimano 105
CRANKSET	Shimano Ultegra 53/39	Shimano Dura-Ace 53/39	Shimano Dura-Ace 53/39 or 53/38/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 52/42/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 52/42/30	Shimano Ultegra 53/39 or 52/42/30	Shimano Ultegra 52/42/30	Shimano 105 53/42/30
CASSETTE	Shimano Ultegra 12-21, 9sp	Shimano Dura-Ace 12-21, 9sp	Shimano Dura-Ace 12-21, 9sp	Shimano Ultegra 12-21, 9sp	Shimano Ultegra 12-21, 9sp	Shimano Ultegra 12-21, 9sp	Shimano Ultegra 12-21, 9sp	Shimano 105 12-21, 9sp	Shimano 105 12-21, 9sp	Shimano HG-50 12-21, 9sp
BRAKESET	Shimano Ultegra w/Clitor 288 Aero levers	Shimano Dura-Ace w/Shimano Dura-Ace levers	Shimano Dura-Ace w/Shimano Dura-Ace levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano "reach adjustable" Ultegra STI levers	Shimano Ultegra w/Shimano Ultegra STI levers	Shimano Ultegra w/Shimano "reach adjustable" Ultegra STI levers	Shimano 105 w/Shimano Ultegra STI levers	Shimano 105 w/Shimano "reach adjustable" Ultegra STI levers	Alloy dual pivot w/ Shimano 105 STI levers
PEDALS								Shimano SPD, clipless	Shimano SPD, clipless	Shimano SPD, clipless
EXTRAS	Profile clip-on bars									

European Central Office Bikeurope B.V. Tel: 31 33 45 09 060 Fax: 31 33 45 64 825 SUBSIDIARIES Austria Fahrradhandel Gesellschaft mbH Tel: (43) 524 272 440 Fax: (43) 524 272 440 90
Germany Trek Bicycle GmbH Tel: 49 6103 50700 Fax: 49 6103 74741 Japan Trek Japan Corporation Tel: (81) 78 413 6606 Fax: (81) 78 413 6607 Netherlands Bikeurope B.V. Tel: (31) 33 45 09 040
Fax: (31) 33 45 65 383 Spain Trek Bicycle S.L. Tel: (34) 91 654 9011 Fax: (34) 91 654 6819 Switzerland Trek Fahrrad AG Tel: (41) 1 735 8585 Fax: (41) 1 735 8575 United Kingdom Trek Bicycle
Corporation Ltd. Tel: (44) 1908 282 626 Fax: (44) 1908 285 006 TREK DISTRIBUTORS Aruba Tri-Bike Aruba Tel: 2978 52734 Fax: 2978 50609 Australia Trek Bicycle Australia Tel: 61 29 299 7444

Trek 2000 WSD	1200/ 1200 Flat Bar	1000/ 1000 Flat Bar	ROAD COMFORT			CYCLOCROSS		LOADED TOURING		TANDEM		
			2200C	1200C	1000C	XO 1	520	T 2000	T 1000	T 900		
(X) 50cm, (M) 54cm, (W) 58cm, (L) 62cm	(X) 50cm, (S) 52cm, (M) 54cm, (W) 58cm, (L) 62cm*	(X) 43cm, (X) 50cm, (S) 52cm, (M) 54cm, (W) 58cm, (L) 62cm*	(X) 50cm, (S) 54cm, (M) 58cm, (L) 62cm	(X) 50cm, (S) 54cm, (M) 58cm, (L) 62cm	(X) 50cm, (S) 54cm, (M) 58cm, (L) 62cm	(S) 50cm, (M) 54cm, (L) 58cm, (X) 58cm	(S) 51", (M) 55", (W) 59", (L) 63"	(S) 54/53-56cm, (M) 56/55-56cm, (L) 58/53-56cm	(S) 54/53-56cm, (M) 56/55-56cm, (L) 58/53-56cm	18.5"/14.5"		
Starry Blue	Raja Blue	Starry Night Black or Candy Red/Pearl White (Flatbar available only in Starry Night Black)	Coastal Blue	Bright Silver	Base Blue	Starry Night Black	Rainforest Green	Coastal Blue	Starry Night Black	Midnight Blue		
Alpha SL Aluminum. Women's Specific. Super Light aluminum. Double butted, seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha SL Aluminum. Super Light aluminum. Double butted, seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry. Handmade in the USA.	Alpha Aluminum. Seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Pro geometry.	Alpha Aluminum. Seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Alpha Aluminum. Seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Alpha Aluminum. Seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Cold forged replaceable derailleur hanger. Trek Road Comfort geometry.	Alpha SL Aluminum. Super Light aluminum. Cross Specific frame. Double butted, seamless draw round tubing. Custom butted 1 1/8" head tube. Shift, powerful elliptical chainstays. Rack mounts on stays. Cold forged replaceable derailleur hanger. Trek Pro Cross geometry. Handmade in the USA.	Trek Cro-Moly. High grade Trek engineered double butted Cro-Moly steel. Excellent shock absorption. Handmade in the USA.	2R 9000 Alloy. Double butted, large diameter, thin-wall, seamless draw tubing. Custom butted 1 1/8" head tube. Shiftless tuned boom tube, large radius chainstays, cold forged replaceable derailleur hanger, multi-bike compatibility. Trek Sport Touring geometry. Handmade in the USA.	2R 9000 Alloy. Double butted, large diameter, thin-wall, seamless draw tubing. Custom butted 1 1/8" head tube. Shiftless tuned boom tube, large radius chainstays, cold forged replaceable derailleur hanger, multi-bike compatibility. Trek Sport Touring geometry. Handmade in the USA.	Alpha Aluminum. Oversized power tubes. Wishbone monstey. Accessory Port.		
Bontrager Race, OCV Carbon, 1 1/8" aluminum steerer. Bare aluminum crown	Bontrager Race, OCV Carbon, 1 1/8" aluminum steerer. Bare aluminum crown	Alloy w/alloy steerer	Bontrager Race, OCV Carbon, 1 1/8" aluminum steerer. Bare aluminum crown	Bontrager Race, OCV Carbon, 1 1/8" aluminum steerer. Bare aluminum crown	Alloy w/alloy steerer	Alloy Cross Specific w/alloy steerer	Trek triple butted Cro-Moly	Trek triple butted Cro-Moly	Trek triple butted Cro-Moly	Trek triple butted Cro-Moly		
Matrix Aurora, welded, machined sidewall rim; Shimano Tagra, 32h hubs; 14G stainless spokes	Matrix Aurora, welded, machined sidewall rim; alloy quick release hubs; 14G stainless spokes	Alloy AT450 w/stainless steel ayeled rims; alloy hubs; 15G stainless, black spokes	Bontrager Select. Paired Spoke Technology™, torque sharing super-shift rear hub; Semi-deep front rim is aero yet forgiving. Rear rim w/100g improves lateral rigidity, pre-brake wheel life. Double butted 14/15 GT spokes. Cro-Moly skewers: 833 g, 20h front/2020 g, 24h rear	Matrix Aurora, welded, machined sidewall rim; alloy quick release hubs; 14G stainless spokes	Alloy AT450 rims w/stainless steel ayeled; alloy hubs; 15G stainless, black spokes	Matrix Aurora, welded, machined sidewall rim; alloy quick release hubs; 14G stainless spokes	Bontrager Faltone rim; Shimano Deore LX hubs; 14G stainless spokes	Bontrager Race Lite Tandem wheelset; Bontrager Race X Lite Tandem hubs; 14G bladed spokes	Bontrager Cycle rim; Shimano Deore XT Tandem, 45h hubs; 14G stainless spokes	Alloy TA19, 40 hole rim w/stainless steel ayeled; alloy hubs; 14G stainless, black spokes		
Bontrager Select, 150x25c	Bontrager Select, 100x35c	Bontrager Select, 700x25c	Bontrager Select K, 700x30c	Bontrager Select K, 700x28c	Bontrager Select, 700x28c	Bontrager Jones CK, 700x30c, 1271pi	Bontrager Select, 700x30c	Continental Ultra 3000, Revler bead, 700x28c	IRC Duro Tour, 700x35c	Bontrager Comfort K, 26x1.95"		
Bontrager FS 2000 WSD	Trek CR2+ Road	Trek CR2+ Road	Trek CR2+	Trek CR2+	Trek CR2+	Bontrager FS 2000	Trek CR2+ Road	Bontrager FS 2000/2000 WSD, Cro-Moly rails, leather	Bontrager FS 2000/2000 WSD	Trek Webbing/elastomer comfort w/lashing light		
Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy suspension	Alloy suspension	Alloy suspension	Bontrager Sport	Bontrager Sport	Bontrager Select/Susp.	Bontrager Select/Susp.	Alloy/Suspension		
Alloy road w/ergo bend or Bontrager Select	Alloy road w/ergo bend or Bontrager Select	Alloy road w/ergo bend or Bontrager Select	Bontrager Comfort road	Bontrager Comfort road	Bontrager Comfort road	Bontrager Race	Bontrager Select	Bontrager Race Lite/Alloy Race	Bontrager Select	50mm rise front, 60mm rise rear		
Alloy AHS, 11"	Alloy AHS, 11" or Bontrager Sport, 15"	Alloy AHS, 11"	Alloy AHS, adjustable rise	Alloy AHS, adjustable rise	Alloy AHS, adjustable rise	Bontrager Sport, 15"	Bontrager Race, 11"	Bontrager Race Lite/Alloy Tandem Stoker	Bontrager Sport/Alloy Stoker	Alloy AHS, adjustable rise		
AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8", sealed	Cane Creek C1 1 1/8" AHS	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	Cane Creek C1 1 1/8" AHS	Cane Creek S-6 1 1/8" AHS	AHS 1 1/8" alloy cups, semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed		
Shimano 105	Shimano Tagra or B440 Rapid-Fire	Shimano Sora ST1 or Shimano 220	Shimano Ultegra ST1	Shimano Tagra	Shimano Sora ST1	Shimano Sora	Shimano Deore LX, bar and control	Shimano Ultegra ST1	Shimano ST, B440, Rapid	SRAM MXR Plus		
Shimano Tagra	Shimano Tagra or Shimano B440	Shimano Sora or Shimano 220	Shimano 105	Shimano Tagra	Shimano Sora	Shimano Sora	Shimano 105	Shimano Ultegra	Shimano Tagra	Shimano 130i		
Shimano 105	Shimano Tagra	Shimano Sora	Shimano Ultegra	Shimano Tagra	Shimano Sora	Shimano Sora	Shimano Deore LX	Shimano XTR	Shimano Deore XT	Shimano Deore		
Shimano 105 52/42/30	Shimano Tagra 52/42/30	Suntour Superbe 52/42/30	Shimano Ultegra 53/39	Shimano Tagra 52/42/30	Suntour Superbe 50/40/30	Shimano Sora 52/42/30	Shimano 105 52/42/30	Shimano Ultegra Tandem 53/42/30	Shimano 105 Tandem 53/42/30	ItuVatli 48/38/28 w/chainguard		
Shimano HG-50 12-25, Road	Shimano HG-50 12-25, Road	SRAM S.D. 11-32, Road	Shimano HG-10 12-25, Road	Shimano HG-50 12-25, Road	Shimano HG-50 12-25, Road	Shimano HG-10 11-34, Road	SRAM T.D. 11-32, Road	Shimano HG-10 11-34, Road	Shimano HG-10 11-34, Road	SRAM S.D. 11-32, Road		
Alloy dual pivot w/ Shimano 105 ST1 levers	Alloy dual pivot w/ Shimano Tagra or Shimano B440 levers	Alloy dual pivot w/ Shimano Sora or Shimano 220 levers	Shimano 105 w/Shimano Ultegra ST1 and bar top levers	Alloy dual pivot w/Shimano Tagra and bar top levers	Alloy dual pivot w/Shimano Sora and bar top levers	Avid Shorty 4 w/ Shimano Sora levers	Avid SRS linear pull w/Ola Comp 28T Aero levers	Avid Shorty 6 w/Shimano Ultegra ST1 levers	Avid SRS linear pull w/alloy levers	ProMax forged V brake w/alloy levers		
Shimano MS15, clipless	Alloy road, sealed w/clips and straps	Alloy/bylon road w/clips	Shimano MS15, clipless	Alloy w/clips and straps	Alloy/bylon road w/clips	Shimano MS15, clipless	Shimano MS15, clipless	Shimano MS15, clipless	Shimano MS15, clipless	Dual density platform		
			Bar top brake levers, gel handlebar tape	Bar top brake levers, gel handlebar tape	Bar top brake levers, gel handlebar tape		Rack	Cane Creek dummy levers	Cane Creek Ergo bar ends			

Fax: 61 29 290 3860 Bahrain Skate Shack Tel: 973 581142 Fax: 973 717058 Bermuda Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904 Bolivia Biciclar Tel: 591 279 4362 Fax: 591 241 2291
 Brazil International Sports do Brazil Tel: (5511) 3662 5355 Fax: (5511) 3662 5355 Bulgaria Pro Bike Tel: 359 2 981 8852 Fax: 359 2 981 8852 Canary Islands Adolfo Suanes S.A. Tel: 349 28 22 68 12
 Fax: 349 28 48 37 77 Chile Sparta Deportes Limitada Tel: 56-2-5604777 Fax: 56-2-5572850 Colombia Sport & Bike (Bike House) Tel: 574 262 3223 Fax: 574 262 2880 Costa Rica Milmo Tel: 506 296 3383
 Fax: 506 220 3580 Croatia Rog Joma Tel: 385 1 2304 331 Fax: 385 1 233 9337 Cyprus Goodtimes Ltd. Tel: 357 235 6673 Fax: 357 266 1027 Czech Republic Bretton S.R.O. Tel: 20 2 795 20 05

*Flat bar option not available in all sizes.

Mountain

ALY MOUNTAIN FULL SUSPENSION

XC FULL SUSPENSION

	Liquid 30	Liquid 20	Liquid 10	Fuel 100	Fuel 98	Fuel 90 Disc	Fuel 90	Fuel 90 WSD	Fuel 80	Y 26
SIZES	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"	(L) 15.5", (M) 17.5", (H) 19.5", (X) 21.5"
COLORS	Starry Night Black	Atta Blue	Bright Silver	Edge Blue/Starry Night Black	Starry Night Black	Starry Night Black/Bright Silver	Starry Night Black/Bright Silver	Midnight Blue/Gloss White	Trick Red/Starry Night Black	Edge Burnished Trick Red
FRAME	28 9000 Alloy, double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link design. Black Magic composite materials. Liquid geometry adjusts to changing terrain. Handmade in the USA.	28 9000 Alloy, double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link design. Black Magic composite materials. Liquid geometry adjusts to changing terrain. Handmade in the USA.	28 9000 Alloy, double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link design. Black Magic composite materials. Liquid geometry adjusts to changing terrain. Handmade in the USA.	OCV 100 Carbon. Trek/VW Team tested. The world's lightest, strongest frame material. Optimum Competition Low Void carbon. 120 grams of carbon fiber per square meter of OCV material. Trek Pro Race geometry. Handmade in the USA.	OCV 120 Carbon. Trek/VW Team tested. The world's lightest, strongest frame material. Optimum Competition Low Void carbon. 120 grams of carbon fiber per square meter of OCV material. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link. Disc-O disc brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link. Disc-O disc brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link. Disc-O disc brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy, World Cup tested. Double butted seamless drawn tubing. Custom butted head tube. Triangular Rocker Link. Disc-O disc brake mount. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha Aluminum. Overlaid, overlaid Y Frame. Overlaid Active (In-Link) Suspension.
FORK	Fox Taper A/C air spring, rebound compression damping lockout, 80/125mm on-the-fly adjustable travel.	RockShox Pylar AC, 100mm, H22 damping, adjustable rebound, travel gradients, 80/125mm travel.	RockShox Pylar C, 100mm, H22 damping, travel gradients, 80/125mm travel.	RockShox SID World Cup, A1 travel, 65/80mm, dual air, external rebound, rebound control, Pure damping.	RockShox SID Race, A1 travel, 65/80mm, dual air, external rebound control, Pure damping.	RockShox Duke AC, hydra air, H22 damping, 30mm upper tubes, external rebound adjust, 80mm travel.	RockShox Duke AC, hydra air, H22 damping, 30mm upper tubes, external rebound adjust, 80mm travel.	RockShox Duke AC, hydra air, H22 damping, 30mm upper tubes, external rebound adjust, 80mm travel.	RockShox Pilot SL, Air Assist prebend, H22 damping, adjustable rebound, chromed uppers, 80mm travel.	InSync Coind 320, 30mm travel.
REAR SHOCK	Fox Taper R air spring, self-adjusting negative spring, travel adjust on shock, adjustable rebound, lockout.	Fox Taper R air spring, self-adjusting negative spring, travel adjust on shock, adjustable rebound.	Fox Taper R air spring, self-adjusting negative spring, travel adjust on shock, adjustable rebound.	SID Lockout dual air spring, hydraulic damping, lockout.	Fox Taper R air spring, self-adjusting negative spring, rebound adjusting knob, lockout.	Fox Float R air spring, self-adjusting negative spring, rebound adjusting knob, lockout.	Fox Float R air spring, self-adjusting negative spring, rebound adjusting knob, lockout.	Fox Float R air spring, self-adjusting negative spring, rebound adjusting knob, lockout.	Fox Float R air spring, self-adjusting negative spring, rebound adjusting knob, lockout.	Muc USA P8500, coilover with damping.
WHEELS	Bontager Race Lite Disc Tubulars. Trek/VW Team wheel. One of the lightest sets available. Durable and World Class fast. Uses a regular tire tube, or tubeless tires for increased control and reduced flats. Swissmade hubs. Race Lite skewers. 625 g. 28h front/ 835 g. 28h rear.	Bontager Race Lite Trek Regional Team wheel. Disc specific rim, welded for huge strength. Bontager Offset Spoke Bed. Fully streamlined, cartridge bearing hubs. Internal standard brake rotor. No adapters req. Race Lite-Moly skewers. 915 g. 28h front/ 1050 g. 28h rear.	Bontager Select disc. Machine rim welded for strength. GSR rear rim provides good stiffness for any size rider. Hi-Lo ATR rear hub design. Excellent spoke bracing angles for improved lateral wheel rigidity. One-Moly skewers. 760 g. 28h front/ 1045 g. 28h rear.	Bontager Race X Lite Tubulars. Supreme all-around racing wheelset. Completely handmade 1 with 289000 rim material. GSR rear rim design. Bontager Tubeless sealing system. Swissmade design. Superspeed 14/17g butted stainless steel spokes. Race X Lite ATR skewers. 600g, 28h front/ 890g, 28h rear.	Bontager Race Lite Tubulars. Durable and World Class fast. Uses a regular tire tube, or tubeless tires for increased control and reduced flats. Swissmade hubs. Race Lite skewers. 710 g. 28h front/ 915 g. 28h rear.	Bontager Select. Durable welded rim, machined for smooth braking. GSR rear rim provides good stiffness for any size rider. Hi-Lo ATR rear hub design. Excellent spoke bracing angles for improved lateral wheel rigidity. One-Moly skewers. 760 g. 28h front/ 1045 g. 28h rear.	Bontager Select. Durable welded rim, machined for smooth braking. GSR rear rim provides good stiffness for any size rider. Hi-Lo ATR rear hub design. Excellent spoke bracing angles for improved lateral wheel rigidity. One-Moly skewers. 760 g. 28h front/ 1045 g. 28h rear.	Bontager Select. Durable welded rim, machined for smooth braking. GSR rear rim provides good stiffness for any size rider. Hi-Lo ATR rear hub design. Excellent spoke bracing angles for improved lateral wheel rigidity. One-Moly skewers. 760 g. 28h front/ 1045 g. 28h rear.	Bontager Corvair. Durable welded rim, machined for smooth braking. GSR rear rim provides good stiffness for any size rider. Hi-Lo ATR rear hub design. Excellent spoke bracing angles for improved lateral wheel rigidity. One-Moly skewers. 760 g. 28h front/ 1045 g. 28h rear.	Metric 150 rim. Shimano RH40-7 rear. Alloy fixed hub. 165 black spokes.
TIRES	IRC TrailBlazer, folding, 170psi, 26x2.25"	IRC TrailBlazer, folding, 26x2.25"	IRC TrailBlazer, folding, 26x2.25"	Bontager Super X, 170psi, 26x48/54	Bontager Super X, tubulars, 127psi, 26x48/54	Bontager Jones AC, folding, 26x48/54	Bontager Jones AC, folding, 26x48/54	Bontager Jones AC, folding, 26x48/54	Bontager Jones AC, folding, 26x48/54	Bontager Connection, 26x48/54
SADDLE	Bontager FS 2000, Cro-Moly rails, leather.	Bontager FS 2000, Cro-Moly rails.	Bontager FS 2000	Selle San Marco Aspic II.	Bontager FS 2000, Cro-Moly rails, leather.	Bontager FS 2000, Cro-Moly rails.	Bontager FS 2000, Cro-Moly rails.	Bontager FS 2000, Cro-Moly rails.	Bontager FS 2000	Trek ATR
SEATPOST	Bontager Race	Bontager Select	Bontager Sport	Thomson Elite	Bontager Race	Bontager Select	Bontager Select	Bontager Select	Bontager Sport	Alloy inline adjust
HANDLEBARS	Bontager Crowbar Race	Bontager Crowbar Sport	Bontager Crowbar Sport	Bontager Race Lite	Bontager Race	Bontager Crowbar Sport	Bontager Crowbar Sport	Bontager Crowbar Sport	Bontager Crowbar Sport	30mm rise
STEM	Bontager Race, 7"	Bontager Select, 10"	Bontager Sport, 15"	Bontager Race Lite, 7"	Bontager Race, 7"	Bontager Select, 10"	Bontager Select, 10"	Bontager Select, 10"	Bontager Sport, 15"	Alloy AHS, 25°
HEADSET	AHS 1408 alloy cups, semi cartridge, sealed.	AHS 1408 alloy cups, semi cartridge, sealed.	AHS 1408 semi cartridge, sealed.	Cane Creek 4-8 1408 AHS	AHS 1408 alloy cups, semi cartridge, sealed.	AHS 1408 alloy cups, semi cartridge, sealed.	AHS 1408 alloy cups, semi cartridge, sealed.	AHS 1408 alloy cups, semi cartridge, sealed.	AHS 1408 semi cartridge, sealed.	AHS 1408 semi cartridge, sealed.
SHIFTERS	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano EF29
FRONT DERAILLEUR	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore	Shimano CG55
REAR DERAILLEUR	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano XTR	Shimano XTR SCS	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore	Shimano Acera
CRANKSET	Bontager Race Lite 44/32/22	Bontager Race 44/32/22	Bontager Race 44/32/22	Shimano XTR 44/32/22	Bontager Race 44/32/22	Bontager Race 44/32/22	Bontager Race 44/32/22	Bontager Race 44/32/22	Shimano M440 44/32/22	SunTour XCC-100 44/32/22
CASSETTE	Shimano Deore XT 11-34, 9spd	SRAM XO 11-34, 9spd	SRAM XO 11-34, 9spd	Shimano XTR 11-34, 9spd	Shimano HG-70 11-32, 9spd	SRAM XO 11-34, 9spd	SRAM XO 11-34, 9spd	SRAM XO 11-34, 9spd	SRAM XO 11-34, 9spd	Shimano HG-50 11-34, 9spd
BRAKES	Hayes Mag hydraulic disc w/Hayes levers	Hayes HFA-9 hydraulic disc w/Hayes levers	Hayes HFA-9 hydraulic disc w/Hayes levers	Avid Ultimate w/ Shimano XTR levers	Avid SCS linear pull w/Shimano Deore XT levers	Hayes HFA-9 alloy levers	Avid SCS linear pull w/34 SCS levers	Avid SCS linear pull w/34 SCS levers	Shimano 420, V type alloy levers	Alloy linear pull w/ Shimano XTR levers
PEDALS	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Shimano M55, clipless	Alloy platform, clipless adaptable
EXTRAS										

Fax: 420 2 192 6464 **Denmark** H.E. Cykler A/S Tel: 45 89 14 14 Fax: 45 89 14 15 **Dominican Republic** Planet Bike Dominica Tel: 809 535 2152 Fax: 809 535 2152 **Ecuador** Deportextremo S.A. Tel: 593 2 292 1174 Fax: 593 2 225 3691 **Estonia** Rademar Tel: 372 651 2910 Fax: 372 655 0120 **Finland** Oy Oueli Bike Center Ab Tel: 358 9 2905 6730 Fax: 358 9 2905 6731 **France** Sunex Tel: 33 4 94 19 85 95 Fax: 33 4 94 45 53 67 **Greece** Gatsoulis Imports Tel: 301 0 253 0412 Fax: 301 0 253 3960 **Guam** MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184 **Guatemala** Novasport Tel: 502 474 2689/90 Fax: 502 474 2691 **Honduras** Planet Bike Tel: 504 232 4707 Fax: 504 232 4707 **Hong Kong** Chung Yung Cycle Co. Tel: 852 2670 3639 Fax: 852 2679 5602 **Hungary** Prokoro RFT

RECREATIONAL								RECREATIONAL			
8500	8000	8000 WSD	6700 Disc	6700	6700 WSD	4900 Disc	4900	4900 WSD	4500		
(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"	(S) 15.5", (M) 15.5", (L) 15.5"
Starry Night Black/Red Blue	Trek Red/Platinum Silver	Raja Blue/Bright Silver	Bright Silver/Gloss White	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum	Starry Night Black/Platinum
2012 HC Carbon. The lightest, strongest frame material in the world. Optimum Competition Low Vold carbon. Trek/VW Team tested. Addition of stiff honeycomb frames between carbon joints. Alpha Aluminum Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy. Double butted, seamless down tubing. Custom butted head tube. Braised down tube. 1-Back seat stay. S011, powerful elliptical chainstays. 28 9000 Alloy Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy. Double butted, seamless down tubing. Custom butted head tube. Braised down tube. 1-Back seat stay. S011, powerful elliptical chainstays. 28 9000 Alloy Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	28 9000 Alloy. Double butted, seamless down tubing. Custom butted head tube. Braised down tube. 1-Back seat stay. S011, powerful elliptical chainstays. 28 9000 Alloy Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super Light Race. Double butted, seamless down tubing. Custom butted head tube. 3-D forged wishbone monostay. S011, powerful elliptical chainstays. Alpha Aluminum Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super Light Race. Double butted, seamless down tubing. Custom butted head tube. 3-D forged wishbone monostay. S011, powerful elliptical chainstays. Alpha Aluminum Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha SLR Aluminum. Super Light Race. Double butted, seamless down tubing. Custom butted head tube. 3-D forged wishbone monostay. S011, powerful elliptical chainstays. Alpha Aluminum Disc drive compatible stays. Cold forged replaceable derailleur hanger. Trek Pro Race geometry. Handmade in the USA.	Alpha Aluminum. Oversized power tubes. New braised down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. New braised down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. New braised down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. New braised down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. New braised down tube. Wishbone monostay. Replaceable derailleur hanger. Disc mount.
RockShox SO Team. Dual Air external rebound control, pure damping w/Clicker II control. Air Travel 110mm.	For Floot II air spring. 12 click rebound adjust. 30mm EXTO upper tubes. magnesium lowers. 80mm travel.	RockShox Duke HC. Hydra air HC2 damping. 30mm upper tubes. external rebound adjust. 80mm travel.	RockShox Duke HC. Hydra air HC2 damping. 30mm upper tubes. external rebound adjust. 80mm travel.	RockShox Pilot SL. Air Assist preload, HC2 damping, adjustable rebound, chromed upper. 80mm travel.	RockShox Pilot SL. Air Assist preload, HC2 damping, adjustable rebound, chromed upper. 80mm travel.	RockShox Pilot SL. Air Assist preload, HC2 damping, adjustable rebound, chromed upper. 80mm travel.	RockShox Pilot C. single coil, hydraulic damping, adjustable preload, magnesium lowers. 80mm travel.	RockShox Pilot C. single coil, hydraulic damping, adjustable preload, magnesium lowers. 80mm travel.	RockShox Pilot C. single coil, hydraulic damping, adjustable preload, magnesium lowers. 80mm travel.	RockShox Pilot C. single coil, hydraulic damping, adjustable preload, magnesium lowers. 80mm travel.	RockShox Judy TL. dual stage coil/spring, adjustable preload. 80mm travel.
Bontager Race Lite. Tubeless. Trek/VW Team wheel. One of the lightest sets available. Durable and Road Discs fast. Uses a regular tire/bike or tubeless tires for increased control and reduced flat. Slick made hubs. Race Lite skewers. 710 g. 24h front/ 715 g. 28h rear.	Bontager Race. Tubeless. Engineered to provide good lateral stiffness for any size rider. Fully serviceable, cartridge sealed bearing hubset. Quattro cartridge bearings and aluminum axle on front hub w/adjustable pre-load. Race. Cro-Moly skewers. 765 g. 24h front/ 1050 g. 28h rear.	Bontager Select. Durable welded rims. machined for smooth braking. OSH rear rim provides good stiffness for any size rider. W-to-ATB rear hub design w/vertical spoke bracing angles for improved lateral wheel rigidity. Cro-Moly skewers. 780 g. 24h front/ 1045 g. 28h rear.	Bontager Select. Durable welded rims. machined for smooth braking. OSH rear rim provides good stiffness for any size rider. W-to-ATB rear hub design w/vertical spoke bracing angles for improved lateral wheel rigidity. Cro-Moly skewers. 780 g. 24h front/ 1045 g. 28h rear.	Bontager Corvair. welded, machined sidewall rims. alloy quick release hubs. 140 stainless spokes.	Bontager Corvair. welded, machined sidewall rims. Shimano 9-speed rear, alloy quick release front hubs. 140 stainless spokes.	Bontager Corvair. welded, machined sidewall rims. Shimano 9-speed rear, alloy quick release front hubs. 140 stainless spokes.	Alto TDF rims. whitewall steel eyelets. Shimano Deore disc hubs. 150 stainless spokes.	Bontager Corvair. welded, machined sidewall rims. Shimano 9-speed rear, alloy quick release front hubs. 140 stainless spokes.	Bontager Corvair. welded, machined sidewall rims. Shimano 9-speed rear, alloy quick release front hubs. 140 stainless spokes.	Bontager Corvair. welded, machined sidewall rims. Shimano 9-speed rear, alloy quick release front hubs. 140 stainless spokes.	Matrix T50 rims. Shimano R40 8 rear, alloy front hubs. 145 stainless, black spokes.
Bontager Super X. 120mm. 1700g. 714g/918.	Bontager Super X. folding. 26x45/54.	Bontager Jones AC. folding. 26x45/54.	Bontager Jones AC. folding. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.	Bontager Jones AC. 26x45/54.
Bontager FS 2000. Cro-Moly rails, leather.	Bontager FS 2000. Cro-Moly rails, leather.	Bontager FS 2000. Cro-Moly rails.	Bontager FS 2000. WSD. Cro-Moly rails.	Bontager FS 2000.	Bontager FS 2000.	Bontager FS 2000 WSD.	Trek ATB.	Trek ATB.	Bontager FS 2000. WSD.	Trek ATB.	Trek ATB.
Bontager Race.	Bontager Race.	Bontager Select.	Bontager Select.	Bontager Sport.	Bontager Sport.	Bontager Sport.	Bontager Sport.	Bontager Sport.	Bontager Sport.	Bontager Sport.	Bontager Sport.
Bontager Race.	Bontager Race.	Bontager Select.	Bontager Race.	Bontager Crowbar Sport.	Bontager Crowbar Sport.	Bontager Crowbar Sport.	Bontager Crowbar Sport.	Bontager Crowbar Sport.	Bontager Crowbar Sport.	Bontager Crowbar Sport.	Bontager Crowbar Sport.
Bontager Race, 17"	Bontager Race, 17"	Bontager Select, 10"	Bontager Select, 10"	Bontager Sport, 15"	Bontager Sport, 15"	Bontager Sport, 15"	Bontager Sport, 15"	Bontager Sport, 15"	Bontager Sport, 15"	Bontager Sport, 15"	Bontager Sport, 25"
AHS 140" alloy cups, semi cartridge, sealed.	AHS 140" alloy cups, semi cartridge, sealed.	AHS 140" alloy cups, semi cartridge, sealed.	AHS 140" alloy cups, semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.	AHS 140" semi cartridge, sealed.
Shimano Deore XT.	Shimano Deore XT.	Shimano Deore LX.	Shimano Deore LX.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.
Shimano Deore XT.	Shimano Deore XT.	Shimano Deore LX.	Shimano Deore LX.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.
Shimano XT.	Shimano XT.	Shimano Deore XT.	Shimano Deore XT.	Shimano Deore LX.	Shimano Deore LX.	Shimano Deore LX.	Shimano Deore LX.	Shimano Deore.	Shimano Deore.	Shimano Deore.	Shimano Deore.
Bontager Race 44/32/22.	Bontager Race 44/32/22.	Bontager Race 44/32/22.	Bontager Race 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.	Shimano M440 44/32/22.
Shimano Deore XT 11-34, Road.	Shimano HG-70 11-32, Road.	Shimano HG-50 11-32, Road.	Shimano HG-50 11-32, Road.	SRAM 7.0 11-34, Road.	SRAM 7.0 11-34, Road.	SRAM 7.0 11-34, Road.	SRAM 7.0 11-34, Road.	SRAM 5.0 11-32, Road.	SRAM 5.0 11-32, Road.	SRAM 5.0 11-32, Road.	SRAM 5.0 11-32, Road.
Avid S05 linear pull w/Shimano Deore XT levers.	Avid S05 linear pull w/Shimano Deore XT levers.	Avid S05 linear pull w/Avid S05 levers.	Avid S05 linear pull w/Avid S05 levers.	Hayes RFX-9 w/Hayes levers.	Alloy linear pull w/Hayes levers.	Alloy linear pull w/Hayes levers.	Hayes RFX-9, mechanical disc w/Hayes levers.	Alloy linear pull w/Hayes levers.	Alloy linear pull w/Hayes levers.	Alloy linear pull w/Hayes levers.	Alloy linear pull w/Hayes levers.
Shimano MS15, clipless.	Shimano MS15, clipless.	Shimano MS15, clipless.	Shimano MS15, clipless.	Shimano MS15, clipless.	Shimano MS15, clipless.	Shimano MS15, clipless.	Alloy ATB w/strap and straps.	Alloy cage, clipless adaptable.	Alloy cage, clipless adaptable.	Alloy cage, clipless adaptable.	Alloy platform, clipless adaptable.

Tel: 36 1 331 3184 Fax: 36 1 473 1686 **Iceland** Orinn Hjóli Ltd. Tel: 354 5 889 892 Fax: 354 5 889 896 **Ireland** Centro Limited Tel: 353 1 456 7516 Fax: 353 1 456 6463 **Israel** Cycle Trading Company Ltd. Tel: 972 9 9513 010 Fax: 972 9 9509 783 **Italy** Comar Italia SRL Tel: 39 035 302 502 Fax: 39 035 300 747 **Korea** OD Bike, Inc. Tel: 82 2 474 0818 Fax: 82 2 474 0656 **Lebanon** Shee Sal Tel: 961 1 499 851 Fax: 961 1 499 843 **Lithuania** Egminda UAB Tel: 370 232 3080 Fax: 370 232 3081 **Malta** Magel Cycles & Spares Tel: 356 21 414399 Fax: 356 21 436377 **Mexico** Power Distribution Tel: 52 81 84 78 45 60 Fax: 52 81 83 40 12 75 **New Zealand** Cycle Sport New Zealand Tel: 64 6 348 8035 Fax: 64 6 345 5349 **Norway** Foss Sykler AS Tel: 47 22 38 62 00 Fax: 47 22 38 62 10 **Panama** Motor Sport Panama, S.A.

Mountain

City & Bike Path

RECREATIONAL					FRONT/COMFORT	COMFORT			
SIZE	FR	FR	FR	FR	FR	FR	FR	FR	FR
4300 Disc	4300	4100	820	800	Disc Freeride	Navigator 400	Navigator 500	Navigator 400	Navigator 300
(XS) 13", (S) 15.5", (M) 17.5", (XL) 19.5", (LL) 21.5"	(XS) 13", (S) 15.5", (M) 17.5", (XL) 19.5", (LL) 21.5"	(XS) 13", (S) 15.5", (M) 17.5", (XL) 19.5", (LL) 21.5", (WS) 17.5"	(XS) 13", (S) 15.5", (M) 17.5", (XL) 19.5", (LL) 21.5", (WS) 17.5", (WS) 17.5"	(XS) 13", (S) 15.5", (M) 17.5", (XL) 19.5", (LL) 21.5", (WS) 17.5", (WS) 17.5"	(S/M) 14", (M/L) 18"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 20"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 20", (WS) 14.5", (WS) 16.5", (WSL) 18.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 20", (WS) 14.5", (XL) 16.5", (WSL) 18.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 20", (WS) 14.5", (XL) 16.5", (WSL) 18.5"
Black Chrome/Ball Burnished	Black Chrome/Ball Burnished or Metallic Orange	Trek Red/Titanium Black or Ball Burnished	Baja Blue/Shine Silver or Black Chrome or Metallic Purple/Metallic Silver	Starry Night Black/Baja Blue or Smooth Silver	Starry Night Black, frame set available in Bright Silver	Bright Silver/Midnight Blue	Bright Silver/Estate Green	Titanium Black/Coastal Blue	Blue Dual/Night Silver or Wheat Silver
Alpha Aluminum. Oversized power tubes. Brazeal down tube. Washbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. Brazeal down tube. Washbone monostay. Replaceable derailleur hanger. Disc mount.	Alpha Aluminum. Oversized power tubes. Brazeal down tube. Washbone monostay. Replaceable derailleur hanger. Disc mount.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Trek high tensile steel with high grade Trek engineered swaged Cro-Moly steel seat tube. Excellent shock absorption.	Alpha Aluminum. Monocoque construction provides a yoff connection between the fork and seatposts for responsive steering control. Trek's Chain Torque Eliminator (available on frame set only) prevents pedal forces from "bobbing" the rear suspension. Replaceable rear dropouts.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Washbone monostay. Replaceable derailleur hanger.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Washbone monostay. Replaceable derailleur hanger.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Washbone monostay.	Alpha Aluminum. Comfort Specific. Oversized power tubes. Washbone monostay. Replaceable derailleur hanger.
IndyGrind 323, adjustable preload, 70mm travel	IndyGrind 323, adjustable preload, 70mm travel	IndyGrind 320, 70mm travel	RST TRXL, 65mm travel	High tensile steel ATB	Boxer Race, dust coil, H2C damping, magnesium lowers, 6 or 7 inch travel	RS GPS Sierra, adjustable preload, 60mm travel	RS GPS Sierra, adjustable preload, 60mm travel	RST CT COM 1 TL, adjustable preload, 50mm travel	RST CT COM 1 TL, adjustable preload, 50mm travel
					Fox Verticle RC coil spring, adjustable rebound/compression threshold				
Matrix 750 rims; Shimano Alivio disc hubs; 14G stainless, black spokes	Matrix 750 rims; Shimano RM40-B rear, alloy front hub; 14G stainless, black spokes	Matrix 550 rims; alloy hubs; 14G, black spokes	Matrix 550 rims; alloy hubs; 14G, black spokes	Matrix 550 rims; alloy hubs; 14G, black spokes	Bull Singletrack welded rims; DT Freeride hubs; 14G stainless spokes	Bontrager Superstock: Engineered to roll smooth, even in tough conditions; welded rims for superior strength, machined for smooth braking; 608 minimizes dish and provides extra strength. Fully serviceable hubset; Cro-Moly skewers; 855 g, 28h front/100 g, 28h rear	Bontrager Conquer w/stainless steel eyelet rims; SRAM Dual Drive rear, alloy front hub; 14G stainless, black spokes	Matrix 750 rims; Shimano Nexus Tspd rear, alloy front hub; 14G stainless, black spokes	Matrix 750 rims; Shimano RM40-B rear, alloy front hub; 14G stainless, black spokes
Bontrager Jones AC, 26x1.95"	Bontrager Connection, 26x1.95"	Bontrager Connection, 26x1.95"	Bontrager Connection, 26x1.95"	Bontrager Connection, 26x1.95"	Michelin D4 Comp, 26x2.5"	Bontrager Comfort K w/Vulcanizor, 26x1.95"	Bontrager Comfort K w/Vulcanizor, 26x1.95"	Bontrager Comfort K w/Vulcanizor, 26x1.95"	Bontrager Comfort K w/Vulcanizor, 26x1.95"
Trek ATB	Trek ATB	Trek ATB	Trek ATB	Trek ATB	Bontrager RS 2000, Cro-Moly rails	Trek CR2 wide	Trek CR2 wide	Trek WebSpring/ elastomer comfort w/lashing light	Trek WebSpring/ elastomer comfort w/lashing light
Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Alloy micro-adjust	Bontrager Race	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension
Alloy, 30mm rise	Alloy, 30mm rise	30mm rise	30mm rise	30mm rise	Titan Blackhead, 10"	Alloy, 30mm rise	Alloy, 30mm rise	30mm rise	30mm rise
Alloy AHS, 25"	Alloy AHS, 25"	Alloy AHS, 25" (men's), 40" (women's)	Alloy AHS, 25" (men's), 40" (women's)	High tensile steel, 25" (men's), 40" (women's)	Titan Blackhead, 10"	Alloy AHS adjustable rise	Alloy AHS adjustable rise	Alloy adjustable rise	Alloy adjustable rise
AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	1 1/8" semi cartridge, sealed	Cate Creek S-4 1 1/8" AHS	AHS 1 1/8" semi cartridge, sealed	AHS 1 1/8" semi cartridge, sealed	1 1/8" semi cartridge, sealed	1 1/8" semi cartridge, sealed
Shimano EF29	Shimano EF29	Shimano EF29	Shimano EF29	Shimano EF29	Shimano Deore XT	Shimano Deore	SRAM Dual Drive	Shimano Nexus Rava, Tspd	SRAM MTR Plus
Shimano C050	Shimano C050	Shimano C050	Shimano C050	Shimano C050	Shimano Deore XT	Shimano Deore	N/A	N/A	Shimano C100
Shimano Acera	Shimano Acera	Shimano Altus	Shimano Altus	Shimano C050	Shimano XTR	Shimano Deore XT	SRAM Dual Drive	N/A	Shimano Deore
Suntour XCC-150 42/34/24	Suntour XCC-150 42/34/24	Suntour XCC-100 42/34/24	Suntour XCC-100 42/34/24	Suntour XCC-100 42/34/24	Truvativ Helder/er 32/22 w/lock guard	Shimano M510 42/34/24	SRAM Dual Drive 33T w/chainring	CPI 38T w/lock chainring	Shimano C050 42/34/24 w/chainring
SRAM S.O. 11-32, 8spd	SRAM S.O. 11-32, 8spd	Shimano ZHG 11-34, Tspd	Suntour 13-30, Tspd	Suntour 13-30, Tspd	SRAM T.O. 11-34, 9spd	SRAM T.O. 11-34, 9spd	SRAM T.O. 11-34, 9spd	Shimano 20T	SRAM S.O. 11-32, 8spd
Shimano M475 mechanical disc w/ Shimano EF29 levers	Alloy linear pull w/ Shimano EF29 levers	Alloy linear pull w/ Shimano EF29 levers	Alloy linear pull w/ Shimano EF29 levers	Alloy linear pull w/ Shimano EF29 levers	Hydra Mag, hydraulic disc w/ 80mm rotors w/ Shimano levers	Shimano M420 V brake w/linear modulator w/ alloy levers	Shimano M420 V brake w/linear modulator w/ alloy levers	Shimano roller rear w/ cooling disc, alloy linear pull w/linear modulator w/ alloy levers	Alloy linear pull w/linear modulator w/ alloy levers
Alloy platform, clipless adaptable	Alloy platform, clipless adaptable	Nylon platform	Nylon platform	Nylon platform	Shimano M475, clipless	Dual density platform w/lashing lights	Dual density platform w/lashing lights	Dual density platform	Dual density platform
						Bell	Bell	Bell	Bell

Tel: 507 236 0952 Fax: 507 236 6140 **Peru** Best Internacional S.A. Tel: 511 263 0964 Fax: 511 263 1239 **Philippines** JT Techno Turbo Trading Tel: (632) 951 4457 Fax: (632) 431 1769 **Poland** S.S.C. Tel: 48 71 3431539 Fax: 48 71 3725448 **Portugal** Bicimax Artigos Desportivos LDA Tel: (351) 244 553 276 Fax: (351) 244 553 187 **Puerto Rico** Seamount Corporation Tel: 787 763 4369 Fax: 787 765 6520 **Russia** Sportex Tel: 7 095 959 31 23 Fax: 7 095 959 31 29 **Singapore** Treknotology Bikes Tel: 3 65 466 2673 Fax: 65 466 7610 **Slovakia** KCK Cyklosport Mode S.R.O. Tel: 421 862 5492 344 Fax: 421 862 5492 350 **Slovenia** Bess-Pro Market Tel: 386 61 274 135 Fax: 386 61 1256 1628 **South Africa - Capetown** Altra Corporation Tel: 27 21 531 2508 Fax: 27 21 531 2551 **South Africa - Randburg**

		HYBRID					FITNESS		CRUISER	
Navigator 200	Navigator 100	7700	7500	7300	7200	7100	7700 FX	7500 FX	Clyde	Town & Country
(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 20", (XXXL) 22.5", (M) 14.5", (L) 16.5", (XL) 18.5"	(M) 14.5", (L) 16.5", (XL) 18.5", (XXL) 20", (XXXL) 22.5", (M) 14.5", (L) 16.5", (XL) 18.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5", (XXS) 15", (XS) 17.5", (M) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5", (XXS) 15", (XS) 17.5", (M) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5", (XXS) 15", (XS) 17.5", (M) 20"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(XS) 15", (S) 17.5", (M) 20", (L) 22.5"	(M) 20"	(M) 20", (XS) 17"
Titanite Black or Spark Green/Wheel Silver	Constar Blue or Metallic Red/Wheel Silver	Titanite Black/Wheel Silver	Bright Silver/Pearl Navy	Silver/Lava Black or Coastal Blue	Deep Green/Wheel Silver or Spark Blue	Pearl Blue/Wheel Silver or Titanite Black	Titanite Black/Baja Blue	Coastal Blue/Silver	Matte Black	Men's Gloss Black/Metallic Silver; Women's Metallic Red/Wheel Silver
Alpha Aluminum, Comfort Specific, Oversized power tubes, Wishbone monostay, Replaceable derailleur hanger.	Alpha Aluminum, Comfort Specific, Oversized power tubes, Wishbone monostay.	Alpha SL Aluminum, Super Light Aluminum, Superior strength-weight ratio, Double butted, seamless down tubing, 8-spoke down tube, Custom computer butted headtube, Wishbone monostay, Shift, powerful elliptical chainstays, Cold forged replaceable derailleur hanger.	Alpha SL Aluminum, Super Light Aluminum, Superior strength-weight ratio, Double butted, seamless down tubing, 8-spoke down tube, Custom computer butted headtube, Wishbone monostay, Shift, powerful elliptical chainstays, Cold forged replaceable derailleur hanger.	Alpha Aluminum, Oversized power tubes, Wishbone monostay, Replaceable derailleur hanger.	Alpha Aluminum, Oversized power tubes, Wishbone monostay, Replaceable derailleur hanger.	Alpha Aluminum, Oversized power tubes, Wishbone monostay, Replaceable derailleur hanger.	Alpha SL Aluminum, Super Light Aluminum, Superior strength-weight ratio, Double butted, seamless down tubing, 8-spoke down tube, Custom computer butted headtube, Wishbone monostay, Shift, powerful elliptical chainstays, Cold forged replaceable derailleur hanger.	Alpha SL Aluminum, Super Light Aluminum, Superior strength-weight ratio, Double butted, seamless down tubing, 8-spoke down tube, Custom computer butted headtube, Wishbone monostay, Shift, powerful elliptical chainstays, Cold forged replaceable derailleur hanger.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.
85T CT COM 1 CL, 50mm travel	High tensile steel ATB	RockShox Metro Map, single coil, adjustable preload, integrated boots, magnesium lowers, 50mm travel	RockShox Metro, single coil, adjustable preload, integrated boots, 50mm travel	InSync Odesa 168, adjustable preload, 45mm travel	InSync Odesa 168, 45mm travel	High tensile steel ATB	Aluminum	Cro-Moly	Trek Cruiser springer	Trek Cruiser, steel
Matrix 550 rims, alloy hubs, 14G, black spokes	Matrix 550 rims, alloy hubs, 14G, black spokes	Bontager Select, Paired Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/058 improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/1020 g, 24h rear	Bontager Select, Paired Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/058 improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/1020 g, 24h rear	Ares TA19 double wall rims w/stainless steel eyelets; Shimano C201, 32h rear, alloy quick release front hub; 14G stainless spokes	Matrix 550 rims, Shimano BM40-7 rear, alloy front hub; 14G stainless spokes	Matrix 550 rims, alloy hubs, 14G stainless spokes	Bontager Select, Paired Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/058 improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/1020 g, 24h rear	Bontager Select, Paired Spoke Technology™, Torque sharing super-stiff rear hub; Semi-deep front rim is aero yet forgiving; Rear rim w/058 improves lateral rigidity, prolongs wheel life; Double butted 14/15 DT spokes; Cro-Moly skewers; 635 g, 20h front/1020 g, 24h rear	Alloy cruiser rims; Shimano Nexus 7spd rear w/coaster, alloy nutted front hub; 14G stainless spokes	Alloy cruiser rims; Shimano Nexus 4spd rear w/coaster, alloy nutted front hub; 14G stainless spokes
Bontager Comfort, 26x19"	Bontager Comfort, 26x19"	Bontager Select Invert w/Kevlar belt, 700x38c	Bontager Select Invert w/Kevlar belt, 700x38c	Bontager Select Invert, 700x38c	Bontager Select Invert, 700x38c	Bontager Select Invert, 700x38c	Bontager Select w/Kevlar belt, 700x38c	Bontager Select w/Kevlar belt, 700x38c	Cruiser Balloon, 26x2.125"	Cruiser Balloon, 26x2.125"
Trek Webspring comfort	Trek Webspring comfort	Trek CR2+	Trek CR2+	Trek Webspring comfort	Trek Webspring comfort	Trek Webspring comfort	Trek CR2+	Trek CR2+	Trek Webspring Cruiser	Trek Webspring Cruiser
Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Alloy suspension	Bontager Sport	Bontager Sport	Alloy	Alloy
50mm rise	50mm rise	Alloy, 38mm rise	50mm rise	50mm rise	50mm rise	50mm rise	Bontager Crowbar Race	Bontager Crowbar Sport	Steel cruiser	Steel cruiser
Alloy adjustable rise	Alloy adjustable rise	Alloy AHS, adjustable rise	Alloy AHS, adjustable rise	Alloy adjustable rise	Alloy adjustable rise	Alloy adjustable rise	Bontager Sport, 25"	Bontager Sport, 25"	Forged alloy, top clamp	Forged alloy, top clamp
1-1/8" semi cartridge, sealed	1-1/8" semi cartridge, sealed	AHS 1-1/8" alloy cups, semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	1-1/8" semi cartridge, sealed	1-1/8" semi cartridge, sealed	1-1/8" semi cartridge, sealed	AHS 1-1/8" alloy cups, semi cartridge, sealed	AHS 1-1/8" semi cartridge, sealed	Oversized sealed	Oversized sealed
SRAM MIX Plus	SRAM 4.0 Plus	Shimano Deore XT	Shimano Alivio	SRAM MIX Plus	SRAM MIX Plus	SRAM 4.0 Plus	Shimano Deore XT	Shimano Alivio	Shimano Nexus Revo, 7spd	Shimano Nexus Revo, 4spd
Shimano CO2	Shimano CO2	Shimano Deore XT	Shimano Nexave 301	Shimano Nexave 301	Shimano CO2	Shimano CO2	Shimano Deore XT	Shimano Nexave 301	N/A	N/A
Shimano Acera	SRAM ESP 4.0	Shimano Deore XT	Shimano Deore LX	Shimano Deore	Shimano Acera	SRAM ESP 3.0	Shimano Deore XT	Shimano Deore	N/A	N/A
Suntour NEX200 48/38/28 w/chainguard	Suntour NEX200 48/38/28 w/chainguard	Shimano Deore 48/38/28	Nexave T41 48/38/28	Shimano EC4301 48/38/28	Shimano C203 48/38/28 w/chainguard	Suntour NEX200 48/38/28 w/chainguard	Shimano Deore 48/38/28	Shimano 411 48/38/28	Alloy 3 piece single ring, 33T	Alloy 3 piece single ring, 33T
Shimano DHF 13-34, 7spd	SunRace 13-34, 7spd	SRAM XD 11-32, 9spd	SRAM 5.0 11-32, 8spd	SRAM 5.0 11-32, 8spd	Shimano HG-50 11-34, 7spd	SunRace 13-34, 7spd	SRAM XD 11-32, 9spd	Shimano HG-50 11-30, 8spd	DOT	DOT
Alloy linear pull w/front modulator w/alloy levers	Alloy linear pull w/front modulator w/alloy levers	Avid 503 linear pull w/Shimano Deore XT levers	Alloy linear pull w/alloy levers	Alloy linear pull w/front modulator w/alloy levers	Alloy linear pull w/front modulator w/alloy levers	Alloy linear pull w/front modulator w/alloy levers	Avid 503 linear pull w/alloy levers	Alloy linear pull w/alloy levers	Coaster rear	Coaster rear
Dual density platform	Dual density platform	Shimano SPD M324, clipless	ATB, alloy cage w/alloy end straps	Dual density platform	Dual density platform	Dual density platform	Shimano SPD, clipless	Alloy road, sealed w/rips and straps	Cruiser platform	Cruiser platform
Bar	Bar	Cane Creek Ergo bar ends	Bar	Bar	Bar	Bar	Cane Creek Ergo bar ends		Steel fenders, adjustable alloy kickstand	Steel fenders, adjustable alloy kickstand

City & Bike Path

	CRUISER			
	City Calypso	City Woody	Cruiser Classic Springer	Cruiser Classic
FRAMESET	SIZES	(M) 20" (WS) 11"	(M) 20"	(WS) 11"
	COLORS	Baja Blue/Metallic Silver	Gloss Black/Reinforced Green	Breeze Blue
	FRAME	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.	Alpha Aluminum, Comfort Cruiser geometry, strong and durable.
	FORK	Trek Cruiser, steel	Trek Cruiser springer	Trek Cruiser springer
	REAR SHOCK			
WHEELS	WHEELS	Alloy cruiser rim, alloy nuded hub, 14G stainless spokes	Alloy cruiser rim, nuded coaster brake rear, alloy nuded front hub, 14G stainless spokes	Alloy cruiser rim, nuded coaster brake rear, alloy nuded front hub, 14G stainless spokes
	TIRES	Cruiser Balloon, 26x2.125"	Cruiser Balloon, 26x2.125"	Cruiser Balloon, 26x2.125"
	SADDLE	Trek WebSpring Cruiser	Trek WebSpring Cruiser	Trek WebSpring Cruiser
COMPONENTS	SEATPOST	Alloy	Alloy	Alloy
	HANDLEBARS	Steel cruiser	Steel cruiser	Steel cruiser
	STEM	Forged alloy, top clamp	Forged alloy, top clamp	Forged alloy, top clamp
	HEADSET	Oversized sealed	Oversized sealed	Oversized sealed
	SHIFTERS	SRAM MIX Plus	N/A	N/A
DRIVETRAIN	FRONT DERAILLEUR	N/A	N/A	N/A
	REAR DERAILLEUR	Shimano TY40	N/A	N/A
	CRANKSET	One piece forged, 40T	One piece forged, 40T	One piece forged, 40T
	CASSETTE	SunRace 13-34, 7sp	18T	18T
	BRAKESET	ProMax linear pull w/ProMax linear pull levers	Coaster rear	Coaster rear
OTHER	PEDALS	Cruiser platform	Cruiser platform	Cruiser platform
	EXTRAS	Steel fenders, adjustable alloy kickstand	Steel fenders, adjustable alloy kickstand, rear rack	Steel fenders, adjustable alloy kickstand

There are lots of ways
We recommend

There are a few things that are essential for every bike ride.

☐ HELMET

Protect your most valuable asset while cycling - your head.

☐ CYCLING GLOVES

Your hands keep you in control. Gloves provide extra grip, comfort, and protection.

☐ FLAT PACK

Take one on every ride: it's got all you need to replace a tube or fix a flat (and that's way better than walking home).