

pressure II

The ultimate Italian aerodynamic high-speed road riding experience. New and improved 100% Milanese design.





pressure II

frame-kit - complete bike

- Reduced weight (-109 g)
- Modified carbon fiber layup for improved ride quality and reliability
- Increased tyre clearance (32mm)
- 100% Milanese design
- UCI approved
- Full pro features:
 - racing geometry
 - over benchmark stiffness
 - aero-enhanced tubing profiles
 - integrated cables

Born to race, Pressure is the pinnacle of Cinelli's road bike design language. Obsessively re-engineered seatpost length, clamp mechanism and cable guides reduce the weight of the Pressure II framekit by 5% relative to its predecessor. Refined over 4 different samples the Pressure II's carbon fiber layup represents what our R&D team and pro riders believe to be the best ratio between weight savings, race stiffness and reliability. In line with most recent studies in aerodynamics, rolling resistance and - most importantly - the continuous hybridization of the road bike, the Pressure II features 32mm max tyre clearance.



specs

FRAME WEIGHT (M)

975 g

FORK WEIGHT (M)

390 g

PRESS FIT

BB 86,5

MAX TYRE

32 mm

Racing White Patina




Dandy's Racing Green



assembly

	RED ETAP axs	DURA-ACE DISC DI2	ULTEGRA DISC DI2	105 DISC DI2
Drivetrain	Sram Red Etap AXS	Shimano Dura-Ace 9270	Shimano Ultegra 8150	Shimano 105 7170
Handlebar	Pressure 2 Carbon Handlebar	Pressure 2 Carbon Handlebar	Pressure 2 Carbon Handlebar	Pressure 2 Carbon Handlebar
Stem	/	/	/	/
Seatpost	Integrated	Integrated	Integrated	Integrated
Shifters	Sram Red Etap AXS	Shimano Dura-Ace R9270	Shimano Ultegra R8170	Shimano 105 R7170
Brakes	Sram Red	Shimano Dura-Ace R9270	Shimano Ultegra R8170	Shimano 105 R7170
Rotors	Sram Paceline X 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150	Shimano 105 R7150
R. derailleur	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150	Shimano 105 R7150
Crankset	Sram Red Etap AXS 48/35t	Shimano Dura-Ace R9200 52/36t	Shimano Ultegra R8100 52/36t	Shimano 105 R7100 52/36t
Cassette	Sram Red Etap AXS 10/30t	Shimano Dura-Ace R9200 11/30t	Shimano Ultegra R8101 11/30t	Shimano 105 R7101 11/34T
Chain	Sram Red Flathead	Shimano M8100	Shimano M8100	Shimano M7100
Wheelset	Fulcrum Wind 42	Fulcrum Wind 42	Fulcrum 600	Fulcrum 600
Tyres	Pirelli PZero Race 700x28	Pirelli PZero Race 700x28	Vittoria Zaffiro Pro 700x28	Vittoria Zaffiro Pro 700x28
Saddle	Selle Italia Novus Boost	Selle Italia Novus Boost	Selle Italia Model X	Selle Italia Model X



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	460	\	518	\	119	71	73,5	45	410	571	971	68	365	512	366
S	490	\	530	\	134	71,5	73,5	45	410	579	979	68	365	528	374
M	520	\	545	\	144	72	73,5	45	410	590	990	68	365	539	385
L	550	\	560	\	164	72,5	73,5	45	410	600	1000	68	365	560	394
XL	580	\	575	\	184	73	73,5	45	410	611	1011	68	365	581	403

frame specs

Sizes	XS (46) - S (49) - M (52) - L (55) - XL (58)
Cockpit	XS 90x370 - S 100x390 - M 110x390 - L 110x390 - XL 120x410 (Included)
Material	Columbus Carbon Monocoque T800
Headset	IS 52/28,6 IS 52/40 FSA ACR 1-1/2" (included)
Seatpost	Full Carbon Aero (included) / Carbon Rail Comp.
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Braze-On
Routing	Full Internal - Electronic Groupset Only
Color	Racing White Patina / Dandy's Racing Green
Tyre Clear.	up to 700x32 mm
Fork	Full Carbon Monocoque 1-1/8" - 1-1/2" Full Internal Cable Routing
Weight	Frame 975g (size M) - Fork 390g (uncut) (+/- 5% - raw finish)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x165 / Front TA Ø 12x100mm - M12x119
Highlights	Extra hanger / Ft.-Re. Skewers

pressure adr

Pressure ADR takes the racing technology of the Pressure and re-engineers it for improved comfort and handling for endurance and long-distance riding, without losing the pure race feel.





pressure adr

frame-kit - complete bike

- Tuned for ultimate racing comfort
- Aggressive rider position
- Integrated seatpost clamp and cable routing
- Possibility to customize build with after-market components thanks to the standard seat post and fork steerer diameters



The Pressure ADR continues to refine the design and performance developments of our aero-racer, the Pressure fine tuning it for epic, long-distance racing. The ADR in fact maintains the signature pure competition handling and feel of the Pressure, fine-tuning tube sections and carbon fiber lay-up to make it more suitable for long hours in the saddle. These engineering considerations are complemented by fully-integrated cable routing and the use of standard seatpost and fork steerer diameters, allowing the owner to easily install world-leading after market component solutions.

specs

FRAME WEIGHT (M)
990 g

FORK WEIGHT (M)
420 g

PRESS FIT
BB 86,5

MAX TYRE
30 mm

Sun Faded Laser Blue




Midnight Scream



assembly semi-hidden cable routing

	DURA-ACE DISC D12	ULTEGRA DISC D12	105 DISC D12	105 DISC	ULTEGRA DISC 11v
Colour	All Colours	All Colours	All Colours	All Colours	All Colours
Drivetrain	Shimano Dura-Ace 9270	Ultegra Di2 12v	105 Di2	105 Disc	Ultegra Disc 11v
Handlebar	Cinelli Vai	Cinelli Vai	Cinelli Vai	Cinelli Vai	Cinelli Vai
Stem	Alu 6061	Alu 6061	Alu 6061	Alu 6061	Alu 6061
Seatpost	Cinelli Vai ø 27,2	Cinelli Vai ø 27,2	Cinelli Vai ø 27,2	Cinelli Vai ø 27,2	Cinelli Vai ø 27,2
Shifters	Shimano Dura-Ace R9270	Shimano Ultegra R8170	Shimano 105 R7170	Shimano 105 R7120	Shimano Ultegra R8020
Brakes	Shimano Dura-Ace R9270	Shimano Ultegra R8170	Shimano 105 R7170	Shimano 105 R7170	Shimano Ultegra R8070
Rotors	Shimano 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Shimano Dura-Ace R9250	Shimano Ultegra R8150	Shimano 105 R7150	Shimano 105 R7100	Shimano Ultegra R8000
R. derailleur	Shimano Dura-Ace R9250	Shimano Ultegra R8150	Shimano 105 R7150	Shimano 105 R7100	Shimano Ultegra R8000
Crankset	Shimano Dura-Ace R9200 52/36t	Shimano Ultegra R8100 52/36t	Shimano 105 R7100 52/36T	Shimano 105 R7100 52/36T	Shimano Ultegra R8000 52/36t
Cassette	Shimano Dura-Ace R9200 11/30t	Shimano Ultegra R8100 11/30t	Shimano 105 R7100 11/34T	Shimano 105 R7100 11/34T	Shimano Ultegra R8000 11/30t
Chain	Shimano M8100	Shimano M8100	Shimano M7100	Shimano M7100	Shimano Ultegra R8000
Wheelset	Fulcrum Wind 42	Fulcrum 600	Fulcrum 600	Fulcrum 600	Fulcrum 600
Tyres	Pirelli PZero Race 700x28	Vittoria Zaffiro Pro 700x28	Vittoria Zaffiro Pro 700x28	Vittoria Zaffiro Pro 700x28	Vittoria Zaffiro Pro 700x28
Saddle	Selle Italia Novus Boost	Selle Italia Model X	Selle Italia Model X	Selle Italia Model X	Selle Italia Model X



geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	450	519	112	71	74	50	406	582	978	70	373	512	372
S	480	537	123	71,5	73,5	50	406	592	988	70	373	524	382
M	510	555	138	71,8	73	50	408	600	998	70	373	540	389
L	540	572	158	72	72,5	50	408	610	1008	70	373	560	395
XL	570	590	180	72,7	72	50	408	619	1017	70	373	583	403

frame specs

Sizes	XS (45) - S (48) - M (51) - L (54) - XL (57)
Cockpit	/
Material	Columbus Carbon Monocoque
Headset	IS 52/28,6 IS 52/40
Seatpost	ø 27,2
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Braze-On
Routing	Full Internal - Di2/EPS Compatible
Color	Sun Faded Laser Blue / Midnight Scream
Tyre Clear.	up to 700x30 mm
Fork	Columbus Disc 1-1/2" Carbon Monocoque Internal Cable Routing
Weight	Frame 990g (size M) - Fork 420g (uncut)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x162 / Front TA Ø 12x100mm - M12x120
Highlights	Ft.-Re. Skewers, Headset, Stem

superstar

Superstar is Cinelli's beloved carbon fiber re-interpretation of the Italian stage-racing bicycle that is the brand's heritage and DNA.





superstar

frame-kit - complete bike

- Beloved by riders for its smart mix of low-weight, aggressive handling over highly varied terrain and long-distance riding comfort
- Classic Italian grand tour geometry
- Shaped for maximum control and efficiency of carbon fiber lay up
- 12mm thru-axle

The Superstar is Cinelli's carbon fiber re-interpretation of the Italian stage-racing bicycle that is the brand's heritage and DNA. When developing the Superstar, Cinelli engineers studied how the inherent qualities of carbon fiber and its manufacturing processes could be employed to produce a contemporary iteration of the legendary versatility of the Italian Grand Tour ride quality i.e. the intelligent balance of low-weight, aggressive handling over highly varied terrain and long-distance riding comfort. In fact, owners of the Superstar will always tell you what they love most about the bike is its superlative ride quality!



specs

FRAME WEIGHT (M)
1140 g

FORK WEIGHT (M)
440 g


BOTTOM BRACKET
BB 86,5

MAX TYRE
28 mm



assembly

	105 DISC DI2	ULTEGRA DISC 11v
Colour	Dark Night	Dark Night
Drivetrain	105 DI2	Ultegra Disc 11v
Handlebar	Cinelli Vai	Cinelli Vai
Stem	Cinelli Vai	Cinelli Vai
Seatpost	Cinelli Vai ø 27,2	Cinelli Vai ø 27,2
Shifters	Shimano 105 R7170	Shimano Ultegra R8020
Brakes	Shimano 105 R7170	Shimano Ultegra R8070
Rotors	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Shimano 105 R7150	Shimano Ultegra R8000
R. derailleur	Shimano 105 R7150	Shimano Ultegra R8000
Crankset	Shimano 105 R7100 50/34T	Shimano Ultegra R8000 52/36T
Cassette	Shimano 105 R7100 11/34T	Shimano Ultegra R8000 11/30T
Chain	Shimano M7100	Shimano Ultegra R8000
Wheelset	Fulcrum 600	Fulcrum 600
Tyres	Vittoria Zaffiro Pro 700x28	Vittoria Zaffiro Pro 700x28
Saddle	Selle Italia Model X	Selle Italia Model X



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	460	407	515	500	110	71	75	45	415	577	982	70	368	509	373
S	480	430	533	517	120	72	74	45	415	581	987	70	368	522	383
M	510	460	550	533	145	72,5	73,5	45	415	590	995	70	368	548	387
L	540	498	566	550	160	73	73	45	415	595	1001	70	368	564	393
XL	570	523	585	568	185	73,5	72,5	45	415	604	1009	70	368	590	399

frame specs

Sizes	XS (46) - S (48) - M (51) - L (54) - XL (57)
Material	Columbus Carbon Monocoque T700
Headset	IS 42/28,6 IS 52/40 Columbus Compass 1-1/2" incl.
Seatpost	Ø 27,2 mm
Seat Clamp	Ø 31,8 mm
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Braze-On
Routing	Internal - DI2/EPS compatible
Color	Dark Night
Tyre Clear.	up to 700x28 mm
Fork	Columbus Futura Disc 1-1/8" 1-1/2" Carbon Monoc.
Weight	Frame 1140 g. (size M) Fork 440 g. (uncut)
Brake	Flat mount disc brake, rotor size up to 160mm
Dropouts ST	Rear TA Ø 12x142mm - M12x167 / Front TA Ø 12x100mm - M12x119
Highlights	Extra hanger / DI2 / EPS cable inserts / F-R Skewers

ROAD GRAVEL ADVENTURE URBAN

NEW COLOR NEW COLOR NEW COLOR NEW COLOR

nemo tig road

Cinelli's 100% Made in Milano steel road flagship hybridizes heritage with contemporary performance to create a new icon of Il Grande Ciclismo.





nemo tig road

frame-kit - complete bike

- T47 bottom bracket allows for full internal cable routing (including Columbus Trittico cockpit) as well as improved stiffness
- Ultralight CNC aluminium seatpost collar reduces weight and improves product life
- seatpost tube and diameter reduces weight and improves comfort
- As of March 2023 all Nemo frames are manufactured within the Cinelli Milan HQ by our internal framebuilder allowing us to create the world's shortest supply chain for premium road bikes.
- Lasercut minimalist brake bridge for further weight savings
- Geometry
- Custom drawn Columbus Spirit triple-buttet tubes
- Increased tyre clearance 32mm
- Classic Italian racing geometry
- Design-driven detailing and finish
- Available in 6 different paint
+ 1 Colour of the Year



specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	BOTTOM BRACKET	MAX TYRE
2000 g	392 g	T47	32 mm


The Nemo is Cinelli's flagship steel road bike, handcraft to hybridize our more than 75 years of Italian cycling heritage with the performance possibilities of contemporary cold-drawn steel tubing technology. Every Nemo frame is handwelded by Cinelli's internal framebuilder in its Milanese HQ, using custom drawn triple butted tube drawn by its sister company Columbus, less than 100 metres from the framebuilder creating the world's shortest performance bicycle supply chain.

Thanks to continuous three-way dialogue between the Cinelli design office, our framebuilder and Columbus – the Nemo has undergone subtle but significant manufacturing improvements including a 205g weight reduction (size Medium), the introduction of the T47 bottom bracket allowing for fully-internal cable routing as well as improving stiffness and a new ultralight CNC'd aluminium seatpost collar.



assembly

	SUPER RECORD WRL	RED ETAP axs	DURA-ACE DISC DI2	ULTEGRA DISC DI2	105 DISC DI2
Drivetrain	Campagnolo S.Record WRL	Sram Red Etap AXS	Shimano Dura-Ace 9270	Shimano Ultegra 8170	Shimano 105 7100
Handlebar	Columbus Comp. Trittico	Columbus Comp. Trittico	Columbus Comp. Trittico	Cinelli Vai	Cinelli Vai
Stem	Columbus Comp. Trittico	Columbus Comp. Trittico	Columbus Comp. Trittico	Cinelli Vai	Cinelli Vai
Seatpost	Columbus Comp. Trittico	Columbus Comp. Trittico	Columbus Comp. Trittico	Cinelli Vai Ø 27,2	Cinelli Vai Ø 27,2
Shifters	Super Record WRL	Sram Red Etap AXS	Shimano Dura-Ace R9270	Shimano Ultegra R8170	Shimano 105 R7170
Brakes	Super Record WRL	Sram Red	Shimano Dura-Ace R9270	Shimano Ultegra R8170	Shimano 105 R7170
Rotors	Campagnolo 160 - 140 mm	Sram Paceline X 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Super Record WRL	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150	Shimano 105 R7150
R. derailleur	Super Record WRL	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150	Shimano 105 R7150
Crankset	Super Record Carbon 48/32t	Sram Red Etap AXS 48/35t	Shimano Dura-Ace R9200 52/36t	Shimano Ultegra R8100 52/36t	Shimano 105 R7100 50/34
Cassette	Super Record 10/29t	Sram Red Etap AXS 10/30t	Shimano Dura-Ace R9200 11/30t	Shimano Ultegra R8101 11/30t	Shimano 105 R7101 11/34T
Chain	Super Record	Sram Red Flathead	Shimano R8100	Shimano R8100	Shimano M7100
Wheelset	Bora Ultra WTO 45 C23	Fulcrum Wind 42	Fulcrum Wind 42	Fulcrum 600 DB	Fulcrum 600 DB
Tyres	Pirelli PZero 700x28	Pirelli PZero 700x28	Pirelli PZero 700x28	Vittoria Zaffiro Pro 700x28	Vittoria Zaffiro pro 700x28
Saddle	Selle Italia Novus	Selle Italia Novus	Selle Italia Novus	Selle Italia Model X	Selle Italia Model X



geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	480	510	110	71	74,5	45	410	572	972	70	368	509	369
S	510	525	130	71,5	74	45	410	579	978	70	368	530	373
M	540	545	145	72,5	73,5	45	410	585	985	70	368	548	383
L	560	555	165	73	73,5	45	410	590	990	70	368	568	387
XL	590	575	185	73	73	45	415	605	1010	70	368	588	395
XXL	610	590	210	73,5	73	45	415	614	1019	70	368	613	402

frame specs

Sizes	XS (48) - S (51) - M (54) - L (56) - XL (59) - XXL (61) / Made to Measure
Material	Columbus Spirit HSS Tubeset
Headset	IS 42/28,6 IS 52/40
Seatpost	Ø 27,2 mm
Seat Clamp	CNC Machined ø 29,8
BB Shell	T47 68 mm
Ft. derailleur	Clamp Ø 28,6 mm
Routing	Full Internal (Super Record, Red, Dura-Ace) - External / Internal Hydraulic Disc Brake Housing
Color	Colour of the Year (+6 Custom colors)
Tyre Clear.	up to 700x32 mm
Fork	Columbus Trittico Carbon Road
Weight	Frame 2000 g. (size M) Fork 392 g. (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x173 / Front TA Ø 12x100mm - M12x119
Highlights	Frame / Fork / Ft. Derailleur Clamp / Ft. & Re. Skewers / Headset

nemo tig road rim

Cinelli's 100% Made in Milano steel road flagship hybridizes heritage with contemporary performance to create a new icon of Il Grande Ciclismo. Here in the traditional version with rim brake.





nemo tig road rim

frame-kit made to order

- Custom drawn Columbus Spirit triple-buttressed tubes
- Classic Italian racing geometry
- Design-driven detailing and finish

The Nemo is Cinelli's flagship steel road bike, handcrafted to hybridize our more than 75 years of Italian cycling heritage with the performance possibilities of contemporary cold-drawn steel tubing technology. Every Nemo frame is hand welded by Cinelli's internal frame builder in its Milanese HQ, using custom drawn triple butted tube drawn by its sister company Columbus, less than 100 metres from the frame builder, therefore creating the world's shortest performance bicycle supply chain.



specs

FRAME WEIGHT (M)

1800 g

FORK WEIGHT (M)


350 g

BOTTOM BRACKET

BSA

MAX TYRE

28 mm



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	480	455	510	506	110	71	74,5	45	405	572	967	70	368	510	369
S	510	485	520	516	120	71,5	74	45	405	573	968	70	368	520	371
M	540	515	535	531	145	72,5	73,5	45	405	575	969	70	368	547	373
L	560	535	550	545	160	73	73,5	45	405	585	980	70	368	564	383
XL	590	565	575	570	185	73	73	45	408	605	1003	70	368	587	395
XXL	610	585	590	584	210	73,5	72,5	45	410	609	1005	70	368	613	397

frame specs

Sizes	XS (48) - S (51) - M (54) - L (56) - XL (59) - XXL (61) / Made to Measure
Material	Columbus Spirit HSS Tubeset
Headset	IS 42/28,6 IS 52/40
Seatpost	Ø 27,2 mm
Seat Clamp	Clamp diam. 29,8mm
BB Shell	BSA 68 mm / Press Fit 86,5 x 41 (Custom)
Ft. derailleur	Clamp Ø 28,6 mm
Routing	External
Color	Colour of the Year (+6 Custom colors)
Tyre Clear.	up to 700x28 mm
Fork	Columbus Futura Caliper 1-1/8" - 1-1/2" Carbon Monoc.
Weight	Frame 1800 g. (size M) Fork 350 g. (uncut)
Brake	Standard Rim Brake
Dropouts ST	Front QR 100 mm - Rear QR 130 mm
Highlights	Frame / Fork / Ft. Derailleur Clamp / Headset