



Reynolds 853

Frame tubes

Part	Diameter	Gauge	Length	Notes
AX2005	25,4	0.7/0.4/0.7	600	75.50.280.50.145
BX2050	28,6	0.75/0.45/0.75	635	75.50.280.50.180
BX2050L	28,6	0.75/0.45/0.75	680	75.50.280.50.225
BX2055	28,6	0.7/0.5/0.7	600	40.50.350.50.110
BX2060	28,6	0.8/0.5/0.8	635	100.50.300.50.135
BX2105	31,75	0.7/0.5/0.7	635	75.50.280.50.180
BX2100	31,75	0.7/0.5/0.7	635	40.50.350.50.145
BX2106	31,75	0.7/0.5/0.7	680	75.50.280.50.225
BX2104	31,75	0.8/0.5/0.7	571	120.50.210.50.141
CX2111	31,75	0.8/0.6/0.8	565	75.50.200.50.190
BX2110L	31,75	0.8/0.5/0.8	680	120.50.300.50.160
BX2110	31,75	0.8/0.5/0.8	635	120.50.300.50.115
BX2125L	31,75	0.9/0.6/0.9	680	120.50.300.50.160
BX2113	31,75	0.9/0.6/0.9	730	120.50.300.50.210
BX2155	34,9	0.8/0.5/0.8	635	120.30.320.30.135
BX2157	34,9	0.8/0.5/0.8	720	120.50.300.50.200
BX2150	34,9	0.9/0.6/0.9	635	120.30.320.30.135
BX2151	34,9	0.9/0.6/0.9	680	120.30.320.30.180
BX2153	34,9	0.9/0.6/0.9	730	120.50.300.50.210
BX2159	34,9	1.0/0.7/1.0	720	120.50.300.50.200
BX2158	34,9	1.2/0.9/1.2	560	190.50.80.50.190
BX2160	38,1	0.9/0.6/0.9	635	120.50.300.50.115
BX2161	38,1	0.9/0.6/0.9	680	120.50.295.50.165

seat tubes

Part	Diameter	Gauge	Length	Notes
CX2201	28,6	0.7/0.5	635	125.75.435
CX2202	28,6	0.8/0.55	635	125.75.435
CX2203	28,6	1.0/0.7	650	125.75.450
CX2206	28,6	1.2/0.9	410	125.75.210
CX2290	31,75	0.9/0.7	635	125.75.435
CX2361	28,6	0.9/0.6/1.2	400	150.80.60.50.60 bulge 27.2
CX2362	28,6	0.9/0.6/1.2	450	125.80.95.50.100 bulge 27.2
CX2363	28,6	0.9/0.6/1.2	550	170.50.155.75.100 bulge 27.2
CX2364	28,6	0.9/0.6/1.2	650	190.50.260.50.100 bulge 27.2
CX2280	31,75	0.9/0.6/1.2	550	180.50.150.50.120 -bulge 30.0
CX2285	31,75	0.9/0.6/1.2	410	125.50.95.50.90 bulge 30.0mm
CX2287	33.1/30.9id	1.1/0.55/0.9	550	120.50.150.50.180 -bulge 30.9 ID
CX2461	34.1/34.9 - 31.6id	1.15/.55/.8	400	100.30.90.30.150

Feuille1

Part	Diameter	Gauge	Length	Notes
CX2462	34.1/34.9 - 31.6id	1.15/.55/.8	450	150.30.90.30.150
CX2463	34.1/34.9 - 31.6id	1.15/.55/.8	550	125.50.175.50.150
CX2464	34.1/34.9 - 31.6id	1.15/.55/.8	650	175.50.175.50.200

Shaped tubes

Part	Diameter	Gauge	Length	Notes
BX2700	34/28	0.7/0.5/0.7	635	full oval
BX2705	30/40	0.8/0.5/0.8	635	full oval
BX2709	34/28 oval	0.7/0.5/0.7	650	full oval
BX2802	30/40	0.8/0.5/0.8	680	opposed oval
BX2805	34/28	0.7/0.5/0.7	635	opposed oval
BX2900	34/28	0.7/0.5/0.7	635	taper oval
BX2905	30/40	0.8/0.5/0.8	635	taper oval
AX2605	44/28 teardrop	0.9/0.6/0.9	635	120.50.300.50.115

Reynolds can offer many of the standard range of 853 tubes with oval or tapered



NEW - 853 DZB (Double Zone Butted) frame tubes

Part	Diameter	Gauge	Length	Notes
BX3010	31,75	1.1-0.9/0.6/0.9	680	40.20.60.50.300.50.160
BX3030	34,9	1.1-0.9/0.6/0.9	680	40.20.60.50.300.50.160
BX3030L	34,9	1.1-0.9/0.6/0.9	740	40.20.60.50.300.50.220
BX3038L	38,1	1.1-0.9/0.6/0.9	740	40.20.60.50.350.50.170
BX3039	38,1	1.0-0.8/0.5/0.8	740	40.20.60.50.350.50.170
BX3050	38,1	1.15-.85/0.6/0.85	730	BENT 11 deg 160.50.40.20.320.50.90
BX3052	34,9	1.2-0.9/0.65/0.9	730	BENT 13 deg 145.50.45.25.320.50.95
BX3054	31,75	1.2-0.9/0.65/0.9	730	BENT 15 deg 140.50.50.25.330.50.85

Head tubes

Part	Diameter	Gauge	Length	Notes
DX2300	31,75	0,9	220	
DX2320	32,5	1,25	200	
DX2340	36,4	1,2	200	
DX2341	36,4	1,2	630	

853 Chainstays/Seatstays

Part	Diameter	Gauge	Length	Notes
FX3521	22,2	0.9/0.6	410	cranked 12 deg / 14mm tip
FX3510	29 x 17 oval	0.8/0.6	410	oval / 13 tip
FX3515	29 x 17 oval	1.0/0.6	450	heavy / 13 tip
FX3525	22,2	0.8/0.6	430	R.O.R. / 13 tip
FX3001	33 x 23 oval	0.8/0.5	440	straight / 15 tip