

Reynolds Technology Ltd



Cycle Frame Tube Price List - 1st January 2013

EURO prices (Stock)

Stocked items are identified as "X"

Minimum order value is 250.00 Euro

All prices are plus any tax levied by the UK Government

Prices are EX WORKS our UK Factory

Delivery can be arranged, and added to invoices at cost

Payment by TT, or PAYPAL before despatch, unless otherwise agreed

This list includes details of all standard parts made, and identifies stocked items. All sales against this price list will be made, subject to standard minimum order quantities and lead times.

Kindly note that we now have an automated pricing system so please allow for rounding up/down on invoicing

Contacts : Paul Murphy - paul@reynoldstechnolgy.biz
Keith Noronha - keith@reynoldstechnology.biz

Reynolds Technology Ltd, Building 21, Shaftmoor Industrial Estate,
226 Shaftmoor Lane, Hall Green, Birmingham B28 8SF

Tel +44 (0)121 777 3853, Fax +44 (0)121 777 3153

General e.mail - toptubes@reynoldstechnology.biz

Part	Stock item	Diameter	Gauge	Length	Notes	1 to 9 Euro Each	10 to 49 Euro Each	50 + Euro Each
------	------------	----------	-------	--------	-------	------------------------	--------------------------	----------------------

Euro prices



Reynolds 953

953 frame tubes

Aged - Suffix "A"

SS3900	25.4	0.5/0.3/0.5	600	40.40.380.40.100	51.85	48.27	44.70
SS4000	28.6	0.5/0.3/0.5	600	40.40.380.40.100	49.40	45.99	42.58
SS4010	28.6	0.5/0.3/0.5	600	75.50.280.50.145	49.40	45.99	42.58
SS4020	28.6	0.55/0.35/0.55	625	120.50.320.50.85	49.40	45.99	42.58
SS4070	28.6	0.6/0.4	635	125.75.435	49.40	45.99	42.58
SS4100	31.75	0.55/0.35/0.55	650	40.40.400.40.130	50.34	46.87	43.40
SS4110	31.75	0.6/0.4/0.6	650	40.40.400.40.130	50.34	46.87	43.40
SS4120	31.75	0.6/0.4/0.6	650	120.50.300.50.130	50.34	46.87	43.40
SS4130	31.75	0.55/0.35/0.55	650	120.50.300.50.130	50.34	46.87	43.40
SS4136	31.75	0.7/0.4/0.7	550	75.50.200.50.175	50.34	46.87	43.40
SS4141	31.75	0.7/0.4/0.7	635	75.50.200.50.260	50.34	46.87	43.40
SS4712	31.75/27.2 id	0.7/0.4/0.7	550	seat tube from SS4136	56.27	52.39	48.51
SS4713	31.75/27.2 id	0.7/0.4/0.7	635	seat tube from SS4141	56.27	52.39	48.51
SS4200	34.9	0.55/0.35/0.55	680	40.40.420.40.140	51.77	48.20	44.63
SS4210	34.9	0.6/0.4/0.6	680	40.40.420.40.140	51.77	48.20	44.63
SS4220	34.9	0.6/0.4/0.6	680	120.30.320.30.180	51.77	48.20	44.63
SS4230	34.9	0.65/0.45/0.65	680	120.30.320.30.180	51.77	48.20	44.63
SS4240	34.9	0.7/0.5/0.7	680	120.30.320.30.180	51.77	48.20	44.63
SS4300	36.4	0.6/0.45/0.6	685	120.50.300.50.165	51.77	48.20	44.63

Shaped Tubing

BASED ON PART

SS4710	34.9->31.7	swaged 34.9mm	680	SS4220	57.70	53.72	49.75
SS4720	Teardrop 34.9	full length	680	SS4220	54.67	50.90	47.13
SS4730	31.7 OVAL	full length 35/26	635	SS4100	53.24	49.57	45.90
SS4732	31.7 Bi-Oval	90 degree opposed oval	650	SS4120	54.96	51.17	47.38
SS4740	34.9 OVAL	full length 40/30	680	SS4210	54.67	50.90	47.13
SS4742	34.9 Bi-Oval	90 degree opposed oval	680	SS4210	56.39	52.50	48.61

chainstay in 953 - butted							
FS4540	17.25/29.3 oval	0.5	420	taper to 15mm	40.98	38.16	35.33
FS4520	17.25/29.3 oval	0.7/0.5	410	taper to 15mm tip	40.26	37.49	34.71
FS4522	22.2	0.7	440	taper to 15mm tip cranked 10 deg	40.86	38.04	35.23
FS4523	22.2	0.7	420	round, taper to 15m tip straight	39.57	36.84	34.11
FS4544	22.2	0.55	410	ROR taper to 15mm tip	41.06	38.23	35.40
FS4521	23.8	0.7/0.5	420	round, taper to 15m tip straight	39.38	36.67	33.95
Head tube in 953							
HS4430	31.7	0.7	200		20.88	19.44	18.00
HS4440	31.7	0.7	600		62.65	58.33	54.01
HS4452	36.4	1.3	200	suplied in 17/4ph material	37.41	34.83	32.25
SEATSTAYS IN 953 (not aged)							
GS4650	19.05	0.6	560	D/taper to 13mm tip	47.83	44.53	41.23
GS4652	19.05	0.6	560	S/taper to 13mm tip	46.61	43.40	40.18
GS4670	16	0.7	560	S/taper to 13mm tip	46.61	43.40	40.18
GS4672	16	0.7	560	D/taper to 13mm tip	47.83	44.53	41.23
Plain stay material							
HS4454	22.2	0.7	420		36.77	34.23	31.70
HS4455	19	0.7	560		43.02	40.06	37.09
Road Fork Blades							
ES4800	27.5x20 oval	0.7	380	straight - 15mm tip	40.26	37.48	34.71
ES4810	27.5x20 oval	0.7	380	raked 16 x 30mm	42.37	39.45	36.53
MIRROR FINISH POLISH							
All 953 tubes can be supplied with a mirror finish polish				Minimum order 10 pieces		13.09	13.09
FRAME FITTINGS							
LS110	BB Shell	38.1mm, thread 24TPI, 68mm wide	EA 901		32.79	30.53	28.27
LS185	Rear Dropouts(PR)	universal style	901		28.35	26.39	24.44
LS200	Cable guides	EA	EA 316L		1.02	0.95	0.88
LS210	STI bosses	set of 2	SET OF 2 316L		11.38	10.59	9.81
LS220	Campy bosses	set of 2	SET OF 2 316L		21.00	19.55	18.10
LS250	Brake bridge	Standard allen key fit	EA 304		12.94	12.05	11.16
LS260	Seat clamp	for 28.6mm OD	EA 304		12.25	11.40	10.56
LS265	Seat clamp	for 31.7mm OD	EA 304		13.48	12.55	11.62
SSWW17-1		1.2mm dia 17/4 grade x 910mm	EA 901		2.03	1.89	1.75
SSTH1	lug top head	73 deg	EA 304		11.44	10.65	9.86
SSBH1	lug Down lug	60 deg	EA 304		12.29	11.44	10.59
SSSL1	lug seat lug	74 deg	EA 304		12.56	11.69	10.83
SSBB1	lug BB shell	oval chainstay port	EA 304		21.08	19.62	18.17
LS230	Integrated	head cups for 38.1 HT			22.92	21.34	19.76



Reynolds 853 PROTEAM series

Round top/down tubes								
AX2000	X	25.4	0.6/0.4/0.6	600	75.50.280.50.145	24.73	23.00	21.64
BX2058		28.6	0.6/0.45/0.6	650	75.50.330.50.145	26.31	24.47	23.02
BX2056	X	28.6	.65/.45/.65	635	40.40.380.40.135	26.31	24.47	23.02
BX2064	X	28.6	.55/.4/.55	635	75.50.330.50.130	26.31	24.47	23.02
BX2103	X	31.75	.65/.45/.65	650	100.50.335.50.115	29.14	27.10	25.50
BX2117	X	31.75	0.7/0.5/0.7	650	40.40.400.40.130	29.14	27.10	25.50
BX2152		34.9	0.7/0.5/0.7	650	40.40.420.40.110	35.64	33.14	31.18
BX2156	X	34.9	0.8/0.5/0.8	680	120.30.320.30.180	35.64	33.14	31.18
BX2148	X	34.9	.65/.52/.65	680	90.50.355.75.110	35.64	33.14	31.18
BX2162	X	38.1	0.8/0.5/0.8	650	120.50.300.50.130	35.04	32.59	30.66
seat tubes								
CX2210	X	28.6	0.8/0.4/0.6	650	180.50.230.50.140.-27.2 pillar	27.64	25.71	24.19
BX2185		31.7 tt 27.2 id	0.8/0.55	650	125.75.450	32.64	30.35	28.56



Reynolds 853

Frame tubes								
AX2005		25.4	0.7/0.4/0.7	600	75.50.280.50.145	23.51	21.87	20.57
AX2006		25.4	0.7/0.4/0.7	530	100.50.200.50.130	23.52	21.87	20.58
BX2050	X	28.6	0.75/0.45/0.75	635	75.50.280.50.180	26.01	24.19	22.76
BX2050L		28.6	0.75/0.45/0.75	680	75.50.280.50.225	27.34	25.43	23.93
BX2055		28.6	0.7/0.5/0.7	600	40.50.350.50.110	26.01	24.19	22.76
BX2060	X	28.6	0.8/0.5/0.8	635	100.50.300.50.135	26.01	24.19	22.76
BX2063		28.6	0.9/0.6/0.9	565	85.50.230.50.150	26.02	24.20	22.76

BX2062		28.6	0.9/0.6/0.9	635	100.50.300.50.135	26.02	24.20	22.76
BX2062L		28.6	0.9/0.6/0.9	650	100.50.300.50.150	26.02	24.20	22.76
BX2105		31.75	0.7/0.5/0.7	635	75.50.280.50.180	28.88	26.85	25.27
BX2100		31.75	0.7/0.5/0.7	635	40.50.350.50.145	28.88	26.85	25.27
BX2106		31.75	0.7/0.5/0.7	680	75.50.280.50.225	31.47	29.27	27.54
BX2104		31.75	0.8/0.5/0.7	571	120.50.210.50.141	28.88	26.85	25.27
CX2111		31.75	0.8/0.6/0.8	565	75.50.200.50.190	28.86	26.84	25.26
BX2110L	X	31.75	0.8/0.5/0.8	680	120.50.300.50.160	31.47	29.27	27.54
BX2110		31.75	0.8/0.5/0.8	635	120.50.300.50.115	28.88	26.85	25.27
BX2125L		31.75	0.9/0.6/0.9	680	120.50.300.50.160	31.48	29.28	27.55
BX2113		31.75	0.9/0.6/0.9	730	120.50.300.50.210	33.66	31.30	29.45
BX2126		31.75	1.0/0.7/1.0	635	120.50.300.50.115	28.86	26.84	25.26
BX2155		34.9	0.8/0.5/0.8	635	120.30.320.30.135	33.97	31.59	29.73
BX2157		34.9	0.8/0.5/0.8	700	120.50.300.50.180	38.11	35.44	33.35
BX2150		34.9	0.9/0.6/0.9	635	120.30.320.30.135	33.97	31.59	29.73
BX2151	X	34.9	0.9/0.6/0.9	680	120.30.320.30.180	35.64	33.14	31.18
BX2153	X	34.9	0.9/0.6/0.9	730	120.50.300.50.210	38.11	35.44	33.35
BX2159		34.9	1.0/0.7/1.0	720	120.50.300.50.200	35.64	33.14	31.18
BX2158		34.9	1.2/0.9/1.2	560	190.50.80.50.190	35.64	33.14	31.18
BX2160	X	38.1	0.9/0.6/0.9	635	120.50.300.50.115	34.34	31.93	30.05
BX2161		38.1	0.9/0.6/0.9	680	120.50.295.50.165	34.70	32.28	30.37
seat tubes								
CX2201	X	28.6	0.7/0.5	635	125.75.435	26.01	24.19	22.76
CX2202		28.6	0.8/0.55	635	125.75.435	26.01	24.19	22.76
CX2203		28.6	1.0/0.7	680	125.75.480	27.35	25.44	23.93
CX2206		28.6	1.2/0.9	410	125.75.210	26.16	24.33	22.89
CX2290		31.75	0.9/0.7	635	125.75.435	33.66	31.30	29.45
CX2361	X	28.6	0.9/0.6/1.2	400	150.80.60.50.60 bulge 27.2	33.17	30.85	29.03
CX2362	X	28.6	0.9/0.6/1.2	450	125.80.95.50.100 bulge 27.2	33.17	30.85	29.03
CX2363	X	28.6	0.9/0.6/1.2	550	170.50.155.75.100 bulge 27.2	33.17	30.85	29.03
CX2364	X	28.6	0.9/0.6/1.2	650	190.50.260.50.100 bulge 27.2	33.17	30.85	29.03
CX2280		31.75	0.9/0.6/1.2	550	180.50.150.50.120 -bulge 30.0	34.47	32.06	30.16
CX2285		31.75	0.9/0.6/1.2	410	125.50.95.50.90 bulge 30.0mm	34.48	32.06	30.17
CX2287		33.1/30.9id	1.1/0.55/0.9	550	120.50.150.50.180 -bulge 30.9 ID	34.48	32.06	30.17
CX2461		34.1/34.9 - 31.6id	1.15/.55/.8	400	100.30.90.30.150	34.48	32.06	30.17
CX2462		34.1/34.9 - 31.6id	1.15/.55/.8	450	150.30.90.30.150	34.48	32.06	30.17
CX2463		34.1/34.9 - 31.6id	1.15/.55/.8	550	125.50.175.50.150	34.48	32.06	30.17
CX2464		34.1/34.9 - 31.6id	1.15/.55/.8	650	175.50.175.50.200	34.48	32.06	30.17

Shaped tubes								
BX2700		34/28	0.7/0.5/0.7	635	full oval	30.54	28.40	26.72
BX2705	X	30/40	0.8/0.5/0.8	635	full oval	34.01	31.62	29.75
BX2706	X	22/40 flat oval	0.7/0.5/0.7	650	full oval	33.97	31.59	29.73
BX2709		34/28 oval	0.7/0.5/0.7	650	full oval	31.54	29.33	27.60
BX2802		30/40	0.8/0.5/0.8	680	opposed oval	35.70	33.20	31.24
BX2805		34/28	0.7/0.5/0.7	635	opposed oval	31.54	29.33	27.60
BX2900		34/28	0.7/0.5/0.7	635	taper oval	31.97	29.74	27.98
BX2905	X	30/40	0.8/0.5/0.8	635	taper oval	35.50	33.02	31.07
AX2605	X	44/28 teardrop	0.9/0.6/0.9	635	120.50.300.50.115	40.77	37.91	35.67

Reynolds can offer many of the standard range of 853 tubes with oval or tapered




NEW - 853 DZB (Double Zone Butted) frame tubes

BX3010	X	31.75	1.1-0.9/0.6/0.9	680	40.20.60.50.300.50.160	34.63	32.20	30.30
BX3030	X	34.9	1.1-0.9/0.6/0.9	680	40.20.60.50.300.50.160	37.39	34.77	32.72
BX3030L	X	34.9	1.1-0.9/0.6/0.9	740	40.20.60.50.300.50.160	39.56	36.79	34.61
BX3038L		38.1	1.1-0.9/0.6/0.9	740	40.20.60.50.350.50.170	41.13	38.25	35.99
BX3050		38.1	1.15-.85/0.6/0.85	730	BENT 11 deg 160.50.40.20.320.50.90	48.09	44.73	42.08
BX3052		34.9	1.2-0.9/0.65/0.9	730	BENT 13 deg 145.50.45.25.320.50.95	47.39	44.07	41.46
BX3054		31.75	1.2-0.9/0.65/0.9	730	BENT 15 deg 140.50.50.25.330.50.85	41.63	38.72	36.43

Head tubes								
DX2300	X	31.75	0.9	220		11.49	10.69	10.05
DX2320	X	32.5	1.25	200		13.12	12.20	11.48
DX2340	X	36.4	1.2	200		13.89	12.92	12.15
DX2341		36.4	1.2	630		42.68	39.69	37.35

853 Chainstays/Seatstays								
FX3521	X	22.2	0.9/0.6	410	cranked 12 deg	22.01	20.47	19.26
FX3510		29 x 17 oval	0.8/0.6	410	oval	24.12	22.43	21.10
FX3515		29 x 17 oval	1.0/0.6	450	29er	24.65	22.92	21.57
FX3525		22.2	0.8/0.6	430	R.O.R.	22.93	21.32	20.06
GX3610		16	0.65	560	s/taper	20.09	18.68	17.58
GX3650		16	0.8	560	s/taper	22.18	20.63	19.41



Reynolds 725

Frame tubes

AG101	X	25.4	0.8/0.5/0.8	600	85.40.330.40.105	13.72	12.76	12.01
AG208	X	28.6	0.7/0.4/0.7	680	130.30.350.30.140	15.12	14.07	13.23
AG206	X	28.6	0.8/0.5/0.8	635	130.30.350.30.95	14.39	13.38	12.59
AG304	X	31.75	0.8/0.5/0.8	635	130.30.350.30.95	15.09	14.04	13.21
AG504	X	34.9	0.8/0.5/0.8	680	130.40.330.40.140	16.40	15.26	14.35
AG401	X	28.6	0.9/0.6	635	85.50.500	14.39	13.38	12.59
AG455	X	28.6	0.9/0.6/1.2	550	95.25.300.30.100(Bulge)	16.19	15.06	14.17
AG457	X	28.6	0.9/0.6/1.2	635	85.25.395.30.100 (bulge)	16.19	15.06	14.17

Section

AG2601	X	50 x 32	0.8/0.5/0.8	650	teardrop	19.48	18.12	17.05
--------	---	---------	-------------	-----	----------	-------	-------	-------

Head tubes

DG151	X	31.75	0.9	220		4.21	3.91	3.68
DG153	X	31.75	0.9	635		10.30	9.58	9.01
DG155	X	32.5	1.25	200		6.75	6.28	5.91
DG155L	X	32.5	1.25	635		18.73	17.42	16.39
DG159	X	36.4	1.2	200		7.02	6.53	6.14
DG159L	X	36.4	1.2	600		19.62	18.25	17.17
DG156	X	36	1.5	200		8.03	7.47	7.03

Chainstay

FX2500	X	22.2	0.8/0.6	430	R.O.R	19.12	17.78	16.73
FX2510	X	17.5 x 29 oval	0.9/0.6	410	oval	19.35	17.99	16.93
FX2550		22.2	0.8/0.6	420	R.O.R bent 12 deg	19.93	18.54	17.44
FX2560	X	17 x 27 oval	0.8/0.6	420	oval, bent 12 deg	20.13	18.72	17.61
FX2570	X	24	0.9/0.6	410	round, cranked 12 deg	20.35	18.92	17.81
FX2576	X	20 x 31 oval	0.8/0.5	420	straight	19.83	18.45	17.35

		Seatstay							
GX2620	X	14	0.6	620	s/taper	19.31	17.96	16.90	
GX2625		14	0.6	575	d/taper	21.41	19.91	18.73	
GX2600	X	16	0.6	570	d/taper	18.57	17.27	16.25	
GX2610	X	16	0.6	570	s/taper	16.75	15.57	14.65	
GX2650	X	16	0.7	580	s/taper	18.49	17.20	16.18	
GX2670	X	18	0.8	500	d/taper	19.58	18.21	17.13	
GX2660	X	19	0.7	580	s/taper	20.13	18.72	17.61	
GX2655	X	17 x 14 oval	0.6	570	oval, s/taper	21.87	20.34	19.14	
GX2700		19	0.7	580	s/taper bent 10 deg	21.75	20.23	19.03	

Reynolds can offer a range of "S" bend seat and chainstays to customers drawings, subject to minimum order volumes.



Reynolds 631

		Frame tubes							
AX5000	X	25.4	0.8/0.5/0.8	600	100.50.300.50.100	13.58	12.63	11.88	
BX5058		28.6	0.7/0.4/0.7	566	85.50.230.50.150	14.68	13.65	12.85	
BX5049	X	28.6	0.75/.45/.75	635	75.50.280.50.180	14.69	13.66	12.86	
BX5048		28.6	0.8/0.5/0.8	566	85.50.230.50.150	14.69	13.66	12.86	
BX5050	X	28.6	0.8/0.5/0.8	635	100.50.300.50.135	14.69	13.66	12.86	
BX5053	X	28.6	0.9/0.6/0.9	635	75.50.280.50.180	14.69	13.66	12.86	
BX5054		28.6	0.9/0.6/0.9	565	85.50.230.50.150	14.68	13.65	12.85	
BX5055		28.6	1.0/0.7/1.0	645	75.50.280.50.190	15.31	14.24	13.40	
BX5129		31.75	0.8/0.5/0.7	563	120.50.210.50.135	15.42	14.34	13.49	
BX5128	X	31.75	0.8/0.5/0.8	635	120.50.300.50.115	15.42	14.34	13.49	
BX5124		31.75	0.8/0.5/0.8	680	120.50.300.50.160	15.80	14.69	13.82	
BX5127		31.75	0.9/0.6/0.9	550	75.50.280.50.95	15.42	14.34	13.49	
BX5125	X	31.75	0.9/0.6/0.9	635	120.50.300.50.115	15.42	14.34	13.49	
BX5125L		31.75	0.9/0.6/0.9	680	120.50.300.50.160	15.80	14.69	13.82	
BX5126		31.75	1.0/0.7/1.0	635	75.50.280.50.180	15.42	14.34	13.49	
BX5178		34.9	0.7/0.5/0.7	650	40.40.420.40.110	16.01	14.89	14.01	
BX5173	X	34.9	0.8/0.5/0.8	680	120.50.300.50.160	16.80	15.62	14.70	
BX5173L		34.9	0.8/0.5/0.8	700	120.50.300.50.180	17.96	16.70	15.71	
BX5174		34.9	0.9/0.6/0.9	680	120.30.320.30.180	16.80	15.62	14.70	
BX5175	X	34.9	0.9/0.6/0.9	635	120.30.320.30.135	16.02	14.90	14.02	
BX5179	X	34.9	0.9/0.6/0.9	714	120.30.320.30.214	17.96	16.70	15.71	
BX5177		34.9	1.0/0.7/1.0	680	120.30.320.30.180	16.80	15.62	14.70	

BX5190	X	38.1	0.9/0.6/0.9	635	120.50.295.50.120	18.42	17.13	16.12
BX5191		38.1	0.9/0.6/0.9	680	120.50.295.50.165	18.99	17.66	16.61
CX5200	X	28.6	0.8/0.55	635	120.75.435	13.39	12.46	11.72
CX5361	X	28.6	0.9/0.6/1.2	400	150.80.60.50.60 bulge 27.2	18.84	17.52	16.49
CX5362	X	28.6	0.9/0.6/1.2	450	125.80.95.50.100 bulge 27.2	18.84	17.52	16.49
CX5363	X	28.6	0.9/0.6/1.2	550	170.50.155.75.100 bulge 27.2	18.84	17.52	16.49
CX5364	X	28.6	0.9/0.6/1.2	650	190.50.260.50.100 bulge 27.2	18.84	17.52	16.49
CX5287		33.1/30.9id	1.1/0.55/.9	550	bulge30.9ID	20.05	18.64	17.54
CX5461		34.1/34.9 - 31.6id	1.15/.55/.8	400	100.30.90.30.150	18.84	17.52	16.49
CX5462		34.1/34.9 - 31.6id	1.15/.55/.8	450	150.30.90.30.150	18.84	17.52	16.49
CX5463		34.1/34.9 - 31.6id	1.15/.55/.8	550	125.50.175.50.150	18.84	17.52	16.49
CX5464		34.1/34.9 - 31.6id	1.15/.55/.8	650	175.50.175.50.200	18.84	17.52	16.49
Sections								
AX5605	X	44/28	0.9/0.6/0.9	635	teardrop	24.49	22.78	21.43
631 Head Tubes								
DX5320	X	32.5	1.25	200		7.99	7.43	6.99
DX5340	X	36.4	1.2	200		9.24	8.59	8.08
DX5341		36.4	1.2	630		27.34	25.43	23.93
DX5410		43.95id	1.15	100		17.09	15.89	14.95
DX5411		43.95id	1.15	110		17.37	16.16	15.20
DX5412		43.95id	1.15	120		17.59	16.35	15.39
DX5413		43.95id	1.15	130		18.32	17.04	16.03
DX5414		43.95id	1.15	140		18.70	17.39	16.36
DX5415		43.95id	1.15	150		18.89	17.57	16.53
631 SEAT/CHAIN STAYS, Please check as there will be some availability from stock								
FX1001		33 x 23 oval	0.8/0.5	440		22.25	20.70	19.47
FX5510		29 x 17 oval	0.8/0.6	430		17.41	16.19	15.23
FX5515		29 x 17 oval	1.0/0.6	450		17.92	16.66	15.68
FX5525		22.2	0.8/0.6	430		17.21	16.01	15.06
GX5610		16	0.65	560		15.06	14.01	13.18
GX5650		16	0.8	560		16.64	15.48	14.56



Reynolds 525

Frame tubes

AF101	X	25.4	0.8/0.6/0.8	600	85.40.330.40.105	9.40	8.74	8.22
AF208	X	28.6	0.7/0.4/0.7	680	130.30.350.30.140	9.84	9.15	8.61
AF250	X	28.6	0.8/0.5/0.8	635	130.30.350.30.95	9.84	9.15	8.61
AF304	X	31.75	0.8/0.5/0.8	635	130.30.350.30.95	10.53	9.80	9.22
AF506	X	34.9	0.8/0.5/0.8	680	130.40.330.40.140	9.84	9.15	8.61
AF401	X	28.6	0.9/0.6	635	85.50.500	10.39	9.66	9.09
AF455	X	28.6	0.9/0.6/1.2	550	95.25.300.30.100(Bulge)	9.35	8.69	8.18
AF457	X	28.6	0.9/0.6/0.9	635	85.25.395.30.100 (bulge)	10.34	9.61	9.04

Shaped

AF2601	x	50 x 32	0.8/0.5/0.8	650	teardrop	15.02	13.97	13.15
--------	---	---------	-------------	-----	----------	-------	-------	-------

Head tubes

DC151	X	31.75	0.9	220	0	3.44	3.20	3.01
DC153	X	31.75	0.9	635	0	7.50	6.98	6.57
DC155	X	32.5	1.25	200	0	4.36	4.05	3.81
DC155L	X	32.5	1.25	600	0	5.30	4.93	4.64
DC159	X	36.4	1.2	200	0	4.68	4.35	4.10
DC159L	X	36.4	1.2	600	0	11.44	10.64	10.01
DC156	X	36	1.5	200	0	7.06	6.56	6.18

Chainstays

FC1500	X	22.2	0.8/0.6	430	R.O.R	11.13	10.35	9.74
FC1510	X	17 x 29 oval	0.8/0.6	410	oval	11.09	10.31	9.70
FC1550		22.2	0.8/0.6	420	single bend 12 deg	11.92	11.09	10.43
FC1565	X	17 x 27 oval	0.8/0.6	420	oval - bent 12 deg	11.92	11.09	10.43
FB584	X	22.2	1.2	440	R.O.R	11.13	10.35	9.74

Seatstays

GC1625		14	0.6	600	d/taper	11.37	10.57	9.94
GC1620	X	14	0.6	620	s/taper	9.46	8.80	8.28
GC1600	X	16	0.6	560	d/taper	10.89	10.13	9.53
GC1610	X	16	0.6	560	s/taper	9.11	8.47	7.97
GC1650	X	16	0.7	580	s/taper	9.46	8.80	8.28
GC1655		16	0.7	580	d/taper	10.89	10.13	9.53
GC1670	X	16	0.9	600	s/taper	9.27	8.62	8.11
GC1660	X	19	0.7	580	s/taper	11.37	10.57	9.94
GC1661		19	0.7	580	d/taper	12.91	12.01	11.30

Tandem base

KC120	X	50 x 25 oval	0.9	760	tandem base tube	31.97	29.73	27.97
KC111	X	38.1	0.9	760	tandem base tube	27.21	25.31	23.81

Steering tubes

CrMo Steerer

HB128	X	25.4	1.6/1.1	400	no thread	12.89	11.99	11.28
HB142	X	28.6	1.6/1.1	400	no thread	14.02	13.04	12.27
HB102	X	25.4	2.3/1.6	240	threaded 24 tpi	11.31	10.52	9.89
HB103	X	25.4	2.3/1.6	300	threaded 24 tpi	11.31	10.52	9.89
HB104	X	25.4	2.3/1.6	400	threaded 24 tpi	13.10	12.18	11.46
HB114	X	25.4	2.3/1.6	400	no thread	9.83	9.14	8.60
HB130	X	25.4	2.9/1.6	250	threaded 24 tpi	13.77	12.81	12.05
HB144	X	28.6	2.3/1.6	420	no thread	10.67	9.92	9.34

Reynolds 631 fork blades

EX5708	X	27.5 x 20 oval	1.0/0.6	375	Straight	18.88	17.56	16.52
EX5716		27.5 x 20 oval	1.0/0.6	370	bent rake 16 x 30mm (road)	20.18	18.77	17.66
EX5707		27.5 x 20 oval	1.0/0.6	370	bent rake 15 x 45mm (tour)	20.18	18.77	17.66
EX770		28.6	1.1/0.8	480	29er unicrown TT 21mm od	21.59	20.07	18.89
EX771		28.6	1.1/0.8	480	29er unicrown no taper	21.07	19.59	18.43

Reynolds 853 fork blades


EX2716	X	27.5 x 20 oval	1.0/0.6	370	bent rake 16 x 30mm (road)	24.08	22.40	21.07
EX2707		27.5 x 20 oval	1.0/0.6	370	bent rake 15 x 45mm (tour)	24.08	22.40	21.07
EX772		31.75	1.2	480	29er unicrown TT 21mm od	26.11	24.29	22.85



Reynolds "R" butted fork blades

EB475	X	29 x 16 oval	1.2/0.7	395	rake 15x45mm	13.57	12.62	11.88
EB465	X	29 x 16 oval	1.2/0.7	395	straight	13.30	12.37	11.64
EB708	X	27.5 X 20 oval	1.0/0.6	370	straight	13.30	12.37	11.64
EB716	X	27.5 x 20 oval	1.0/0.6	370	rake 16x30mm	15.81	14.71	13.84
EB720	X	27.5 X 20 oval	1.1/0.8	400	straight	13.30	12.37	11.64

EB711	X	27.5 x 20 oval	1.2/0.7	430	straight	13.30	12.37	11.64
EB713	X	27.5 x 20 oval	1.2/0.7	430	rake 15x45mm	15.81	14.71	13.84
EB763		28.6	1.2	388	unicrown 22 tip - oval leg	18.40	17.12	16.10
EB702		27.5 X 20 oval	1.2/0.7	395	unicrown road fork	21.00	19.53	18.38



Reynolds 3/2.5 seamless Titanium

Reynolds carry stocks, but please check availability before ordering

Frame tube

BT122	31.75	.95/.75/.96	625	75.50.280.50.170	92.85	86.22	77.60
BT125	31.75	.9/.7/.9	569	112.50.282.50.75 oval at 75mm butt	87.93	81.65	73.48
BT123	34.9	.9/.7/.9	650	120.50.300.50.130	94.53	87.78	79.00
BT128	36.4	.95/.75/.97	685	120.50.300.50.160	95.26	88.45	79.61
BT124	37.3	.9/.7/.9	680	85.50.390.50.110	98.69	91.64	82.48
BT145	41.2	.9/.7/.9	680	90.60.350.60.120	103.90	96.48	86.83
CT158	31.75 tt 27.2id	.95/.75/.98	625	75(swage).50.280.50.170	97.00	90.07	81.06
CT159	31.75	0.95/0.65	625	125.75.425	92.85	86.22	77.60
BT2701	oval 28x34	.9/.7/.9	625	75.50.280.50.170 oval full length	98.69	91.64	82.48
BT2702	oval 32x42	.9/.7/.9	680	165.50.300.50.121 oval full length	102.28	94.98	85.48

Chainstay

FT116	30/21 oval	0.9	410	straight	51.81	48.11	43.30
-------	------------	-----	-----	----------	-------	-------	-------

Seatstay

GT127	16	0.8	575	single taper	42.51	39.47	35.52
GT123	19	0.7	570	double taper	46.65	43.32	38.99
GT142	19	0.7	570	single taper	41.27	38.32	34.49



Reynolds 531

		Frame tubes							
AB112	X	25.4	0.8/0.5/0.8	635	75.40.285.40.195	10.41	9.68	9.11	
BB112	X	28.6	0.8/0.5/0.8	650	130.30.350.30.95	13.97	12.99	12.22	
CB102	X	28.6	0.8/0.6	635	85.50.500	13.74	12.78	12.02	

6061/7005 Aluminium



Reynolds can make available a range of aluminium tubes for cycle frame construction.

This small range covers both hydroformed and mechanically formed tubes to standard designs.

Tube to customers designs can be made available subject to minimum order volumes