

Use	Modle	Depth(mm)	I.W(mm)	O.W(mm)	Standard Weight	Ultralight Weight	Rim type	ERD
Road Rim Brake	YAR38-01	38	15.6	25	430	380	Hooked	563mm
	YAR50-01	50		25	480	430		539mm
	YAR60-01	60		25	530	—		519mm
	YAR88-01	88		25	700	—		463mm
	YAR38-02	38	17	27	465	420		563mm
	YAR47-01	47		27	480	430		545mm
	YAR50-02	50		27	515	465		539mm
	YAR30-01	30	18.5	28	440	400		579mm
	YAR35-01	35		28	460	410		569mm
	YAR40-02 BWA	40		28	480	440		559mm
	YAR45-01	45		28	500	440		549mm
	YAR50-04 BWA	50		28	520	480		539mm
	YAR50-05 BWS	50		28	520	480		539mm
	YAR55-01	55		28	530	—		529mm
	YAR60-02	60		28	560	—		519mm
	YAR82-01	82		28	660	—		475mm
	YAR38-08	38	19	27	450	—		563mm
	YAR50-08	50		27	480	—		539mm
	YAR40-01	40	19.5	29	490	410		559mm
	YAR45-02 BWT	42-45		29	510	450		549mm
	YAR50-06	50		29	530	430		539mm
	YAR57-01 BWT	52-57	20	28	530	480		525mm
	YAR65-03	65	21	28	530	—		509mm
Road Disc Brake	YAR30-01	30	18.5mm	28mm	440	400	Hooked	579mm
	YAR35-01	35			460	410		569mm
	YAR40-02BWA	40			480	440		559mm
	YAR45-01	45			500	440		549mm
	YAR50-04 BWA	50			520	480		539mm
	YAR50-05 BWS	50			520	480		539mm
	YAR55-01	55			530	—		529mm
	YAR60-02	60			560	—		519mm

Gravel / Road Disc Brake	YAR38-08	38	19mm	27mm	450	—	Hooked	563mm
	YAR50-08	50			480	—		
	YAR45-02 BWT	45	20mm	29mm	510	450		549mm
	YAR57-01 BWT	57			530	480		525mm
	YAR40-05 BWA	40	20mm	28mm	480	440		559mm
	YAR50-10 BWA	50			520	480		539mm
	YAR50-11 BWS	50			520	480		539mm
	YHR35-04A	30-35(Asymmetric)	21mm	28mm	360	—		569mm
	YAR38-07	38			450	—		563mm
	YAR40-03 UNI	40			380	—		559mm
	YHR40-04A	35-40(Asymmetric)			375	—		559mm
	YAR45-03 UNI	45			390	—		549mm
	YHR45-05A	40-45(Asymmetric)			435	390		549mm
	YAR50-03 UNI	50			400	—		539mm
	YAR50-07	50			480	450		539mm
	YHR50-09A	45-50(Asymmetric)			405	—		539mm
	YAR65-03 UNI	65			480	—		509mm
	YAG35-02	35	22mm	32mm	450	400	Hooked	569mm
	YHR30-02 650B	30	22mm	28mm	400	360	Hooked	541mm
	YHR35-02	35			445	395	Hookless	566mm
	YHR40-02	40			460	410		556mm
	YHR45-02	45			480	430		546mm
	YHR45-02D 650B	45			430	390	Hooked	511mm
	YHG30-03	30	22	29	400	360	Hooked	578.6mm
	YHG35-03	35			420	375		569mm
	YHG40-03	40			435	390		559mm
	YHG45-03	45			450	405		549mm
	YHG50-03	50			470	425		539mm
	YHG30-03A	30(Asymmetric)			400	360		578.6mm
	YHG35-03A	35(Asymmetric)			420	375		568.6mm
	YHG40-03A	40(Asymmetric)			435	390		558.6mm
	YHG45-03A	45(Asymmetric)			450	405		548.6mm
	YHG50-03A	50(Asymmetric)			470	425		538.6mm
	YAR37-01 UNI	37	23	28	380		Hooked	565mm
	YAR43-01 UNI	43			400			553mm
	YAR47-01 UNI	47			410			545mm
	YAR56-01 UNI	56			445			527mm
	YAR42-01	42			445			555mm
	YAR53-01	53			495			533mm
	YHG29-04D	29			420	370		581mm
	YHG34-04D	34			440	390		571mm
	YHG39-04D	39			460	410		561mm

	YHG44-04D	44	24	31	470	420	Hooked	551mm
	YAG45-04	45			480	420		549mm
	YHG49-04D	49			490	440		541mm
	YHG54-04D	54			510	460		531mm
	YHG29-04S	29	25	31	420	370	Hookless	581mm
	YHG34-04S	34			440	390		571mm
	YHG39-04S	39			460	410		561mm
	YHG44-04S	44			470	420		551mm
	YHG49-04S	49			490	440		541mm
	YHG54-04S	54			500	450		531mm