

E-OLTRE | DURA-ACE 2X12SP X30 250 | YUBN7



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZQ - Celeste metallic / CK16-Graphite Full Matt
FRAME	Oltre e-road carbon, fully internal cable routing, mechanic and electronic groupsets, BB pressfit, disc brake flat mount, OLD 135mm sizes: 47, 50, 53, 55, 57, 59, 61
SEATPOST CLAMP	included in the frame
HEADSET	Acros / FSA, internal cable routing ICR
FORK	Full carbon aero road ICR, integrated head, disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Dura-Ace Di2 12 speed
REAR DERAILLEUR	Shimano Dura-Ace Di2 12 speed RD-R9250
FRONT DERAILLEUR	Shimano Dura-Ace Di2 12 speed FD-R9250
CRANKSET	Shimano Dura-Ace Di2 12 speed, FC-R9200, hollowtech 2, 52x36T Crank Length: 47, 50, 53 - 170mm 55, 57, 59 - 172.5mm 61 - 175mm
BOTTOM BRACKET	Mahle torque sensor BB
CHAIN	Shimano Ultegra 12 sp
CASSETTE / FREEWHEEL	Shimano Ultegra 12sp 11-34T 11-12-13-14-15-17-19-21-24-27-30-34T

BRAKE	included in the shifter
DISC ROTOR	Shimano RT86 6bolt,160mm rear Shimano MT800, centerlock 160mm front
RIM/WHEELSET	Velomann Plutonium, carbon, 21-622, profile 50mm, 24hole front, 32 hole rear, tubeless ready
TIRE	Vittoria Rubino V 28-622 TLR, G2.0, 100TPI
STEM	Reparto Corse integrated handlebar, carbon, for Acros ICR system drop 125mm, reach 80mm Ext: 90/380 (47cm) ; 100/400 (50-53cm) ; 110/400 (55-57cm); 120/420 (59-61cm)
HANDLEBAR	included in the stem
GRIP / TAPE	Bianchi Arrow premium tape, 2.5mm thickness, full black
SEATPOST	Full carbon aero shape, special Clamp type with alloy head adjustable and reversible +/- 35mm; lengths: 300mm =47> 50cm; 350mm= 53>61
SADDLE	Velomann Mitora Lite 139 saddle 139x250mm, carbon rail 7x9,1mm
MOTOR UNIT	Mahle X30 Drive unit, 40Nm, 250W iWoc ONE head unit, with e-shifters
BATTERY	Mahle iX250w Battery Pack

**E-OLTRE | ULTEGRA 2X12SP X30 250 | YUBN9**



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZQ - Celeste metallic / CK16-Graphite Full Matt
FRAME	Oltre e-road carbon, fully internal cable routing, mechanic and electronic groupsets, BB pressfit, disc brake flat mount, OLD 135mm sizes: 47, 50, 53, 55, 57, 59, 61
SEATPOST CLAMP	included in the frame
HEADSET	Acros / FSA, internal cable routing ICR
FORK	Full carbon aero road ICR, integrated head, disc brake flat mount, thru axle 12x100
SHIFTER	Shimano Ultegra Di2 12 speed
REAR DERAILLEUR	Shimano Ultegra Di2 12 speed RD-R8150
FRONT DERAILLEUR	Shimano Ultegra Di2 12 speed FD-R8150
CRANKSET	Shimano Ultegra Di2 12 speed, FC-R8100, hollowtech 2, 50x34T Crank Length: 47, 50, 53 - 170mm 55, 57, 59 - 172.5mm 61 - 175mm
BOTTOM BRACKET	Mahle torque sensor BB
CHAIN	Shimano 105 12 speed
CASSETTE / FREEWHEEL	Shimano 105 12 speed, 11-34 11-12-13-14-15-17-19-21-24-27-30-34T

BRAKE	included in the shifter
DISC ROTOR	Shimano RT86 6bolt,160mm rear Shimano MT800, centerlock 160mm front
RIM/WHEELSET	Velomann Plutonium, carbon, 21-622, profile 50mm, 24hole front, 32 hole rear, tubeless ready
TIRE	Vittoria Rubino V 28-622 TLR, G2.0, 100TPI
STEM	Velomann, AL6061, fully internal cable routing stem, compatible with Acros AICR system Ext: 90mm (47), 100mm(50/53), 110mm(55/57), 120mm(59/61)
HANDLEBAR	Velomann Aero Compact handlebar, diam. 31,8mm, reach 74mm, drop 116mm, Size: 400mm-47-53cm, 420mm-55-61cm
GRIP / TAPE	Bianchi Hexagon tape, 2.5mm thickness, black
SEATPOST	Full carbon aero shape, special Clamp type with alloy head adjustable and reversible +/- 35mm; lengths: 300mm =47> 50cm; 350mm= 53>61
SADDLE	Velomann Gnd Full-fit, carbon steel rail, 262x145
MOTOR UNIT	Mahle X30 Drive unit, 40Nm, 250W iWoc ONE head unit, with e-shifters
BATTERY	Mahle iX250w Battery Pack

E-OLTRE | 105 2X12SP X30 250 | YUBN8



The image shown is indicative only. Components and graphic detail may differ from actual model. Bianchi reserves the right to amend specifications and/or prices.

COLOR	ZQ - Celeste metallic / CK16-Graphite Full Matt
FRAME	Oltre e-road carbon, fully internal cable routing, mechanic and electronic groupsets, BB pressfit, disc brake flat mount, OLD 135mm sizes: 47, 50, 53, 55, 57, 59, 61
SEATPOST CLAMP	included in the frame
HEADSET	Acros / FSA, internal cable routing ICR
FORK	Full carbon aero road ICR, integrated head, disc brake flat mount, thru axle 12x100
SHIFTER	Shimano 105 12 speed
REAR DERAILLEUR	Shimano 105 12 speed RD-R7100
FRONT DERAILLEUR	Shimano 105 12 speed FD-R7100
CRANKSET	Shimano 105 12 speed, FC-R7100, hollowtech 2, 50x34T Crank Length: 47, 50, 53 - 170mm 55, 57, 59 - 172.5mm 61 - 175mm
BOTTOM BRACKET	Mahle torque sensor BB
CHAIN	Shimano 105 12 speed
CASSETTE / FREEWHEEL	Shimano 105 12 speed, 11-34 11-12-13-14-15-17-19-21-24-27-30-34T

BRAKE	included in the shifter
DISC ROTOR	Shimano RT86 6bolt,160mm rear Shimano MT800, centerlock 160mm front
RIM/WHEELSET	Velomann Plutonium, carbon, 21-622, profile 50mm, 24hole front, 32 hole rear, tubeless ready
TIRE	Vittoria Rubino V 28-622 TLR, G2.0, 100TPI
STEM	Velomann Viper, Alloy 6061, raise - 7°, semi-integrated cable routing Ext:90mm-47cm, 100mm-50~53cm, 110mm-55~57cm, 120mm-59~61cm
HANDLEBAR	Velomann Aero Compact, alloy 6061 diam. 31,8mm, reach 74mm, drop 116mm Size: 400mm-47~53cm,420mm-55~59cm,440mm-61cm
GRIP / TAPE	Bianchi Hexagon tape, 2.5mm thickness, black
SEATPOST	Full carbon aero shape, special Clamp type with alloy head adjustable and reversible +/- 35mm; lengths: 300mm =47> 50cm; 350mm= 53>61
SADDLE	Velomann Gnd Full-fit, carbon steel rail, 262x145
MOTOR UNIT	Mahle X30 Drive unit, 40Nm, 250W iWoc ONE head unit
BATTERY	Mahle iX250w Battery Pack