

# AVANT H30

Ref. S103

Größe	Kurbellänge	Vorbaulänge	Lenkerbreite
47	165	80	360
49	170	90	380
51	170	90	380
53	170	100	400
55	172	100	400
57	172	110	420
60	175	120	420



BB  
BB



Magnetic Bronze (Matt) - Cosmic  
Bronze (Gloss)  
BD

€	\$	£
2099	2499	2299



Ivory White - Titan Bronze (Gloss)  
BN



Rahmen	Orbea Avant Hydro disc, hydroformed triple butted aluminium, HS 1,5" ICR, BB 68mm – BSC English, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, SP 27,2mm, MMS system.
Gabel	Orbea Avant Hydro 2025, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
Kurbel	Shimano RS520 34x50t <i>Shimano 105 R7100 36x52t</i>
Op.	<i>Shimano 105 R7100 34x50t with left side 4iiii Powermeter</i> <i>Shimano 105 R7100 36x52t with left side 4iiii Powermeter</i>
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Road Performance RP31-R, Rise 15, Reach 70, Drop 125 <i>OC Road Performance RP10-R Carbon, Rise 15, Reach 70, Drop 125</i>
Op.	<i>OC Road Performance RP31, Reach 80, Drop 125</i>
Lenkerband	Orbea Eva
Vorbau	OC Road Performance RP22, -5° <i>OC Road Performance RP22, +15°</i>
Op.	
Schalthebel	Shimano R7120
Bremsen	Shimano R7170 Hydraulic Disc
Schaltwerk	Shimano 105 R7100
Umwerfer	Shimano 105 R7100

Kette	Shimano M6100
Lauftradsatz	Sun Ringle Duroc 40 Tubeless Ready <i>OQUO Road Performance 35 PRO+ Vittoria Corsa Next 622-28C TI</i>
Op.	<i>OQUO Road Performance 35 TEAM+ Vittoria Corsa Next 622-28C T</i> <i>OQUO Road Performance 45 TEAM+ Vittoria Corsa Next 622-28C T</i>
Kassette	Shimano 105 R7100 11-34t 12-Speed
Op.	<i>Shimano HG710 11-36t 12-Speed</i>
Hinterradachse	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded
Op.	<i>Orbea Thru Axle 12x142mm M12x2 P1 Lite</i>
Vorderradachse	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Op.	<i>Orbea Thru Axle 12x100mm M12x2 P1 Lite</i>
Reifen	Vittoria Zafiro V Rigid bead 700x28c <i>Vittoria Corsa N.Ext G2.0 Foldable 700x28c</i>
Op.	<i>Vittoria Corsa Pro G2.0 TLR 700x28c</i>
Sattelstütze	SP 0.6, Alloy, 27.2mm, Setback 20 <i>OC Performance XP10 Carbon, Setback 0</i>
Op.	<i>OC Performance XP10-S Carbon, 27.2mm, Setback 20</i>
Sattel	SD 0.1 145mm
Lagerung	OC Toolbox TB03PP

Schutzblech	N/A
Op.	<i>Front/rear Apollo Mudguards 50mm NEG</i>

# AVANT H40

Ref. S102

Größe	Kurbellänge	Vorbaulänge	Lenkerbreite
47	170	80	360
49	170	90	380
51	170	90	380
53	170	100	400
55	172	100	400
57	172	110	420
60	175	120	420



BB  
BB



Ivory White - Titan Bronze (Gloss)  
BN



Magnetic Bronze (Matt) - Cosmic  
Bronze (Gloss)  
BD

€	\$	£
1599	1899	1699



Rahmen	Orbea Avant Hydro disc, hydroformed triple butted aluminium, HS 1,5" ICR, BB 68mm – BSC English, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, SP 27,2mm, MMS system.
Gabel	Orbea Avant Hydro 2025, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
Kurbel	FSA Omega Megaexo 34x50t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Road Performance RP31-R, Rise 15, Reach 70, Drop 125
Op.	OC Road Performance RP31, Reach 80, Drop 125
Lenkerband	Orbea Eva
Vorbau	OC Road Performance RP22, -5°
Op.	OC Road Performance RP22, +15°
Schalthebel	Shimano Tiagra ST-4700
Bremsen	Jagwire RideRever Mechanical Disc
Schaltwerk	Shimano Tiagra 4700 GS
Umwerfer	Shimano Tiagra 4700
Kette	KMC X10
Laufnradatz	Sun Ringle Duroc 40 Tubeless Ready
Kassette	Sun Race CSMS1 11-34t 10-Speed
Hinterradachse	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded

Vorderradachse	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Reifen	Vittoria Zafiro V Rigid bead 700x28c
Sattelstütze	SP 0.6, Alloy, 27.2mm, Setback 20
Sattel	SD 0.1 145mm
Lagerung	OC Toolbox TB03PP
Schutzblech	N/A
Op.	Front/rear Apollo Mudguards 50mm NEG

# AVANT H60

Ref. S101

Größe	Kurbellänge	Vorbaulänge	Lenkerbreite
47	170	80	360
49	170	90	380
51	170	90	380
53	170	100	400
55	170	100	400
57	170	110	420
60	170	120	420



BB  
BB



Ivory White - Titan Bronze (Gloss)  
BN



Magnetic Bronze (Matt) - Cosmic  
Bronze (Gloss)  
BD

€	\$	£
1399	1699	1499



Rahmen	Orbea Avant Hydro disc, hydroformed triple butted aluminium, HS 1,5" ICR, BB 68mm – BSC English, Thru Axle 12x142mm rear, thread M12x2 P1, Internal Cable Routing, SP 27,2mm, MMS system.
Gabel	Orbea Avant Hydro 2025, full carbon, 1-1/8" - 1,5" tapered head tube compatible, Thru axle 12x100mm, thread M12x2 P1
Kurbel	Shimano Claris R2000 34x50t
Steuersatz	FSA 1-1/2" Integrated Aluminium Cup
Lenker	OC Road Performance RP31-R, Rise 15, Reach 70, Drop 125
Op.	OC Road Performance RP31, Reach 80, Drop 125
Lenkerband	Orbea Eva
Vorbau	OC Road Performance RP22, -5°
Op.	OC Road Performance RP22, +15°
Schalthebel	Shimano Claris ST-R2000
Bremsen	Jagwire RideRever Mechanical Disc
Schaltwerk	Shimano Claris RD-R2000-GS
Umwerfer	Shimano Claris FD-R2000-F
Kette	KMC X8
Laufnradatz	Sun Ringle Duroc 40 Tubeless Ready
Kassette	Shimano HG50 11-32t 8-Speed
Hinterradachse	Orbea Thru Axle 12x142mm M12x2 P1 Solid inner threaded

Vorderradachse	Orbea Thru Axle 12x100mm M12x2 P1 Solid
Reifen	Vittoria Zafiro V Rigid bead 700x28c
Sattelstütze	SP 0.6, Alloy, 27.2mm, Setback 20
Sattel	SD 0.1 145mm
Lagerung	OC Toolbox TB03PP
Schutzblech	N/A
Op.	Front/rear Apollo Mudguards 50mm NEG